ALS Water
22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	6796594 20-56146
LOCALITY :	EM2021368_019
SITE :	Villae De Yumpa
SAMPLE :	Surface
DATE SAMPLED :	1/12/2020
DATE ANALYSED :	3/12/2020
SAMPLED BY :	Sample analysed as received

COMMENTS: + A diverse community of algal taxa was observed. Excessive levels of small synechococcales dominated the sample. Current levels will impair water quality.

Sedgewick-Rafter Vol.(ml) 1.0311 **Concentration** 1 : 1 **Magnification** **Fields**	**Toxigenic (T) or Potentially toxic (P)** *	- 200x 20	- 100x 500	**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
BACILLARIOPHYCEAE						
Centrales		2	0	97	200	0.01940
Nitzschia		5	0	242	400	0.09698
Pennales (small <20um)		1	0	48	251	0.01217
Pleurosigma		0	5	10	2000	0.01940
CHLOROPHYCEAE						
Ankistrodesmoideae		576	0	27931	132	3.68694
Chlorococcoids (<10um)		4000	0	193968	60	11.63806
CHRYSOPHYCEAE						
Other Chrysophyceae		1	0	48	350	0.01697
CRYPTOPHYCEAE						
Cryptomonads		1	0	48	320	0.01552
CYANOPHYCEAE						
Synechococcales small (iauv <20)		26880	0	1303462	5.25	6.84318
DINOPHYCEAE						
Gymnodiniales		4	0	194	2000	0.38794
Gymnodiniales (small)		3	0	145	500	0.07274
Peridiniales		1	0	48	5000	0.24246
OTHER PHYTOPLANKTON						
Other small flagellates		37	0	1794	80	0.14354

TOTAL BGA	**1303462**	**6.84318**
TOTAL TOXIGENIC BGA	**0**	**0.00000**
TOTAL POTENTIALLY TOXIC BGA	**0**	**0.00000**
TOTAL ALGAE	**1528035**	**23.19528**

ANALYST: *Adam Deliyiannis* **Biologist**
REVIEWED: *Kirsten Mudie (signatory)* **Biologist**
DATE: **04/12/2020**

METHOD NO.: MB010/MW024VCA

ALS Water
22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	6796594 20-56146
LOCALITY :	EM2021368_019
SITE :	Villae De Yumpa
SAMPLE :	Surface
DATE SAMPLED :	1/12/2020
DATE ANALYSED :	3/12/2020
SAMPLED BY :	Sample analysed as received

COMMENTS: + A diverse community of algal taxa was observed. Excessive levels of small synechococcales dominated the sample. Current levels will impair water quality.

Sedgewick-Rafter Vol.(ml)	1.0311	**Toxigenic (T) or Potentially toxic (P)**			**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
Concentration	1 : 1						
Magnification			- 200x	- 100x			
Fields		*	20	500			

+ The comments are discretionary and are for the purpose of helping to understand WQ implications.The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

**** P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β-N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.***

ANALYST: *Adam Deliyiannis* **Biologist**

REVIEWED: *Kirsten Mudie (signatory)* **Biologist**

DATE: **04/12/2020**

METHOD NO.: MB010/MW024VCA