22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7171295 21-46438
LOCALITY :	EM2119079-009
SITE :	Parnka Point
SAMPLE :	Surface
DATE SAMPLED :	22/09/2021
DATE ANALYSED :	28/09/2021
SAMPLED BY :	Sample analysed as received

COMMENTS: + A diverse community of algal taxa was observed. Excessive levels of low biovolume BGA Synechococcales are likely to influence water quality.

Sedgewick-Rafter Vol.(ml) 1.0327 **Concentration** 1 : 1 **Magnification** **Fields**	**Toxigenic (T) or Potentially toxic (P)** *	- 200x 20	- 100x 500	**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
BACILLARIOPHYCEAE						
Amphora		1	0	48	500	0.02421
Nitzschia		1	0	48	400	0.01937
Pennales		1	0	48	300	0.01453
Pennales (small <20um)		2	0	97	251	0.02431
CHLOROPHYCEAE						
Ankistrodesmoideae		108	0	5229	132	0.69023
Chlorococcoids (<10um)		15	0	726	60	0.04358
CRYPTOPHYCEAE						
Cryptomonads		1	0	48	320	0.01549
CYANOPHYCEAE						
Synechococcales small (iauv <20)		19440	0	941222	5.25	4.94142
DINOPHYCEAE						
Gymnodiniales		3	0	145	2000	0.29050
Gymnodiniales (small)		3	0	145	500	0.07263
OTHER PHYTOPLANKTON						
Other small flagellates		11	0	533	80	0.04261
Prasinophytes		3	0	145	100	0.01453
Raphidophytes		1	0	48	7000	0.33892

TOTAL BGA	**941222**	**4.94142**
TOTAL TOXIGENIC BGA	**0**	**0.00000**
TOTAL POTENTIALLY TOXIC BGA	**0**	**0.00000**
TOTAL ALGAE	**948482**	**6.53229**

ANALYST: *Adam Deliyiannis* **Biologist**

REVIEWED: *Louise Ungemach (signatory)* **Biologist**

DATE: **29/09/2021**

METHOD NO.: MB010/MW024VCA

22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7171295 21-46438
LOCALITY :	EM2119079-009
SITE :	Parnka Point
SAMPLE :	Surface
DATE SAMPLED :	22/09/2021
DATE ANALYSED :	28/09/2021
SAMPLED BY :	Sample analysed as received

COMMENTS: + A diverse community of algal taxa was observed. Excessive levels of low biovolume BGA Synechococcales are likely to influence water quality.

Sedgewick-Rafter Vol.(ml)	1.0327	**Toxigenic (T) or Potentially toxic (P)**			**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
Concentration	1 : 1						
Magnification			- 200x	- 100x			
Fields		*	20	500			

+ The comments are discretionary and are for the purpose of helping to understand WQ implications.The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

**** P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β-N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.***

ANALYST: *Adam Deliyiannis* **Biologist**

REVIEWED: *Louise Ungemach (signatory)* **Biologist**

DATE: **29/09/2021**

METHOD NO.: MB010/MW024VCA