

22 Dalmore Drive Scoresby 3179 Tel. 03 8756 8183 Fax. 03 9763 1862





## **ALGAL REPORT**

CLIENT:	Australian Laboratory Services Pty Ltd SA					
LABORATORY NO./BATCH NO.:	7366813 22-11365					
LOCALITY:	EM2203091-019					
SITE:	3.2km Sth of Salt Ck					
SAMPLE:	Surface					
DATE SAMPLED :	23/02/2022					
DATE ANALYSED :	28/02/2022					
SAMPLED BY:	Sample analysed as received					

**COMMENTS: +** A diverse range of algal taxa were observed. Current levels may impact water quality.

Sedgewick-Rafter Vol.(ml) 1.0242 Concentration 1 : 1 Magnification Fields	Toxigenic (T) or Potentially toxic (P)	- 200x 20	- 100x 500	Total Cell Count (cells/mL)	Individual Algal Unit Volume (um3)	Total Biovolume (mm3/L)	
BACILLARIOPHYCEAE							
Nitzschia		492	0	24019	400	9.60750	
Pennales		4	0	195	300	0.05858	
Pennales (small <20um)		4	0	195	251	0.04901	
CHLOROPHYCEAE							
Ankistrodesmoideae		3110	0	151826	132	20.04101	
Chlorococcoids (<10um)		1640	0	80062	60	4.80375	
CYANOPHYCEAE							
Synechococcales small (iauv <20)		12480	0	609256	5.25	3.19859	
DINOPHYCEAE							
Gymnodiniales		1	0	49	2000	0.09764	
Gymnodiniales (small)		1	0	49	500	0.02441	
EUGLENOPHYCEAE							
Trachelomonas		0	1	2	3000	0.00586	
OTHER PHYTOPLANKTON							
Other small flagellates		45	0	2197	80	0.17575	
Raphidophytes		3	0	146	7000	1.02519	
TOTAL BGA		609256				3.19859	
TOTAL TOXIGENIC BGA		0				0.00000	
TOTAL POTENTIALLY TOXIC BGA		0				0.00000	
TOTAL ALGAE				867996		39.08729	

ANALYST: Adam Deliyiannis (signatory) REVIEWED: Louise Ungemach (signatory) DATE: 28/02/2022
Biologist Biologist

METHOD NO.: MB010/MW024VCA Page 1 of 2



22 Dalmore Drive Scoresby 3179 Tel. 03 8756 8183 Fax. 03 9763 1862





## **ALGAL REPORT**

CLIENT:	Australian Laboratory Services Pty Ltd SA					
LABORATORY NO./BATCH NO. :	7366813 22-11365					
LOCALITY:	EM2203091-019					
SITE:	3.2km Sth of Salt Ck					
SAMPLE:	Surface					
DATE SAMPLED :	23/02/2022					
DATE ANALYSED :	28/02/2022					
SAMPLED BY:	Sample analysed as received					

**COMMENTS: +** A diverse range of algal taxa were observed. Current levels may impact water quality.

Sedgewick-Rafter Vol.(ml) Concentration	1.0242 1 : 1	Toxigenic (T) or Potentially			Total Cell	Individual Algal Unit	Total
Magnification		toxic (P)	- 200x	- 100x	Count (cells/mL)	Volume (um3)	Biovolume (mm3/L)
Fields		•	20	500	,	()	` ,

<sup>+</sup> The comments are discretionary and are for the purpose of helping to understand WQ implications. The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

ANALYST: Adam Deliyiannis (signatory) REVIEWED: Louise Ungemach (signatory) DATE: 28/02/2022
Biologist Biologist

METHOD NO.: MB010/MW024VCA Page 2 of 2

<sup>\*</sup> P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β-N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.