¥.

CHAIN OF

CADELAIDE U3/1 Burma Road Pooraka SA 5095

UMACKAY 78 Harbour Road Mackay OLD 4740 IDNEWCASTLE 5 Rose Gum Road Warabrook NSW 2304 Dr. 07 2044 0477 E. mackandralendral mm

LISYDNEY 277-289 Woodpark Road Smithfield NSW 2164

	CHAIN	Ph. 08 8162 5130 E. adelaide@alsglobal com	Ph. 07 4944 0177 E: mackay@alsglobal.com	Ph 02 4958 9433 E. samples newcastle@alsglobal.com	Ph. 02 8784 8555 E. s	Ph. 02 8784 8555 E. samples.sydney@alsglobal.com
(ALS)	CUSTODY	☐BRISBANE 32 Shand Street Stafford QLD 4053 Ptr. 07 3243 7222 E: samples brisbane@alsglobal.com	© MELBOURNE 2-4 Westall Road Springvale VIC 317 IDNOWR <u>A 41</u> 13 ⊆ 24 gy geter 16. Ptr 03 8549 9600 E: samples melbourne@alsglobal coffr: 024 21 20 € 15 go.	C 3171DNOWRA 413 Ceary Price (but More ASU 25 bball coffn: 024 P3 20 RE (bottom a gobarnom	OTOWNSVILLE 14-151 Ph 07 4796 0500 E: tow	QTOWNSVILLE 14-15 Desma Court Bohle QLD 4818 Ph. 07 4796 0500 E. townesville environmental@aleglobal.com
	ALS Laboratory: please tick →	□GLADSTONE 46 Callemondah Drive Clinton QLD 4680 Ph. 07 7471 5500 E: gladstone@alsglobal.com	ÜMUGGEE 27 Sydney Road Mudgee NSW 2850 Ph. 02 6372 6735 E: mudgeemall@alsglobal.com	0		EDWOLLONGOING 99 Kenny Street Wollongong NSW 2500 Ph. 02 4225 3125 E. portkembla@alsglobal.com
CLIENT: DEPWAT		TURNAROUND REQUIREMENTS:	X Standard TAT (List due date):		FOR LABORATORY USE ONLY (C	(Min)
OFFICE:		(Standard TAT may be longer for some tests e.g Ultra Trace Organics)	g.	date):	Girthin senioritae	Ve
100 PC - PC		ALS QUOTE: AD/052/20 V2		COC SEQUENCE NUMBER (Circle)	Free California Califo	
PROJECT:		ORDER NO.:	(68)	coc; 1 2 3 4 5 6	7 Random Sample) emparature on Receipt	
PROJECT MANAGER:		CONTACT PH:		OF: 1 2 3 4 5 6	7 Other summers	
SAMPLER:		SAMPLER MOBILE:	RELINQUISHED BY:	RECEIVED BY:	RELINQUISHED BY:	RECEIVED BY:
COC emailed to ALS? (YES / NO)	ED	EDD FORMAT (or default):				March
Email Reports to:			DATE/TIME:	DATE/TIME: D	DATE/TIME: D	DATE/TIME:
Email Invoice to∶			1200			
COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL:	E OR DISPOSAL:		•			

	Additional Information	Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis etc.	Environmental Division Melbourne	Work Order Reference	_				Telephone · - 61-3-8549 9600				20 CM	3	おこととして
	ANALYSIS REQUIRED inoluding SUITES (NB. Suite Codes must be listed to attract suite price) Where Metals are required, specify Total (unfiltered bottle required) or Dissolved (field filtered bottle required).	esglA lstoT	×	×	×	×	×	×	×	×	×	×		Receive	C/HORC:
	oe listed to att r Dissolved (Сһіогорһуіі	×	×	×	×	×	×	×	×	×	×			_
	e Codes must k ttle required) or	(A8-TN) zinehituk Maranian	×	×	×	· ×	×	×	×	×	×	×			
,	ITES (NB. Suite I (unfiltered bor required).	DOC; ŁOC	×	×	×	×	×	×	×	×	×	×			
	including SU d, specify Tota	Reactive Silica	×	*	×	×	×	×	×	×	×	×		<u>-</u>	
	iS REQUIRED als are require	Total Dissolved Solids	×	×	×	×	×	×	×	×	×	×			
	ANALYS Where Met	Chloride, Total Alkalinity, Turbidity	×	×	×	×	×	×	×	×	×	×			
		TOTAL CONTAINERS	9	9	9	9	9	ø	9	9	9	9			
	CONTAINERINEORMATION	TYPE & PRESERVATIVE (refer to codes below)	P, SP, SV	P, SP, SV	P, SP, SV	P, SP, SV	P, SP, SV	P, SP, SV	P, SP, SV	P, SP, SV	P, SP, SV	P, SP, SV			
		ХІЯТАМ	×	*	×	3	×	M	W	A	W	W			
j		TIME	图	(4.30	(350	1335	rsss	ભુડ્ _ર)	1300	बर्भ	13/5/	(६११			
	III.S AVERAÇIVA	DATE / TIME	28/26/21 1450	व्यक्ते । १५१०	18/0e/n	Mochi	elbelu 1755	03/20/91 (c) 40	alpela 1300	12)9482	29/26/h (215	21/20 14 14 15 T	ر ا		
	S. White Dev	SAMPLEID	Stony Well	North Jacks Point	South Policeman Point	Snipe Point	Morella Basin @ outlet regulator	Morella Creek @ gauge	Sait Creek Outlet	1.8km west of Salt Creek	3.2km south of Salt Creek (land)	Tilley Swamp Drain U/S Morella			
	(285) 135 135	LABID		~	3	4	S	9	۷	æ	0	೨			

Chote: Compile of Seal: ON sepped Plastic; F = Formaldehyde Preserved Glass; Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved DRC = Nitric Preserved DRC; SH = Sodium Hydroxide Preserved, S = Sodium Hydroxide Preserved Plastic; AG = Amber Glass Unpreserved Plastic; AG = Amber Glass Unpreserved Plastic; AS = VOA Vial Sodium Bisulphate Preserved; AS = VOA Vial Sodium Bisulphate Preserved Vial Sodium Bisulphate Preserved Vial Sodium Bisulphate Preserved Speciation bottle; SP = Sulfuric Preserved Vial Sodium Bisulphate Preserved Bottles; ST = Sterile Bottles; ASS = Plastic Bag for Acid Sulphate Solis; B = Unpreserved Bag.

19

10

9

9

9

2

9

9

₹

CHAIN OF

LIADELAIDE U3/1 Burma Road Pooraka SA 5095 Ph. 08 8162 5130 E. adelalde@alsglobal com

DMACKAY 78 Harbour Road Mackay QLD 4740 UNEWCASTLE 5 Rose Gum Road Warabrook NSW 2304 Pr. 07 4944 0177 E: mackay@alsglobal com Ph. 02 4958 9433 E: samples newcasle@alsglobal com

DSYDNEY 277-289 Woodpark Road Smithfield NSW 2164 Ph. 02 8784 8555 E. samples sydney@alsglobal.com

		CHAIN	Ph 08 8162 51	Ph. 08 8162 5130 E. adelaide@alsqlobal.com	Ph: 07 4944 0	7177 Е: таскау@	Ph: 07 4944 0177 E: mackay@alsglobal.com	Ph. 02 4968 9433 E. samples newcastle@alsglobal.com	samples newcast	a@alsglobal.com		Ph. 02 87	Ph. 02 8784 8555 E; samples sydney@alsglobal.com
	(ALS) Environmental	CUSTODY ALS Laboratory: please tick →	☐BRISBANE 3 Ph; 07 3243 72 ☐GLADSTON Ph 07 7471 56	GERISBANE 22 Shand Street Stafford DLD 4053 hy 73248 7225E samples brachard@agbobal.com GCIADS7018E de Zallemordah Drive Clinton QLD 4650 Ph 07 7471 5600 E. gladstone@alsglobal.com	DMELBOURI Ph. 03 8549 9 UMUDGEE 2 Ph. 02 6372 6	NE 2-4 Westall Re 2500 E: samples. 17 77 Sydney Road N 3735 E: mudgee.n	DMELBOURNE 2:4 Westall Road Springvale VIC 3 Pr. 03 8549 9600 E. samples, melbourne@alsgloba DMUDGEE 27 Sydney Road Mudgee NSW 2850 Pr. 02 6737 6735 E. mudgee mail@alsglobal com	34740 11.00	DNOWRA 4/13 Geary Place North Ivowra NSW 2541 m. 024423 2063 E: nowra@aleglobal com LIPERTH 10 Hod Way Malaga WA 6090 Ph. 08 9209 7655 E: samples, perth@alsgobal com	n Nowra NSW 2541 bbal com WA 6090 rth@alsglobal.com		© TOWNSV Ph. 07 4796 © WOLLOY Ph. 02 422	© TOWNSYILLE 14.15 Desma Court Bohle OLD 4818 TOWNSYILLE (Funkswisher Environmentagisagbai com DWOLLONGONG S91Kerny Streat Woldergorg NSW 2500 Ph. 02.4226 3125 E. portkemble@alsglobel.com
CLIENT:	DEPWAT		7	TURNAROUND REQUIREMENTS:	Standard T.	Standard TAT (List due date):	date):				FORTA	FOR LANGERANDINA (USE ONNA (FILSID)	STEV TELESTON
OFFICE:			(Star	(Standard TAT may be longer for some tests e.g Ultra Trace Organics)	☐ Non Standa	ard or urgent	Non Standard or urgent TAT (List due date):	Jate):			Silver Custo	and the second second	
			AL	ALS QUOTE: AD/052/20 V2				COCSEQ	COC SEQUENCE NUMBER (Cirole)	R (Cirole)		ozen ketokidis pre	
PROJECT:	Ħ		OR	ORDER NO.:				1 2	ь 4	5 6 7		Single dumornium	
PROJEC	PROJECT MANAGER:	8	CONTACT PH:					0F: 1 2	۵ 4	5 6 7	offer:	becomen.	
SAMPLER	iR:	SAI	SAMPLER MOBILE:	ä	RELINQUISHED BY:	D.BY:	_	RECEIVED BY:		2	RELINQUISHED BY:	DBY:	RECEIVED BY:
COC emi	COC emailed to ALS? (YES / NO)	EDI	EDD FORMAT (or default):	r default):	•								Meson
Email Re	Email Reports to:			All Andrews of the Control of the Co	DATE/TIME:			DATE/TIME:		DA	DATE/TIME:		DA E/TIME:
Email Invoice to	voice to:									i			
COMME	COMMENTS/SPECIAL HANDLING/STORAGE OR DISPOSAL:	OR DISPOSAL:											
(S. S.)	nd Assay.	SAMBLE DETAILS IP. SOUDISTRANT		CONTAINED	A TION	W	ANALYSIS REI Vhere Metals ar	QUIRED includi. e required, specif	ng SUITES (NB. Suit y Total (unfiltered borred)	Suite Codes mus I bottle required) ed).	t be listed to a or Dissolved	ANALYSIS REQUIRED including SUITES (NB. Suite Codes must be isted to attract suite price) Where Metals are required, specify Total (unfiltered bottle required) or Dissolved (field filtered bottle required).	Additional Information
LAB ID	SAMPLEID	DATE / TIME	ñ XIЯTAM	TYPE & PRESERVATIV (refer to codes below)	ш	TOTAL CONTAINERS :hloride, Total Alkalinity,	urbidity spilos bevlossid isto	Seactive Silica	30C, TOC	(A8-TV) stneintul	llyndoroln	esglA lsto	Comments on likely contaminant levels, dilutions, or samples requiring specific QC analysis etc.
	Murray Mouth	70/06/21 1015	» ×	P, SP, SV		φ	L _) ×	i ×	×	L ×	
7	US Tauwitchere	18/06/12 PRIO	* (c)	V, SP, SV		φ	×	×	×	×	×	×	
5	DS Tauwitchere	20/26/2 ON	w (1)60	P, SP, SV		φ	× ×	×	×	*	×	×	
1,	Mark Point	200 1/20/20	33.5 w	P, SP, SV		9	× ×	×	×	×	×	×	
5	Long Point	म्लीक्षा ८३५	m JHts	P, SP, SV		9	×	×	×	×	×	×	
<u>-</u> ೨	Noonameena	००८। ग्रीष्ट्रि	~ ⊃a⊱	VS, SP, SV		9	*	×	×	×	×	×	
=	Bonneys	28/26/21 16 40	· 049	P, SP, SV		9	×	×	×	×	×	×	
\$	McGrath Flat North	2100 1535	× 35.3	P, SP, SV		9	× ×	×	×	×	×	×	
0	Parnka Point	isladia 1555	W 225	P, SP, SV		90	× ×	×	×	×	×	×	
X	Villa de Yumpa	28/06/21 1500	m 0)))	Vs, 98, 9V		so	*	*	×	×	*	*	
		-											
					TOTAL	. 09	10 10	£	6		10	10	

Water Container Codes: P = Unpreserved Plastic; N = Nitric Preserved ORC. SH = Sodium Hydroxide/Cd Preserved; S = Sodium Hydroxide/Cd Preserved Plastic; A = Amber Glass Unpreserved Plastic; HS = HCl preserved Plastic; HS = HCl preserved; WE = VOA VIal Sulfuric Preserved, VS = VOA VIal Sulfuric Preserved, VS = VOA VIal Sulfuric Preserved Plastic; HS = HCl preserved Plastic; HS = HCl preserved Plastic; HS = HCl preserved Plastic; HS = Sulfuric Preserved Plastic; HS = Plastic Bottle; ASS = Plastic Bottle