



ALS Laboratory: EM Melbourne

RECEIVED BY:

DATE TIME:

DATE TIME:

EMAIL INVOICES TO:

Biohazard info:

LABORATORY USE ONLY (Circle)

Custody Seal intact?

Yes No N/A

Free ice / frozen ice bricks present upon receipt?

Yes No N/A

Random Sample Temperature on Receipt:

°C

Other comments:

CONTACT PH: 0437 299 362

SAMPLER MOBILE: 0437 299 362

QUOTE NO: AD/052/20 V2


/ EM2020DEPWAT0003

SAMPLE DETAILS							ANALYSIS REQUIRED		
SAMPLE	NAME	DESCRIPTION	DATE / TIME	MATRIX	TOTAL BOTTLES	ON HOLD	Water Testing WATER	ALTERNATIVE ANALYSIS	ADDITIONAL INFORMATION
001	US Tauwitchere		30/08/2022 12:37 PM	Water	ALS: 6 Non ALS: 0	No	X		
002	DS Tauwitchere		30/08/2022 12:39 PM	Water	ALS: 6 Non ALS: 0	No	X		
003	Long Point		30/08/2022 01:45 PM	Water	ALS: 6 Non ALS: 0	No	X		
004	Noonameena		30/08/2022 02:20 PM	Water	ALS: 6 Non ALS: 0	No	X		
005	Bonneys		30/08/2022 02:39 PM	Water	ALS: 6 Non ALS: 0	No	X		
006	McGrath Flat North		30/08/2022 03:08 PM	Water	ALS: 6 Non ALS: 0	No	X		
007	Tilley Swamp Drain D/S Nth Outlet		31/08/2022 10:30 AM	Water	ALS: 6 Non ALS: 0	No	X		
008	Morella Basin @ outlet regulator		31/08/2022 09:24 AM	Water	ALS: 6 Non ALS: 0	No	X		
009	Morella Creek @ gauge		31/08/2022 09:07 AM	Water	ALS: 6 Non ALS: 0	No	X		

Environmental Division
Melbourne
Work Order Reference
EM2216764



Telephone : + 61-3-8549 9600

 CHAIN OF CUSTODY COC#: 41794 ALS Laboratory: EM Melbourne		RELINQUISHED BY: DATE TIME:	RECEIVED BY: DATE TIME:	RELINQUISHED BY: DATE TIME:	RECEIVED BY: <i>[Signature]</i> DATE TIME:
CLIENT: DEPWAT - Dept for Environment & Water PROJECT: HCHB Monitoring Program SITE: HCBC Land 30/31st August ORDER NO: PROJECT MANAGER: Darcy Morris PRIMARY SAMPLER: Darcy Morris EMAIL REPORTS TO: EMAIL INVOICES TO:		TURNAROUND REQUIREMENTS : 5 Days Biohazard info:		LABORATORY USE ONLY (Circle) Custody Seal intact? Yes No N/A Free Ice / frozen ice bricks present upon receipt? Yes No N/A Random Sample Temperature on Receipt: °C Other comments:	

SAMPLE DETAILS							ANALYSIS REQUIRED		
SAMPLE	NAME	DESCRIPTION	DATE / TIME	MATRIX	TOTAL BOTTLES	ON HOLD	Water Testing WATER	ALTERNATIVE ANALYSIS	ADDITIONAL INFORMATION
010	3.2km south of Salt Creek (land)		31/08/2022 08:43 AM	Water	ALS: 6 Non ALS: 0	No	X		
011	Tilley Swamp Drain U/S Morella		31/08/2022 09:54 AM	Water	ALS: 6 Non ALS: 0	No	X		
012	Tilley Swamp Drain Watercourse Outlet		31/08/2022 10:14 AM	Water	ALS: 6 Non ALS: 0	No	X		



ALS Laboratory: EM Melbourne

RELINQUISHED BY:

RECEIVED BY:

RELINQUISHED BY:

RECEIVED BY:

DATE TIME:

DATE TIME:

DATE TIME:

DATE TIME:

CLIENT: DEPWAT - Dept for Environment & Water

PROJECT: HCHB Monitoring Program

SITE: HCBC Land 30/31st August

ORDER NO:

PROJECT MANAGER: Darcy Morris

PRIMARY SAMPLER: Darcy Morris

EMAIL REPORTS TO:

EMAIL INVOICES TO:

TURNAROUND REQUIREMENTS : 5 Days

Biohazard info:

CONTACT PH: 0437 299 362

SAMPLER MOBILE: 0437 299 362

QUOTE NO: AD/052/20 V2

/ EM2020DEPWAT0003

LABORATORY USE ONLY (Circle)

Custody Seal intact?

Yes No N/A

Free ice / frozen ice bricks present upon receipt?

Yes No N/A

Random Sample Temperature on Receipt:

C

Other comments:

Wednesday, August 31, 2022 3:00:53 AM



ALS Laboratory: EM Melbourne

RECEIVED BY:

DATE TIME:

Other comments:

005	Bonneys	White Plastic Bottle - Unpreserved	1000 mL	00060121005074	Green	No	
005	Bonneys	Clear Plastic Bottle - Natural	250 mL	00070621148603	Green	No	
005	Bonneys	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121027897	Purple	No	
005	Bonneys	Amber TOC Vial - Sulfuric Acid	40 mL	00181121027884	Purple	No	
006	McGrath Flat North	Amber TOC Vial - Sulfuric Acid	40 mL	00181121027895	Purple	No	
006	McGrath Flat North	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121027894	Purple	No	
006	McGrath Flat North	White Plastic Bottle-Lugols Iodine	250 mL	00270820010520	Green	No	
006	McGrath Flat North	White Plastic Bottle - Unpreserved	1000 mL	00060121005082	Green	No	
006	McGrath Flat North	Clear Plastic Bottle - Natural	250 mL	00070621148629	Green	No	
006	McGrath Flat North	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100522040894	Purple	No	
007	Tilley Swamp Drain D/S	White Plastic Bottle - Unpreserved	1000 mL	00060121005039	Green	No	
007	Tilley Swamp Drain D/S	Amber TOC Vial - Sulfuric Acid	40 mL	00181121002412	Purple	No	
007	Tilley Swamp Drain D/S	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121002239	Purple	No	
007	Tilley Swamp Drain D/S	White Plastic Bottle-Lugols Iodine	250 mL	00270820001611	Green	No	
007	Tilley Swamp Drain D/S	Clear Plastic Bottle - Natural	250 mL	00070621148705	Green	No	
007	Tilley Swamp Drain D/S	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100522041052	Purple	No	
008	Morella Basin @ outlet	Clear Plastic Bottle - Natural	250 mL	00070621148613	Green	No	
008	Morella Basin @ outlet	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100522041021	Purple	No	
008	Morella Basin @ outlet	White Plastic Bottle - Unpreserved	1000 mL	00060121005059	Green	No	
008	Morella Basin @ outlet	White Plastic Bottle-Lugols Iodine	250 mL	00270820005802	Green	No	
008	Morella Basin @ outlet	Amber TOC Vial - Sulfuric Acid	40 mL	00181121027880	Purple	No	
008	Morella Basin @ outlet	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121027881	Purple	No	
009	Morella Creek @ gauge	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121027890	Purple	No	
009	Morella Creek @ gauge	Amber TOC Vial - Sulfuric Acid	40 mL	00181121027891	Purple	No	
009	Morella Creek @ gauge	Clear Plastic Bottle - Natural	250 mL	00070621148654	Green	No	
009	Morella Creek @ gauge	White Plastic Bottle - Unpreserved	1000 mL	00060121005066	Green	No	
009	Morella Creek @ gauge	White Plastic Bottle-Lugols Iodine	250 mL	00270820001531	Green	No	



ALS Laboratory: EM Melbourne

RECEIVED BY:

DATE TIME:

EMAIL INVOICES TO:

Biohazard info:

/ EM2020DEPWAT0003

LABORATORY USE ONLY (Circle)

C

Other comments:

Total Bottle Count: ALS: 72, Non ALS: 0



ALS Use Only

Custody Document for Submissions via ALS Compass App

Project: HCHB Client: DEW Project Manager: Frank Mangeruca
Phone: ()
ALS Compass COC Reference: 41793 # Samples: 22 kits Sampler: D'Arcy Morris
41794 Phone: (0437 299 362)
Turnaround Requirements: Standard ✓ Urgent

Special Instructions:

Custody:

Relinquished by: <u>D. Morris</u>	Received by: <u>Morris (M)</u>	Relinquished by:	Received by:
Date / Time: <u>31/8/2022 14:00</u>	Date / Time: <u>1/9, 12:05</u>	Date / Time:	Date / Time: