



FREIGHT

Environmental Division
Melbourne
Work Order Reference
EM2210354

Custody Document for Submissions via ALS Compass App

Telephone + 61 3 8549 9000



Project: MCAT3

Client: DGL

Project Manager:
Phone:

Dorey
0437 249 362

ALS Compass COC Reference: 38367

38356

Samples: 10 2 12

Sampler:
Phone:

Leahna Borell
0494 424 214

Turnaround Requirements: Standard _____ Urgent _____

Special Instructions:

Custody:

Relinquished by:	Received by:	Relinquished by:
<u>Leahna Borell</u>	<u>Tim (ALS)</u>	
Date / Time: <u>1200 2/6/22</u>	Date / Time: <u>3/6, 11-33</u>	Date / Time:

Right Solutions - Right Partner

alsglobal.com/als-compass

CLIENT: DEPWAT - Dept for Environment & Water

PROJECT: HCHB Monitoring Program

SITE: HCBC Land 01062022

ORDER NO:

PROJECT MANAGER: Darcy Morris

PRIMARY SAMPLER: Rowland Boxall

EMAIL REPORTS TO:

EMAIL INVOICES TO:

RELINQUISHED BY:

RECEIVED BY:

RELINQUISHED BY:

RECEIVED BY:

DATE TIME:

DATE TIME:

DATE TIME:

DATE TIME:

TURNAROUND REQUIREMENTS: 5 Days

Biohazard Info:

LABORATORY USE ONLY (Circle)

Custody Seal Intact?

Yes No N/A

Free ice / frozen ice bricks present upon receipt?

Yes No N/A

Random Sample Temperature on Receipt:

°C

CONTACT PH: 0437 299 362 SAMPLER MOBILE: 0484 924 714
QUOTE NO: AD/052/20 V2 / EM2020DEPWAT0003

Other comments:

SAMPLE DETAILS

ANALYSIS REQUIRED

SAMPLE	NAME	DESCRIPTION	DATE / TIME	MATRIX	TOTAL BOTTLES	ON HOLD	Water Testing WATER	ALTERNATIVE ANALYSIS	ADDITIONAL INFORMATION
001	US Tauw/itthere		01/06/2022 01:06 PM	Water	ALS: 6 Non ALS: 0	No	X		1973 filtered
002	DS Tauw/itthere		01/06/2022 01:15 PM	Water	ALS: 6 Non ALS: 0	No	X		2061 filtered
003	Long Point		01/06/2022 02:43 PM	Water	ALS: 6 Non ALS: 0	No	X		
004	Noonameena	Calm, light winds, sunny	01/06/2022 03:30 PM	Water	ALS: 6 Non ALS: 0	No	X		
005	Bonnays		01/06/2022 03:55 PM	Water	ALS: 6 Non ALS: 0	No	X		
006	McGrath Flat North	Cold, light winds, sunny	01/06/2022 04:23 PM	Water	ALS: 6 Non ALS: 0	No	X		
007	Tilley Swamp Drain D/S Nth Outlet		02/06/2022 10:11 AM	Water	ALS: 6 Non ALS: 0	No	X		
008	Morella Basin @ outlet regulator		02/06/2022 09:25 AM	Water	ALS: 6 Non ALS: 0	No	X		
009	Morella Creek @ gauge		02/06/2022 09:10 AM	Water	ALS: 6 Non ALS: 0	No	X		

**CHAIN OF CUSTODY**

ALS COC#: 38356

ALS Laboratory: EM Melbourne

CLIENT: DEPWAT - Dept for Environment & Water

PROJECT: HCHB Monitoring Program

SITE: HCBC Land 01062022

ORDER NO:

PROJECT MANAGER: Darcy Morris

PRIMARY SAMPLER: Rowland Boxall

EMAIL REPORTS TO:

EMAIL INVOICES TO:

RELINQUISHED BY:

RECEIVED BY:

RELINQUISHED BY:

RECEIVED BY:

DATE TIME:

DATE TIME:

DATE TIME:

DATE TIME:

TURNAROUND REQUIREMENTS: 5 Days

Biohazard Info:

LABORATORY USE ONLY (Circle)

Custody Seal Intact?

Yes No N/A

Free ice / frozen ice bricks present upon receipt?

Yes No N/A

Random Sample Temperature on Receipt:

°C

Other comments:

CONTACT PH: 0437 299 362

SAMPLER MOBILE: 0484 924 714

QUOTE NO: AD/052/20 V2

/ EM2020DEPWAT0003

SAMPLE DETAILS**ANALYSIS REQUIRED**

SAMPLE	NAME	DESCRIPTION	DATE / TIME	MATRIX	TOTAL BOTTLES	ON HOLD	Water Testing WATER	ALTERNATIVE ANALYSIS	ADDITIONAL INFORMATION
010	3.2km south of Salt Creek (land)		02/06/2022 08:50 AM	Water	ALS: 6 Non ALS: 0	No	X		
011	Tilley Swamp Drain U/S Morella		02/06/2022 09:51 AM	Water	ALS: 6 Non ALS: 0	No	X		
012	Tilley Swamp Drain Watercourse Outlet		02/06/2022 10:29 AM	Water	ALS: 6 Non ALS: 0	No	X		

**CHAIN OF CUSTODY****(ALS) COC#:** 38356

ALS Laboratory: EM Melbourne

CLIENT: DEPWAT - Dept for Environment & Water**PROJECT:** HCHB Monitoring Program**SITE:** HCBC Land 01062022**ORDER NO:****PROJECT MANAGER:** Darcy Morris**PRIMARY SAMPLER:** Rowland Boxall**EMAIL REPORTS TO:****EMAIL INVOICES TO:****RELINQUISHED BY:****RECEIVED BY:****RELINQUISHED BY:****RECEIVED BY:****DATE TIME:****DATE TIME:****DATE TIME:****DATE TIME:****TURNAROUND REQUIREMENTS:** 5 Days**LABORATORY USE ONLY (Circle)**

Biohazard info:

Custody Seal intact?

Yes No N/A

Free ice / Frozen ice bricks present upon receipt?

Yes No N/A

CONTACT PH: 0437 299 362**SAMPLER MOBILE:** 0484 924 714

Random Sample Temperature on Receipt:

°C

QUOTE NO: AD/052/20 V2

/ EM2020DEPWAT0003

Other comments:

SAMPLE	SAMPLE NAME	BOTTLE NAME	VOLUME	BARCODE	TYPE	FILTERED	REASON
001	US Tauwltchere	White Plastic Bottle - Unpreserved	1000 mL	00060121006650	Green	No	
001	US Tauwltchere	Clear Plastic Bottle - Natural	250 mL	00070621167514	Green	No	
001	US Tauwltchere	White Plastic Bottle-Lugol's Iodine	250 mL	00270820905797	Green	No	
001	US Tauwltchere	Amber TOC Vial - Sulfuric Acid	40 mL	00181121001984	Purple	No	
001	US Tauwltchere	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100621022004	Purple	No	
001	US Tauwltchere	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121001973	Purple	No	
002	DS Tauwltchere	Amber TOC Vial - Sulfuric Acid	40 mL	00181121001955	Purple	No	
002	DS Tauwltchere	Clear Plastic Bottle - Natural	250 mL	00070621167423	Green	No	
002	DS Tauwltchere	White Plastic Bottle-Lugol's Iodine	250 mL	00270820005744	Green	No	
002	DS Tauwltchere	White Plastic Bottle - Unpreserved	1000 mL	00060121006659	Green	No	
002	DS Tauwltchere	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100621022098	Purple	No	
002	DS Tauwltchere	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121002061	Purple	No	
003	Long Point	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100621022019	Purple	No	
003	Long Point	White Plastic Bottle - Unpreserved	1000 mL	00060121006638	Green	No	
003	Long Point	White Plastic Bottle-Lugol's Iodine	250 mL	00270820005809	Green	No	
003	Long Point	Clear Plastic Bottle - Natural	250 mL	00070621167536	Green	No	
003	Long Point	Amber TOC Vial - Sulfuric Acid	40 mL	00181121002004	Purple	No	
003	Long Point	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121001967	Purple	No	
004	Noonameena	White Plastic Bottle - Unpreserved	1000 mL	00060121011811	Green	No	
004	Noonameena	Amber TOC Vial - Sulfuric Acid	40 mL	00181121002025	Purple	No	
004	Noonameena	Clear Plastic Bottle - Natural	250 mL	00070621167547	Green	No	
004	Noonameena	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121002035	Purple	No	
004	Noonameena	White Plastic Bottle-Lugol's Iodine	250 mL	00270820005799	Green	No	
004	Noonameena	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100621003159	Purple	No	
005	Bonneys	White Plastic Bottle - Unpreserved	1000 mL	00060121011806	Green	No	
005	Bonneys	Amber TOC Vial - Sulfuric Acid	40 mL	00181121003332	Purple	No	

Thursday, June 2, 2022

2:24:57 AM

CLIENT: DEPWAT - Dept for Environment & Water

PROJECT: HCHB Monitoring Program

SITE: HCBC Land 01062022

ORDER NO:

PROJECT MANAGER: Darcy Morris

PRIMARY SAMPLER: Rowland Boxall

EMAIL REPORTS TO:

EMAIL INVOICES TO:

RELINQUISHED BY:

RECEIVED BY:

RELINQUISHED BY:

RECEIVED BY:

DATE TIME:

DATE TIME:

DATE TIME:

DATE TIME:

TURNAROUND REQUIREMENTS : 5 Days

LABORATORY USE ONLY (Circle)

Custody Seal intact?

Yes No N/A

Free ice / frozen ice bricks present upon receipt?

Yes No N/A

Random Sample Temperature on Receipt:

°C

CONTACT PH: 0437 299 362 SAMPLER MOBILE: 0484 924 714
QUOTE NO: AD/052/20 V2 / EM2020DEPWAT0003

Other comments:

005	Bonneys	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121003308	Purple	No	
005	Bonneys	White Plastic Bottle-Lugols Iodine	250 mL	00270820005839	Green	No	
005	Bonneys	Clear Plastic Bottle - Natural	250 mL	00070621167385	Green	No	
005	Bonneys	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100621003299	Purple	No	
006	McGrath Flat North	White Plastic Bottle - Unpreserved	1000 mL	00080121006648	Green	No	
006	McGrath Flat North	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121003465	Purple	No	
006	McGrath Flat North	Amber TOC Vial - Sulfuric Acid	40 mL	00181121003286	Purple	No	
006	McGrath Flat North	White Plastic Bottle-Lugols Iodine	250 mL	00270820005801	Green	No	
006	McGrath Flat North	Clear Plastic Bottle - Natural	250 mL	00070621167392	Green	No	
006	McGrath Flat North	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100621002927	Purple	No	
007	Tilley Swamp Drain D/S	Clear Plastic Bottle - Natural	250 mL	00070621167519	Green	No	
007	Tilley Swamp Drain D/S	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121002063	Purple	No	
007	Tilley Swamp Drain D/S	Amber TOC Vial - Sulfuric Acid	40 mL	00181121001970	Purple	No	
007	Tilley Swamp Drain D/S	White Plastic Bottle-Lugols Iodine	250 mL	00270820005768	Green	No	
007	Tilley Swamp Drain D/S	White Plastic Bottle - Unpreserved	1000 mL	00080121006658	Green	No	
007	Tilley Swamp Drain D/S	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100621003207	Purple	No	
008	Morella Basin @ outlet	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121003357	Purple	No	
008	Morella Basin @ outlet	Amber TOC Vial - Sulfuric Acid	40 mL	00181121003353	Purple	No	
008	Morella Basin @ outlet	White Plastic Bottle - Unpreserved	1000 mL	00080121006656	Green	No	
008	Morella Basin @ outlet	Clear Plastic Bottle - Sulfuric Acid	60 mL	00100621002984	Purple	No	
008	Morella Basin @ outlet	Clear Plastic Bottle - Natural	250 mL	00070621167511	Green	No	
008	Morella Basin @ outlet	White Plastic Bottle-Lugols Iodine	250 mL	00270820005932	Green	No	
009	Morella Creek @ gauge	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121003306	Purple	No	
009	Morella Creek @ gauge	Amber TOC Vial - Sulfuric Acid	40 mL	00181121003341	Purple	No	
009	Morella Creek @ gauge	Clear Plastic Bottle - Sulfuric Acid	60 mL	00101121049578	Purple	No	
009	Morella Creek @ gauge	Clear Plastic Bottle - Natural	250 mL	00070621167405	Green	No	
009	Morella Creek @ gauge	White Plastic Bottle-Lugols Iodine	250 mL	00270820005869	Green	No	

**CHAIN OF CUSTODY**

ALS) COC#: 38356

ALS Laboratory: EM Melbourne

CLIENT: DEPWAT - Dept for Environment & Water

PROJECT: HCHB Monitoring Program

SITE: HCBC Land 01062022

ORDER NO:

PROJECT MANAGER: Darcy Morris

PRIMARY SAMPLER: Rowland Boxall

EMAIL REPORTS TO:

EMAIL INVOICES TO:

RELINQUISHED BY:

RECEIVED BY:

RELINQUISHED BY:

RECEIVED BY:

DATE TIME:

DATE TIME:

DATE TIME:

DATE TIME:

TURNAROUND REQUIREMENTS: 5 Days

Biohazard info:

LABORATORY USE ONLY (Circle)

Custody Seal intact?

Free ice / frozen ice bricks present upon receipt?

Yes No N/A

Random Sample Temperature on Receipt:

°C

Other comments:

CONTACT PH: 0437 299 362

SAMPLER MOBILE: 0484 924 714

QUOTE NO: AD/052/20 V2

/ EM2020DEPWAT0003

009	Morella Creek @ gauge	White Plastic Bottle - Unpreserved	1000 mL	00060121006657	Green	No	
010	3.2km south of Salt Creek	Clear Plastic Bottle - Natural	250 mL	00070621167407	Green	No	
010	3.2km south of Salt Creek	White Plastic Bottle - Unpreserved	1000 mL	00060121006642	Green	No	
010	3.2km south of Salt Creek	White Plastic Bottle-Lugols Iodine	250 mL	00270820005885	Green	No	
010	3.2km south of Salt Creek	Clear Plastic Bottle - Sulfuric Acid	60 mL	00101121083973	Purple	No	
010	3.2km south of Salt Creek	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121003459	Purple	No	
010	3.2km south of Salt Creek	Amber TOC Vial - Sulfuric Acid	40 mL	00181121003287	Purple	No	
011	Tilley Swamp Drain U/S	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121003360	Purple	No	
011	Tilley Swamp Drain U/S	Amber TOC Vial - Sulfuric Acid	40 mL	00181121003349	Purple	No	
011	Tilley Swamp Drain U/S	White Plastic Bottle - Unpreserved	1000 mL	00060121006644	Green	No	
011	Tilley Swamp Drain U/S	Clear Plastic Bottle - Sulfuric Acid	60 mL	00101121083800	Purple	No	
011	Tilley Swamp Drain U/S	White Plastic Bottle-Lugols Iodine	250 mL	00270820010506	Green	No	
012	Tilley Swamp Drain	Clear Plastic Bottle - Natural	250 mL	00070621167543	Green	No	
012	Tilley Swamp Drain	White Plastic Bottle - Unpreserved	1000 mL	00060121006649	Green	No	
012	Tilley Swamp Drain	Clear Plastic Bottle - Natural	250 mL	00070621167441	Green	No	
012	Tilley Swamp Drain	Clear Plastic Bottle - Sulfuric Acid	60 mL	00101121049315	Purple	No	
012	Tilley Swamp Drain	White Plastic Bottle-Lugols Iodine	250 mL	00270820005960	Green	No	
012	Tilley Swamp Drain	Amber TOC Vial - Sulfuric Acid	40 mL	00181121003333	Purple	No	
012	Tilley Swamp Drain	Amber DOC Filtered- Sulfuric Preserved	40 mL	00181121003379	Purple	No	

Total Bottle Count: ALS: 72, Non ALS: 0