ALS Water
22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7791207 22-70933
LOCALITY :	EM2218952_006
SITE :	North Jacks Point
SAMPLE :	Surface
DATE SAMPLED :	29/09/2022
DATE ANALYSED :	10/10/2022
SAMPLED BY :	Sample analysed as received

COMMENTS: + High levels of small BGA and greens are likely to have an impact on water quality.

Sedgewick-Rafter Vol.(ml) 1.0231 **Concentration** 1 : 1 **Magnification** **Fields**	**Toxigenic (T) or Potentially toxic (P)** *	- 200x 20	- 100x 500	**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
BACILLARIOPHYCEAE						
Centrales		2	0	98	200	0.01955
Naviculales		3	0	147	1400	0.20526
Nitzschia		0	1	2	400	0.00078
Pennales		4	0	195	300	0.05865
Pennales (small <20um)		4	0	195	251	0.04907
CHLOROPHYCEAE						
Ankistrodesmoideae		320	0	15639	132	2.06431
Chlamydomonads		12	0	586	250	0.14661
Chlorococcoids (<10um)		1460	0	71352	60	4.28111
CRYPTOPHYCEAE						
Cryptomonads		11	0	538	320	0.17203
CYANOPHYCEAE						
Synechococcales small (iauv <20)		5940	0	290294	5.25	1.52404
DINOPHYCEAE						
Dinoflagellates		1	0	49	20000	0.97742
Gymnodiniales		0	1	2	2000	0.00391
OTHER PHYTOPLANKTON						
Other small flagellates		340	0	16616	80	1.32929

TOTAL BGA	**290294**	**1.52404**
TOTAL TOXIGENIC BGA	**0**	**0.00000**
TOTAL POTENTIALLY TOXIC BGA	**0**	**0.00000**
TOTAL ALGAE	**395713**	**10.83203**

ANALYST: ***Kirsten Mudie (signatory)*** REVIEWED: ***Adam Deliyiannis (signatory)*** DATE: **10/10/2022**
Biologist **Biologist**

METHOD NO.: MB010/MW024VCA

22 Dalmore Drive Scoresby 3179
Tel. 03 8756 8183 Fax. 03 9763 1862

ALGAL REPORT

CLIENT :	Australian Laboratory Services Pty Ltd SA
LABORATORY NO./BATCH NO. :	7791207 22-70933
LOCALITY :	EM2218952_006
SITE :	North Jacks Point
SAMPLE :	Surface
DATE SAMPLED :	29/09/2022
DATE ANALYSED :	10/10/2022
SAMPLED BY :	Sample analysed as received

COMMENTS: + High levels of small BGA and greens are likely to have an impact on water quality.

Sedgewick-Rafter Vol.(ml)	1.0231	**Toxigenic (T) or Potentially toxic (P)**			**Total Cell Count (cells/mL)**	**Individual Algal Unit Volume (um3)**	**Total Biovolume (mm3/L)**
Concentration	1 : 1						
Magnification			- 200x	- 100x			
Fields		*	20	500			

+ The comments are discretionary and are for the purpose of helping to understand WQ implications.The comments are not accredited by NATA.

The biovolume values reported are those derived from documented information, including scientific literature. These are average values and not those measured on individual samples.

A Certificate of analysis will follow, linked by the above batch number. Independent algal reports are forwarded to clients expeditiously to facilitate operational decision making.

**** P's and T's denote those cyanobacteria/blue-green algae (BGA) associated with toxin production in Australian waters. Overseas studies have shown other cyanobacteria to produce toxins. All contain lipopolysaccharides (LPS) in their cell wall and many have been found to produce β-N-methylamino-L-alanine (BMAA) and its analogues. Therefore all cyanobacteria could be considered to pose a level of risk.***

ANALYST: *Kirsten Mudie (signatory)* REVIEWED: *Adam Deliyiannis (signatory)* DATE: **10/10/2022**

Biologist **Biologist**

METHOD NO.: MB010/MW024VCA