MedMe School Vaccines: Core User Flows (v2)

Source: Claude Doc "MedMe School Vaccines Core User Flows v2", dated 2026-10-20. Copied into the repo as a governing reference. Amendments made after this date are in `updates-since-v2.md`, not here.

Project: MedMe School Vaccines (school-required vaccine booking at pharmacies)

Target audience: parents and guardians, pharmacists and pharmacy owners, school nurses, and MedMe staff.

Document overview

The product helps a parent find out which school-required shots a child is missing, find a pharmacy that will give them, and get proof the school accepts. The parent decides which vaccines to book, and the product never recommends a clinical action. Steps marked (A) depend on answers from Nick or from pharmacists.


User Flow 1: Parent entry, child profile and missing-shot check

Goal. A parent who received a school notice about missing shots wants to find out exactly which shots their child still needs, without calling the school or the pediatrician.

Page migrations. School slip / email / pharmacy ad → Landing page → Sign-up / sign-in → Child profile → Records check → Missing shots list.

Entry point. QR code on a school slip, a link in a school email, or a MedMe pharmacy ad.

- Step 1: Parent scans the QR code or taps the link. The landing page shows the school name and state.
- Step 2: Parent signs in, or creates a light account with an email or phone number.
- Decision 1: Is the parent already signed in? If yes, skip to the child profile.
- Step 3: Parent enters the child's name, birth date, grade and school.
- Step 4: The system tries to pull the child's record from the state registry (A).
- Decision 2: Was a record found? If not, the parent types the doses or uploads a photo of the record.
- Step 5: The system compares the record to the state rule for that grade and lists missing doses with the earliest allowed dates.
- Decision 3: Are all required doses complete? If yes, show "up to date" and offer proof. If no, show the missing list and let the parent choose which vaccines to book.




User Flow 2: Parent pharmacy search, cost check and booking

Goal. A parent wants to find a nearby pharmacy that will give the chosen shots, know what it costs, and book a time.

Page migrations. Missing Shots List → Pharmacy List → Cost Check → Slot & Consent → Booking Confirmation.

Entry point. "Find a pharmacy" button on the Missing Shots List after the parent selects vaccines.

- Step 1: The system filters pharmacies by location, vaccines, the child's age and hours.
- Decision 1: Is any pharmacy eligible? If none, show the health department and pediatric office contacts with phone numbers.
- Step 2: Parent picks a pharmacy from the list.
- Step 3: Parent enters insurance details and the system runs an eligibility check (A).
- Decision 2: Is the shot $0 at this pharmacy? If yes, continue. If unknown or not covered, show the price and ask the parent to continue.
- Decision 3: Does the state require a prescription or a parent present? If yes, show the requirement before booking.
- Step 4: Parent picks a time slot and gives consent.
- Step 5: Parent receives a confirmation with what to bring, and reminders are scheduled.




User Flow 3: Pharmacy owner publishing accepted vaccines and capacity

Goal. A pharmacy owner or manager wants to show only the vaccines, ages and capacity the store will actually accept, so families are not turned away at the counter.

Page migrations. Pharmacy Dashboard → Service Settings → Vaccines & Ages → Capacity & Hours → Insurance Accepted → Publish Confirmation.

Entry point. "Back-to-school settings" link in the pharmacy account.

- Step 1: Owner ticks the vaccines the store gives and sets the youngest age for each.
- Decision 1: Does the state allow that age for that vaccine without a prescription? If not, show the rule and require a prescription option.
- Step 2: Owner sets daily capacity and hours for the school season.
- Step 3: Owner lists the insurance accepted and marks whether Medicaid and VFC patients are accepted.
- Decision 2: Is the pharmacy enrolled to serve those patients? If not, mark them as not accepted.
- Step 4: Owner publishes. Changes appear in parent search within a minute.




User Flow 4: Pharmacist visit, dose recording and registry report

Goal. A pharmacist wants to give the shot, record it once, and have the registry report and proof produced without extra paperwork.

Page migrations. Daily Schedule → Appointment Detail → Eligibility & Consent Check → Record Dose → Sign Proof → Registry Report Status.

Entry point. Today's schedule in the pharmacy account.

- Step 1: Pharmacist opens the appointment. Child details, selected vaccines, consent and cost status are pre-filled.
- Decision 1: Does the child fit what this pharmacy gives (age, vaccine)? If not, refer the family and close the appointment.
- Decision 2: Are consent and any required prescription present? If not, hold the visit.
- Decision 3: Can the child be vaccinated safely today? If not, the pharmacist declines with a reason and the family is rescheduled or referred.
- Step 2: Pharmacist gives the shot and records vaccine, lot, site and time once.
- Step 3: Pharmacist signs the proof.
- Step 4: The system reports the dose to the state registry, or flags it for manual entry (A).




User Flow 5: Parent proof sharing and next-dose reminders

Goal. A parent wants to send proof to the school without chasing paperwork, and not miss the next dose in a series.

Page migrations. Visit Complete Message → Proof Page → Share with School → Next-Dose Reminder.

Entry point. Text or email sent after the visit.

- Step 1: Parent opens the proof page showing doses given, date, pharmacy and registry status.
- Decision 1: Has the dose been reported to the registry? If yes, show confirmed. If not, show pending.
- Decision 2: Does the state or school need a specific form? If yes, show the form and who must sign it.
- Step 2: Parent sends the proof to the school nurse as a link or PDF.
- Step 3: The system shows remaining doses and the date each is allowed.
- Decision 3: Are doses remaining? If yes, schedule a reminder. If no, show the series as complete.




User Flow 6: School nurse drive setup and family notification

Goal. A school nurse wants more students vaccinated before the deadline, with proof they can trust and without handling each family individually.

Page migrations. School Dashboard → Create Drive → Drive Link & QR → Family Notification → Drive Completion Report.

Entry point. A school staff account created by invitation (A).

- Step 1: Nurse creates a drive with a date, school and partner pharmacy.
- Decision 1: Has the partner pharmacy accepted the date and capacity? If not, pick another pharmacy or adjust.
- Step 2: The system produces a QR code for the slip and a list of time slots.
- Step 3: Nurse sends the link to families with missing shots using a message template.
- Step 4: After the drive, the nurse sees aggregate counts only.
- Decision 2: Did a family share proof? If yes, show verified status. If not, show "not shared".



User Flow 7: MedMe staff campaign review and rules maintenance

Goal. A MedMe staff member wants to see whether slip scans turn into completed, reported shots, and keep each state's rules current.

Page migrations. Admin Dashboard → Campaign Funnel → Store Comparison → Rules Table → Change Confirmation.

Entry point. Admin portal accessed with an authorized staff account.

- Step 1: Staff selects a campaign (state, schools, dates, pharmacies).
- Step 2: Staff views the funnel: scans, profiles, bookings, completed shots, reported shots.
- Decision 1: Is the booking-to-completed rate below the target set for the test? If yes, flag the stores involved.
- Step 3: Staff opens the rules table for a state.
- Decision 2: Has a state rule changed (age floor, prescription, consent, school deadline)? If yes, edit it, add the source link and save. The change is logged.

