LAB CYCLE - 3

2) Create a collection student consists of details like rollno, name, phoneno, marks, address, year of course etc

```
use college
switched to db college
> db.createCollection("student")
{ "ok":1}

stud@debian:~
Q = x

switched to db student
> use college
switched to db college
> db.createCollection("student")
{ "ok":1}
```

3) Insert the details of the multiple students (atleast 5) in the form of documents in the student collection.

```
db.student.insertOne({_id:50,name:"harsh",phno:78653429,mark:85,address:"rosevilla",city:
"ekm",ycourse:2020})
{ "acknowledged": true, "insertedId": 50 }

db.student.insertOne({_id:51,name:"dona",phno:73653429,mark:95,address:"dragonvilla",city:"kochi",ycourse:2019})
{ "acknowledged": true, "insertedId": 51 }

db.student.insertMany([{_id:52,name:"gayu",phno:73643429,mark:86,address:"heavenvilla",city:"tvm",ycourse:2020},{_id:53,name:"abelu",phno:78452698,mark:90,address:"silentvilla",city:"bangalore",ycourse:2020},{_id:54,name:"ebin",phno:87653421,mark:95,address:"peacevilla",city:"thrissur",ycourse:2019}])
```

```
{ "acknowledged": true, "insertedIds": [52, 53, 54]}
> db.student.find()
{ "_id" : 50, "name" : "harsh", "phno" : 78653429, "mark" : 85, "address" : "rosevilla", "city"
: "ekm", "ycourse" : 2020 }
{ "_id" : 51, "name" : "dona", "phno" : 73653429, "mark" : 95, "address" : "dragonvilla",
"city": "kochi", "ycourse": 2019 }
{ "_id" : 52, "name" : "gayu", "phno" : 73643429, "mark" : 86, "address" : "heavenvilla",
"city": "tvm", "ycourse": 2020 }
{ " id": 53, "name": "abelu", "phno": 78452698, "mark": 90, "address": "silentvilla",
"city": "bangalore", "ycourse": 2020 }
{ "_id" : 54, "name" : "ebin", "phno" : 87653421, "mark" : 95, "address" : "peacevilla", "city"
: "thrissur", "ycourse" : 2019 }
> db.student.find().pretty()
       "_id": 50,
       "name": "harsh",
       "phno": 78653429,
       "mark": 85,
       "address": "rosevilla",
       "city": "ekm",
       "ycourse": 2020
}
       " id": 51,
       "name": "dona",
       "phno": 73653429,
       "mark": 95,
       "address": "dragonvilla",
       "city": "kochi",
       "ycourse": 2019
}
```

```
"_id": 52,
       "name": "gayu",
       "phno": 73643429,
       "mark": 86,
       "address": "heavenvilla",
      "city": "tvm",
      "ycourse": 2020
}
       "_id": 53,
       "name": "abelu",
       "phno": 78452698,
       "mark": 90,
       "address": "silentvilla",
       "city": "bangalore",
       "ycourse": 2020
}
      "_id": 54,
       "name": "ebin",
       "phno": 87653421,
       "mark": 95,
       "address": "peacevilla",
       "city": "thrissur",
       "ycourse": 2019
}
```

```
> db.student.find()
{ "_id" · 50
"_id" : 50,
"name" : "harsh",
"phno" : 78653429,
"mark" : 85,
"address" : "rosevilla",
"city" : "ekm",
"ycourse" : 2020
                   " id" : 51,
                  "_id" : 51,
"name" : "dona",
"phno" : 73653429,
"mark" : 95,
"address" : "dragonvilla",
"city" : "kochi",
"ycourse" : 2019
                   "_id" : 52,

"name" : "gayu",

"phno" : 73643429,

"mark" : 86,

"address" : "heavenvilla",

"city" : "tvm",
                    "vcourse" : 2020
                    "_id" : 53,
"name" : "abelu",
"phno" : 78452698,
                   "mark" : 78452698,
"mark" : 90,
"address" : "silentvilla",
"city" : "bangalore",
"ycourse" : 2020
                   "_id" : 54,

"name" : "ebin",

"phno" : 87653421,

"mark" : 95,

"address" : "peacevilla",

"city" : "thrissur",

"ycourse" : 2019
```

4) Retrieve the fields rollno, name, phoneno, marks, city for all the documents in the collection student.

```
db.student.find({_id:{$gt:49}},{address:0,ycourse:0})

{ "_id" : 50, "name" : "harsh", "phno" : 78653429, "mark" : 85, "city" : "ekm" }

{ "_id" : 51, "name" : "dona", "phno" : 73653429, "mark" : 95, "city" : "kochi" }

{ "_id" : 52, "name" : "gayu", "phno" : 73643429, "mark" : 86, "city" : "tvm" }
```

```
{ "_id":53, "name": "abelu", "phno":78452698, "mark":90, "city": "bangalore" }
{ "_id":54, "name": "ebin", "phno":87653421, "mark":95, "city": "thrissur" }
{ "_id":55, "name": "sujith", "phno":74653879, "mark":96, "city": "tvm" } >

> db.student.find({ id:{$gt:49}, {address:0,ycourse:0}})
2021-09-30T10:54:58.640+0530 E QUERY [js] uncaught exception: SyntaxError: e xpected property name, got '(': [g(shell):1:30)  
> db.student.find({ id:{$gt:49}}, {address:0,ycourse:0})
{ "_id":50, "name": "harsh", "phno":78653429, "mark":85, "city": "ekm" }
{ "_id":51, "name": "dona", "phno":73653429, "mark":95, "city": "kochi" }
} { "_id":52, "name": "gayu", "phno":73643429, "mark":95, "city": "tvm" }
{ "_id":53, "name": "abelu", "phno":78452698, "mark":90, "city": "bangal ore" }
{ "_id":54, "name": "ebin", "phno":74653879, "mark":96, "city": "tvm" }
{ "_id":55, "name": "sujith", "phno":74653879, "mark":96, "city": "tvm" }
}
```

5) Display the details of students who achieved a score more than 90 and are from 'Thrissur'.

```
db.student.find({$and:[{city:"thrissur"},{mark:{$gt:90}}]})
{ "_id": 54, "name": "ebin", "phno": 87653421, "mark": 95, "address": "peacevilla", "city"
: "thrissur", "ycourse": 2019 }

> db.student.find({$and:[{city:"thrissur"},{mark:{$gt:90}}]})
{ "_id": 4, "name": "sam", "phno": 8765432190, "mark": 98, "address": "cholakkal", "year": 2020, "dept": "mba", "city": "thrissur" }
> db.student.find({_id:{$in:[1,2,3,4,5]}},{dept:0,year:0})
```

6) Update the phone number of Sujith in the student collection. Retrieve the updated information.

```
db.student.insertOne({_id:55,name:"sujith",phno:98765432,mark:96,address:"redvilla",city:"t
vm",ycourse:2020})
{ "acknowledged": true, "insertedId": 55 }
db.student.insertOne({_id:56,name:"abhilash",phno:98765832,mark:87,address:"whitevilla",
city:"thrissur",ycourse:2020})
{ "acknowledged": true, "insertedId": 56 }
db.student.updateOne({_id:55},{$set:{phno:74653879}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 } >
```

```
> db.student.updateOne({_id:55},{$set:{phno:74653879}})

{ "acknowledged" : true, "matchedCount" : 1, "modifiedCount" : 1 }

i> db.student.find()

{ "_id" : 50, "name" : "harsh", "phno" : 78653429, "mark" : 85, "address" : "ros evilla", "city" : "ekm", "ycourse" : 2020 }

{ "_id" : 51, "name" : "dona", "phno" : 73653429, "mark" : 95, "address" : "drag onvilla", "city" : "kochi", "ycourse" : 2019 }

{ "_id" : 52, "name" : "gayu", "phno" : 73643429, "mark" : 86, "address" : "heav envilla", "city" : "tvm", "ycourse" : 2020 }

{ "_id" : 53, "name" : "abelu", "phno" : 78452698, "mark" : 90, "address" : "sil lentvilla", "city" : "bangalore", "ycourse" : 2020 }

{ "_id" : 54, "name" : "ebin", "phno" : 87653421, "mark" : 95, "address" : "peac evilla", "city" : "thrissur", "ycourse" : 2019 }

> { "_id" : 55, "name" : "sujith", "phno" : 74653879, "mark" : 96, "address" : "re dvilla", "city" : "tvm", "ycourse" : 2020 }

{ "_id" : 56, "name" : "abhilash", "phno" : 98765832, "mark" : 87, "address" : "twhitevilla", "city" : "thrissur", "ycourse" : 2020 }
```

7) Update the year of course in all the documents in the student collection to 2021. Also retrieve the updated information.

```
db.student.updateOne({_id:50},{$set:{ycourse:2021}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
> db.student.updateOne({_id:51},{$set:{ycourse:2021}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
> db.student.updateOne({_id:52},{$set:{ycourse:2021}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
> db.student.updateOne({ id:53},{$set:{ycourse:2021}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
> db.student.updateOne({_id:54},{$set:{ycourse:2021}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
> db.student.updateOne({_id:55},{$set:{ycourse:2021}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
> db.student.updateOne({_id:56},{$set:{ycourse:2021}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
> db.student.find()
{ "_id" : 50, "name" : "harsh", "phno" : 78653429, "mark" : 85, "address" : "rosevilla", "city"
: "ekm", "ycourse" : 2021 }
{ "id": 51, "name": "dona", "phno": 73653429, "mark": 95, "address": "dragonvilla",
"city": "kochi", "ycourse": 2021 }
```

```
{ "_id" : 52, "name" : "gayu", "phno" : 73643429, "mark" : 86, "address" : "heavenvilla",
"city": "tvm", "ycourse": 2021 }
{ "id": 53, "name": "abelu", "phno": 78452698, "mark": 90, "address": "silentvilla",
"city": "bangalore", "ycourse": 2021 }
{ "id": 54, "name": "ebin", "phno": 87653421, "mark": 95, "address": "peacevilla", "city"
: "thrissur", "ycourse" : 2021 }
{ "_id" : 55, "name" : "sujith", "phno" : 74653879, "mark" : 96, "address" : "redvilla", "city" :
"tvm", "ycourse": 2021 }
{ "_id" : 56, "name" : "abhilash", "phno" : 98765832, "mark" : 87, "address" : "whitevilla",
"city": "thrissur", "ycourse": 2021 }
|> db.student.find()
 { " id" : 50, "name" : "harsh", "phno" : 78653429, "mark" : 85, "address" : "ros
evilla", "city" : "ekm", "ycourse" : 2021 }
     id" : 51, "name" : "dona", "phno" : 73653429, "mark" : 95, "address" : "drag
 onvilla", "city" : "kochi", "ycourse" : 2021 }
 { "_id" : 52, "name" : "gayu", "phno" : 73643429, "mark" : 86, "address" : "heav
 envilla", "city" : "tvm", "ycourse" : 2021 }
{ "_id" : 53, "name" : "abelu", "phno" : 78452698, "mark" : 90, "address" : "sil
lentvilla", "city" : "bangalore", "ycourse" : 2021 }
{ "_id" : 54, "name" : "ebin", "phno" : 87653421, "mark" : 95, "address" : "peac
evilla", "city" : "thrissur", "ycourse" : 2021 }
 { " id" : 55, "name" : "sujith", "phno" : 74653879, "mark" : 96, "address" : "re
of "_id": 55, "name": "sujith", "phno": 74053879, "mark": 96, "address": "re
dvilla", "city": "tvm", "ycourse": 2021 }
{ "_id": 56, "name": "abhilash", "phno": 98765832, "mark": 87, "address": "
twhitevilla", "city": "thrissur", "ycourse": 2021 }
```

8) Delete the details of the student whose name is 'Abhilash' from the student collection

```
db.student.deleteOne({name:"abhilash"})
{ "acknowledged": true, "deletedCount": 1 }
> db.student.find()
{ "__id": 50, "name": "harsh", "phno": 78653429, "mark": 85, "address": "rosevilla", "city": "ekm", "ycourse": 2021 }
{ "__id": 51, "name": "dona", "phno": 73653429, "mark": 95, "address": "dragonvilla", "city": "kochi", "ycourse": 2021 }
{ "__id": 52, "name": "gayu", "phno": 73643429, "mark": 86, "address": "heavenvilla", "city": "tvm", "ycourse": 2021 }
{ "__id": 53, "name": "abelu", "phno": 78452698, "mark": 90, "address": "silentvilla", "city": "bangalore", "ycourse": 2021 }
{ "__id": 54, "name": "ebin", "phno": 87653421, "mark": 95, "address": "peacevilla", "city": "thrissur", "ycourse": 2021 }
```

```
{ "_id":55, "name": "sujith", "phno":74653879, "mark":96, "address": "redvilla", "city":
"tvm", "ycourse":2021 }

> db.student.deleteOne({name: "abhilash"})
{ "acknowledged": true, "deletedCount":1}
```

9) Retrieve the number of students per department from the student collection.

```
db.student.find().count()

db.student.find({dept:"mca"}).count()

> db.student.find({dept:"mba"}).count()

db.student.find({dept:"mca"}).count()

> db.student.find({dept:"mba"}).count()

db.student.find({dept:"mba"}).count()

> db.student.find({dept:"mba"}).count()

> db.student.find({dept:"mca",dept:"mba"}).count()

> db.student.find({dept:"mca",dept:"mba"}).count()
```

10) Arrange the name of the students in ascending order along with all the columns.

```
db.student.find().sort({name:1})

{ "_id" : 53, "name" : "abelu", "phno" : 78452698, "mark" : 90, "address" : "silentvilla", "city" : "bangalore", "ycourse" : 2021 }

{ "_id" : 51, "name" : "dona", "phno" : 73653429, "mark" : 95, "address" : "dragonvilla", "city" : "kochi", "ycourse" : 2021 }

{ "_id" : 54, "name" : "ebin", "phno" : 87653421, "mark" : 95, "address" : "peacevilla", "city" : "thrissur", "ycourse" : 2021 }

{ "_id" : 52, "name" : "gayu", "phno" : 73643429, "mark" : 86, "address" : "heavenvilla", "city" : "tvm", "ycourse" : 2021 }

{ "_id" : 50, "name" : "harsh", "phno" : 78653429, "mark" : 85, "address" : "rosevilla", "city" : "ekm", "ycourse" : 2021 }
```

```
{ "_id" : 55, "name" : "sujith", "phno" : 74653879, "mark" : 96, "address" : "redvilla", "city" : "tvm", "ycourse" : 2021 }
```

```
> db.student.find().sort({name:1})
{ "_id" : 53, "name" : "abelu", "phno" : 78452698, "mark" : 90, "address" : "sil entvilla", "city" : "bangalore", "ycourse" : 2021 }
{ "_id" : 51, "name" : "dona", "phno" : 73653429, "mark" : 95, "address" : "drag onvilla", "city" : "kochi", "ycourse" : 2021 }
{ "_id" : 54, "name" : "ebin", "phno" : 87653421, "mark" : 95, "address" : "peac evilla", "city" : "thrissur", "ycourse" : 2021 }
{ "_id" : 52, "name" : "gayu", "phno" : 73643429, "mark" : 86, "address" : "heav envilla", "city" : "twm", "ycourse" : 2021 }
{ "_id" : 50, "name" : "harsh", "phno" : 78653429, "mark" : 85, "address" : "ros evilla", "city" : "ekm", "ycourse" : 2021 }
{ "_id" : 55, "name" : "sujith", "phno" : 74653879, "mark" : 96, "address" : "re dvilla", "city" : "tvm", "ycourse" : 2021 }
```

11. Rename city as town and add the detail of address consists of apartment no, street name and PIN.

```
MongoDB Enterprise > db.student.updateOne({ id:50},{$set:{town:"404 Max sunflower}}
apartment pin-680066"}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
MongoDB Enterprise > db.student.updateOne({_id:51},{$set:{town:"303 Nandeeswara
nilaya apartment pin-680023"}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
MongoDB Enterprise > db.student.updateOne({_id:52},{$set:{town:"401 B prestiage}}
apartment pin-687755"}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
MongoDB Enterprise > db.student.updateOne({_id:53},{$set:{town:"111 sky line apartment
pin-687711"}})
{ "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }
MongoDB Enterprise > db.student.updateOne({_id:54},{$set:{town:"101 confident
apartment pin-687700"}})
  "acknowledged": true, "matchedCount": 1, "modifiedCount": 1 }

ngoDB Enterprise > db.student.find().pretty()
       "_id" : 50,
"name" : "harsh",
"phno" : 78653429,
"mark" : 85,
"address" : "rosevilla",
"ycourse" : 2020,
"town" : "404 Max sunflower apartment pin-680066"
      "_id" : 51,
"name" : "dona",
"phno" : 73653429,
"mark" : 95,
"address" : "dragonvilla",
"ycourse" : 2019,
"town" : "303 Nandeeswara nilaya apartment pin-680023"
```

"_id" : 52,
"name" : "gayu",
"phno" : 73643429,
"mark" : 86,
"address" : "heavenvilla",
"ycourse" : 2020,
"town" : "401 B prestiage apartment pin-687755"

"_id" : 53,
"name" : "abelu",
"phno" : 78452698,
"mark" : 90,
"address" : "silentvilla ",
"ycourse" : 2020,
"town" : "111 sky line apartment pin-687711"

"phno" : 8/653421, "mark" : 95, "address" : "pea cevilla", "ycourse" : 2019, "town" : "101 confident apartment pin-687700"

"_id" : 54, "name" : "ebin", "phno" : 87653421,

12. Display the contact address of 'Abhilash'

db.student.find({name:{\$eq:"abhilash"}}).pretty()