Assignment 7

1. Employee Salary Initialization

```
class Employee{
int empId;
String empName;
int salary;

Employee(int Id, String n, int s){
empId = Id;
empName = n;
salary = s;
}
void displayEmployee()
{
System.out.println("Employee Id:" +empId );
System.out.println("Employee name:" +empName );
System.out.println("Employee salary:" +salary );
}
}
public class EmployeeSalary{
public static void main(String[]args){
Employee e1 = new Employee(1,"Aqulin", 50000);
e1.display();

Employee e2 = new Employee(2,"Akshi",70000);
e2.display();

Employee e3 = new Employee(3,"Jebha",80000);
e3.displayEmployee();


}
}
```

2. Product Price Calculation

```
public class Product{
int productId;
String productName;
int price;
int quantity;

Product(int id, String n, int p, int q)
```

```
40.{
41.productId = id;
42.productName = n;
43.price = p;
44.quantity = q;
45.}
46.
47.int calculateTotalPrice(){
48.int total = price * quantity;
49.System.out.println("Product Id: " + productId);
50.System.out.println("Product name: " + productName);
51.System.out.println("Product price : " + price);
52.System.out.println("Number of items: " + quantity);
53.System.out.println("Total price is: " + total);
54.return total;
55.}
56.
57.public static void main(String[]args){
58.Product p1 = new Product(1, "Brush Pen", 199, 2);
59.p1.calculateTotalPrice();
60.
61.Product p2 = new Product(1, "Yarn", 28, 5);
62.p2.calculateTotalPrice();
63.}
64.}
```

3. Student Grade System

```
1. public class Student{
2. int studentId;
3. String studentName;
4. int marks;
5.
6. Student(int s, String n, int m)
7. {
8. studentId = s;
9. studentName = n;
10.marks = m;
11.}
12.void calculateGrade()
13.{
14.String grade;
15.if(marks >= 90){
16.grade = "A";
17.}
```

```
else if(marks >= 75){
grade = "B";
}
else if(marks >= 50){
grade = "C";
}
else{
grade = "Fail";
}
System.out.println("Grade: " + grade);
}

public static void main(String[]args){
Student s1 = new Student(1,"Abika",89);
s1.calculateGrade();

Student s2 = new Student(2,"Akshi",61);
s2.calculateGrade();

}
}
```

4. **Bank Account Deposit Scenario**

```
import java.util.*;
public class BankAccount{
int accountNumber;
String accountHolderName;
int balance;

BankAccount(int a, String n, int b){
accountNumber = a;
accountHolderName = n;
balance = b;
}

void deposit(double amount)
{
balance = balance + (int)amount;
}

void displayBalance(){
 System.out.println("Account Number: " + accountNumber);
 System.out.println("Account Holder: " + accountHolderName);
 System.out.println("Current account balance: " + balance);
```

```
22.}
23.public static void main(String [] args){
24.Scanner scan = new Scanner(System.in);
25.System.out.println("Enter your deposit amount:");
26.double amount = scan.nextDouble();
27.
28.BankAccount b1 = new BankAccount(1234, "Aqulin", 87);
29.b1.deposit(amount);
30.b1.displayBalance();
31.}
32.}
```