Overview of selected KPN Security Policies

Creation date: Wednesday, March 7, 2018 10:44:22 AM

Selected by: Ruud Leurs

Requirement	Determination of IES organization for each building
Description	The In-company Emergency Services (IES) organization must be arranged on the basis of a Risk Inventory & Evaluation (RI&E) that must be performed. The residual risks, scale and resources required for the IES organization must be determined by reference to the RI&E. This is described in greater detail in the tool (KSP-GL-80 BHV model). Allowance must be made for any other in-house organizations.
Related info	Arbo-informatieblad A1-10 Incompany Emergency Response en - noodorganisatie
ID	KSP-RE-597
Version	1.0
Date	December 11, 2017
Rationale	Incompany Emergency Response ('Incompany Emergency Response')
Rationale	Law and regulation

Requirement	Readiness and availability of IES Responders
Description	The IES organization in a building must – during the building's opening hours – have sufficient deployable IES Responders, supplemented as and when necessary by the deployment of properly trained external staff (temporary workers, receptionists, security guards). Cooperation with other tenants or users of the building is mandatory.
ID	KSP-RE-598
Version	1.0
Date	December 11, 2017
Rationale	Incompany Emergency Response ('Incompany Emergency Response')
Rationale	Law and regulation
Rationale	Health & safety risk assessment and evaluation

Requirement	Self-reliance
Description	Employees must ensure their personal safety and the safety of others and must independently leave the building if required. Employees with a (temporary) disability must proactively draw up a plan of action for any emergencies (such as an evacuation) in consultation with their superior and the IES Orchestrator.
ID	KSP-RE-599
Version	1.0
Date	December 11, 2017
Rationale	Incompany Emergency Response ('Incompany Emergency Response')
Rationale	Law and regulation

Requirement	Guidance and instruction
Description	KPN will provide proper guidance and instruction in self-reliance and evacuation.
	The manager/superior must regularly discuss the subjects of safety, health and in-company emergency services (evacuation) as part of regular work meetings or bilateral meetings.
	The Main Occupant must ensure communication to employees and visitors regarding the safety aspects specific to his building.
ID	KSP-RE-600
Version	1.0
Date	December 11, 2017
Rationale	Incompany Emergency Response ('Incompany Emergency Response')
Rationale	Law and regulation
Rationale	Health & safety risk assessment and evaluation

Requirement	Education and training
Description	IES courses and training sessions must be provided by trainers selected by KPN Security. IES Responders must hold an up-to-date and certificated first aid diploma.
ID	KSP-RE-601
Version	1.0
Date	December 11, 2017
Rationale	Incompany Emergency Response ('Incompany Emergency Response')
Rationale	Law and regulation

Requirement	IES resources
Description	KPN Security will select, supply and maintain supporting resources required for in-company emergency services (based on residual risks). This must be done based on the state of the art, science and the reasonableness principle. RES and DTG must provide and maintain building-dedicated fire prevention facilities (including manual fire extinguishers) required by law or by the KSP.
ID	KSP-RE-602
Version	1.0
Date	December 11, 2017
Rationale	Incompany Emergency Response ('Incompany Emergency Response')
Rationale	Law and regulation
Rationale	Health & safety risk assessment and evaluation

Requirement	Evacuation exercises
Description	KPN must hold annual evacuation exercises at premises where an in company emergency services organization is active.
	Together with the local IES Orchestrator, the Main Occupant must ensure that these exercises are carried out.
	Each exercise must be made known beforehand to the KPN Security, Compliance & Integrity Helpdesk.
ID	KSP-RE-603
Version	1.0
Date	December 11, 2017
Rationale	Incompany Emergency Response ('Incompany Emergency Response')
Rationale	Law and regulation