

С помощью команды `ls` вывел содержимое каталога, где расположен файл `readme`.

Затем проверил является ли файл текстовым через команду `file` и отобразил содержимое файла `readme`, где был пароль для прохождения с помощью команды `cat`:

```
bandit0@bandit:~$ ls
readme
bandit0@bandit:~$ file readme
readme: ASCII text
bandit0@bandit:~$ cat readme
Congratulations on your first steps into the bandit game!!
Please make sure you have read the rules at https://overthewire.org/rules/
If you are following a course, workshop, walkthrough or other educational activity,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

The password you are looking for is: ZjLjTmM6FvvyRnrB2rfNW0Z0Ta6ip5If
```

[illegible]

www.OverTheWire.org

Welcome to OverTheWire!

Уровень 1 > 2

Цель уровня

Пароль для перехода на следующий уровень хранится в файле под названием -, расположенном в домашнем каталоге

Команды, которые могут понадобиться для прохождения этого уровня

ls, cd, cat, file, du, find

Также с помощью команды ls проверил содержимое каталога, в нем отобразился файл с именем -. С помощью команды cat сразу открыл файл, используя символ «./» который скрывает лидирующий тире, чтобы команда не воспринимала его как опцию. «./» - текущий каталог

Аналогично 2 уровню с помощью команды ls проверил содержимое каталога. И для того, чтобы открыть файл с именем --spaces in this filename-- использовал кавычки, так имя воспринимается цельным.

```
bandit2@bandit:~$ ls
--spaces in this filename--
bandit2@bandit:~$ cat ./"--spaces in this filename--"
MNk8KNH3Uσιο41PRUEoDFPqfxLPлSmx
bandit2@bandit:~$
```

```
C:\Users\playa>ssh bandit3@bandit.labs.overthewire.org -p 2220
```

EXERCISE

This is an OverTheWire game server.
More information on <http://www.overthewire.org/wargames>

```
backend: gibbon-0
```

```
bandit3@bandit.labs.overthewire.org's password:
```

Welcome to OverTheWire!

Уровень 3 > 4

Level Goal

The password for the next level is stored in a hidden file in the **inhere**

directory.Commands you may need to solve this level

ls, cd, cat, file, du, find

С помощью команды `ls` -а проверил содержимое домашнего каталога и обнаружил каталог `inhere`. Перейдя в него, также использовал `ls` -а для

просмотра скрытых файлов и обнаружил файл ...Hiding-From-You. Перешел в него командой cat.

```
bandit3@bandit:~$ ls -a
.  ..  .bash_logout  .bashrc  inhere  .profile
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls -a
.  ..  ...Hiding-From-You
bandit3@bandit:~/inhere$ cat ...Hiding-From-You
2WmrDFRmJIq3IPxneAaMGhap0pFhF3NJ
bandit3@bandit:~/inhere$
```

```
C:\Users\playa>ssh bandit4@bandit.labs.overthewire.org -p 2220
```

EXERCISE

This is an OverTheWire game server.
More information on <http://www.overthewire.org/wargames>

```
backend: gibbon-0
```

```
bandit4@bandit.labs.overthewire.org's password:
```

Welcome to OverTheWire!

Уровень 4 > 5

Level Goal

The password for the next level is stored in the only human-readable file in the **inhere** directory. Tip: if your terminal is messed up, try the “reset” command.

Commands you may need to solve this level

ls , cd , cat , file , du , find

С помощью команды `ls` проверил содержимое каталога `inhere`, в нем отобразились файлы с именами, начинающимися с дефиса. С помощью команды `file ./*` вывел типы всех файлов в каталоге, обнаружив что только `-file07` является текстовым. Затем с помощью команды `cat ./-file07` открыл этот файл, используя «./» для тире.

```
C:\Users\playa>ssh bandit5@bandit.labs.overthewire.org -p 2220
```

Уровень 5 > 6

Level Goal

The password for the next level is stored in a file somewhere under the **inhere** directory and has all of the following properties:

- human-readable
- 1033 bytes in size
- not executable

Commands you may need to solve this level

ls, cd, cat, file, du, find

Так как в задании было сказано про каталог inhere решил сразу перейти в него без проверки содержимого домашнего каталога. Далее с помощью ls -l вывел содержимое каталога с подробными параметрами каждого файла. Это не дало должного результата, поэтому решил найти файл напрямую через размер с помощью find -size 1033c, потому что файл с паролем только один.

```
bandit5@bandit:~$ cd inhere
bandit5@bandit:~/inhere$ ls -l
total 80
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere00
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere01
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere02
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere03
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere04
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere05
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere06
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere07
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere08
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere09
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere10
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere11
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere12
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere13
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere14
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere15
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere16
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere17
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere18
drwxr-x--- 2 root bandit5 4096 Oct 14 09:26 maybehere19
bandit5@bandit:~/inhere$ find -size 1033c
./maybehere07/.file2
bandit5@bandit:~/inhere$ cat "./maybehere07/.file2"
HWasnPhtq9AVKe0dmk45nxy20cvUa6EG
```

```
C:\Users\playa>ssh bandit6@bandit.labs.overthewire.org -p 2220
```

bandit

This is an OverTheWire game server.
More information on <http://www.overthewire.org/wargames>

backend: gibson-0

bandit6@bandit.labs.overthewire.org's password:

OverTheWire

www. ver he " ire.org

Welcome to OverTheWire!

Уровень 6 > 7

Level Goal

The password for the next level is stored **somewhere on the server** and has all of the following properties:

- owned by user bandit7
- owned by group bandit6
- 33 bytes in size

Commands you may need to solve this level

ls, cd, cat, file, du, find, grep

Перешел в корневой каталог командой `cd /`, затем с помощью команды `find` ввел все нужные параметры для поиска. В списке нашел файл `bandit7.password` и с помощью команды `cat` открыл его.


```
bandit6@bandit:~$ cd /
bandit6@bandit:/$ find -user bandit7 -group bandit6 -size 33c
find: './proc/tty/driver': Permission denied
find: './proc/1/task/1/fd': Permission denied
find: './proc/1/task/1/fdinfo': Permission denied
find: './proc/1/task/1/ns': Permission denied
find: './proc/1/fd': Permission denied
find: './proc/1/map_files': Permission denied
find: './proc/1/fdinfo': Permission denied
find: './proc/1/ns': Permission denied
find: './proc/2/task/2/fd': Permission denied
find: './proc/2/task/2/fdinfo': Permission denied
find: './proc/2/task/2/ns': Permission denied
find: './proc/2/fd': Permission denied
find: './proc/2/map_files': Permission denied
find: './proc/2/fdinfo': Permission denied
find: './proc/2/ns': Permission denied
find: './proc/18/task/18/fd/6': No such file or directory
find: './proc/18/task/18/fdinfo/6': No such file or directory
find: './proc/18/fd/5': No such file or directory
find: './proc/18/fdinfo/5': No such file or directory
find: './lost+found': Permission denied
find: './var/tmp': Permission denied
find: './var/spool/bandit24': Permission denied
find: './var/spool/cron/crontabs': Permission denied
find: './var/spool/rsyslog': Permission denied
find: './var/lib/update-notifier/package-data-downloads/partial': Permission
denied
find: './var/lib/apt/lists/partial': Permission denied
find: './var/lib/polkit-1': Permission denied
find: './var/lib/chrony': Permission denied
find: './var/lib/udisks2': Permission denied
find: './var/lib/snapd/cookie': Permission denied
find: './var/lib/snapd/void': Permission denied
find: './var/lib/private': Permission denied
find: './var/lib/ubuntu-advantage/apt-esm/var/lib/apt/lists/partial': Permis
sion denied
./var/lib/dpkg/info/bandit7.password
```

```
C:\Users\playa>ssh bandit7@bandit.labs.overthewire.org -p 2220
```

This is an OverTheWire game server.
More information on <http://www.overthewire.org/wargames>

Уровень 7 > 8

Level Goal

The password for the next level is stored in the file **data.txt** next to the word **millionth**

Commands you may need to solve this level

man, grep, sort, uniq, strings, base64, tr, tar, gzip, bzip2, xxd

С помощью команды `ls` проверил содержимое домашнего каталога, обнаружив файл `data.txt`. Поскольку в задании было указано, что пароль хранится рядом со словом `millionth`, с помощью команды `grep` выполнил поиск строки, содержащей данное ключевое слово.

```
bandit7@bandit:~$ ls
data.txt
bandit7@bandit:~$ grep millionth data.txt
millionth      dfwvzFQi4mU0wfNbF0e9RoWskMLg7eEc
bandit7@bandit:~$
```

```
C:\Users\playa>ssh bandit8@bandit.labs.overthewire.org -p 2220
```

BOOKS

This is an OverTheWire game server.
More information on <http://www.overthewire.org/wargames>

```
backend: gibbon-0
```

bandit8@bandit.labs.overthewire.org's password:

Welcome to OverTheWire!

Уровень 9 > 10

Level Goal

The password for the next level is stored in the file **data.txt** in one of the few human-readable strings, preceded by several '=' characters.

Commands you may need to solve this level

grep, sort, uniq, strings, base64, tr, tar, gzip, bzip2, xxd

При помощи комбинации strings и grep отфильтровал извлечённые читаемые строки по наличию символа =. Команда strings data.txt извлекла все читаемые строки из файла, затем команда grep "=" отфильтровала строки, содержащие символы равенства.

```
bandit9@bandit:~$ strings data.txt | grep "="
FB`=
c\5D=
===== the
?/=l
=Uc1
=vG*2P
===== password
k=ezG
E===== is
=%r_
.?=Dm
O&A=n
5===== FGUW5iLLVJrxX9kMYMmLN4MgbpfMiqey
=*^Y
=L3jT
q<=,
'QHE=
+=NBf
```

Уровень 10 > 11

Level Goal

The password for the next level is stored in the file **data.txt**, which contains base64 encoded data

Commands you may need to solve this level

grep, sort, uniq, strings, base64, tr, tar, gzip, bzip2, xxd

С помощью команды ls проверил содержимое каталога, в каталоге находился только data.txt. С помощью команды cat сначала попробовал вывести содержимое файла, чтобы посмотреть содержимое. Чтобы

вывести корректно закодированную информацию из файла использовал команду base64 с префиксом -d, который декодирует информацию в изначальный вид.

```
bandit10@bandit:~$ ls
data.txt
bandit10@bandit:~$ cat data.txt
VGhlIHhlc3N3b3JkIGlzIGR0UjE3M2ZaS2IwUlJzREZTR3NnMlJXbnB0VmozcVJyCg==
bandit10@bandit:~$ base64 -d data.txt
The password is dtR173fZKb0RRsDFSGsg2RWnpNVj3qRr
bandit10@bandit:~$ |
```

```
C:\Users\playa>ssh bandit11@bandit.labs.overthewire.org -p 2220
```

A stylized ASCII art logo for OverTheWire, featuring the words "OverTheWire" in a blocky, pixelated font.

This is an OverTheWire game server.
More information on <http://www.overthewire.org/wargames>

backend: gibbon-0

bandit11@bandit.labs.overthewire.org's password:

A large, detailed ASCII art logo for OverTheWire, featuring the words "OverTheWire" in a blocky, pixelated font. Below the logo, the text "www. over he "ire.org" is visible.

Welcome to OverTheWire!