

Tepi.my.id

Arsitektur & Alur Sistem Lengkap

35+ file · 8 tabel D1 · 22 API endpoint · 13 halaman publik
4 layanan eksternal · 70+ reserved subdomain · GitHub Actions CI/CD
Juli 2026

Legenda Warna

BIRU	File Tree & Kode
HIJAU	Full Flow & Arsitektur
MERAH	Critical Path & Admin Notif
UNGU	Admin Panel
KUNING	CI/CD & Cron
ABU-ABU	Referensi & Dokumentasi

1. File Tree – 35+ File Inti

```
.github/workflows/
├─ deploy.yml           CI/CD: build + deploy + auto D1 migration
├─ expiry-cron.yml      Harian: hapus expired subdomain H+14
└─ keep-supabase-alive.yml


app/[locale]/ – 13 halaman publik + admin (i18n id/en)
├─ page.tsx             Landing page
├─ login/page.tsx       Login + Turnstile + Google OAuth
├─ register/page.tsx    Register + Turnstile
├─ pricing/page.tsx     Free vs Paid comparison table
├─ blog/
│   └─ page.tsx         Blog listing + testimoni
│       └─ [slug]/page.tsx Blog detail
├─ contact/page.tsx     Contact form
├─ report/page.tsx      Abuse report form
├─ dashboard/
│   └─ page.tsx         User dashboard + countdown
│       └─ invoices/
│           └─ page.tsx  Invoice list
│               └─ [id]/page.tsx Invoice detail
└─ admin/
    ├─ layout.tsx       Admin layout + sidebar
    ├─ page.tsx         Review applications
    ├─ blog/page.tsx    Blog CRUD
    ├─ abuse/page.tsx   Abuse reports panel
    ├─ users/page.tsx   User management
    ├─ activity/page.tsx Activity logs
    ├─ payments/page.tsx Payment history + invoice link
    └─ settings/page.tsx Site settings editor

app/api/ – 22 API endpoint
├─ user/
│   └─ subdomains/route.ts Claim new + list owned
│   └─ renew/route.ts      Renew free subdomain (3 months)
│   └─ invoices/
│       └─ route.ts        List invoice
│           └─ [id]/route.ts Invoice detail
├─ payment/create/route.ts Generate QRIS order + invoice
├─ webhook/paywuz/route.ts Paywuz payment callback
├─ cron/expiry/route.ts   Expiry engine (H-7, H+14)
├─ contact/route.ts       Submit contact message
├─ abuse/route.ts         Submit abuse report
├─ blog/route.ts          Public blog list
├─ admin/                 Admin guard + 7 endpoint
└─ auth/callback/route.ts Supabase OAuth callback

lib/ – 14 utility files
├─ reserved.ts           70+ subdomain blocklist
├─ validators.ts         Subdomain + URL + IP validation
├─ auto-scan.ts          DNS resolve + HTTP status + keyword scan
├─ turnstile.ts          Cloudflare Turnstile server verify
├─ cloudflare-dns.ts     CF DNS API wrapper (CNAME/A)
├─ invoice.ts            INV-YYYYMMDD-XXXXX generator + rupiah format
├─ admin-notif.ts        Push notif email (4 event templates)
├─ resend.ts             Resend transactional email client
├─ paywuz.ts             Paywuz payment client
├─ db.ts                 D1 database helper
├─ users.ts              User record helper
├─ theme.ts              Dark/light theme
└─ supabase/client.ts    Supabase browser client
```

migrations/ └─ 0009_complete.sql	8 CREATE TABLE + 2 ALTER
wrangler.toml	CF Workers config + D1 binding
next.config.ts	Next.js config + i18n routing
middleware.ts	i18n middleware + locale detection

2. Arsitektur Sistem



3. D1 Database – 8 Tables

users

id, email, full_name, avatar_url, role (user|admin),
subdomain_limit (default 2), created_at

subdomain_applications

id, user_id, subdomain_name, target_platform, target_url,
project_type, project_description, is_public, has_monetization,
github_link, linkedin_link, social_link,
status (pending|approved|rejected), reject_reason,
reviewed_at, created_at

subdomains

id, user_id, name, target_type (CNAME|A), target_value,
cf_record_id, status (active|expired|suspended|quarantine),
plan (free|paid), expires_at, created_at

payments

id, user_id, subdomain_id, order_id, paywuz_transaction_id,
invoice_number (INV-YYYYMMDD-XXXXX), amount (5000),
fee, total_payment, payment_method (QRIS),
status (pending|success|failed|cancelled), paid_at, created_at

posts

id, slug, title, content, excerpt, cover_image, author_name,
tags, is_featured, is_published, published_at, created_at, updated_at

contact_messages

id, name, email, subject, message, is_read, created_at

abuse_reports

```
id, subdomain_name, reporter_email, reason,  
status (pending|reviewed|actioned), created_at
```

```
activity_logs  
id, user_id, action, detail (JSON), ip_address, created_at
```

```
site_settings  
key (PRIMARY KEY), value, updated_at  
14 default settings: site_name, site_description,  
maintenance_mode, ads codes, social links, WA, OG image
```

4. Complete Flow – User + System + Admin

USER (CUSTOMER)

1. Buka tepi.my.id
2. Register / Login
 - └ Turnstile CAPTCHA (anti-bot)
 - └ Email + password atau Google OAuth
 - └ Supabase Auth session
3. Dashboard
 - └ Lihat subdomain aktif + countdown expired
 - └ Tombol perpanjang (free / upgrade)
 - └ Riwayat invoice
4. AJUKAN SUBDOMAIN
 - └ Tulis nama + pilih platform + URL target + deskripsi
 - └ Validasi: min 3 char, no reserved name, no duplicate
 - └ Auto-scan: DNS resolve, HTTP status, keyword check
 - └ Status: QUARANTINE (menunggu review admin)
 - └ Notif email ke ADMIN — aplikasi baru
5. SUBDOMAIN AKTIF (setelah admin approve)
 - └ CNAME/A record dibuat di Cloudflare DNS
 - └ Masa aktif: 3 bulan (free)
 - └ Email konfirmasi ke user
 - └ Dashboard countdown mulai
6. PERPANJANGAN
 - └ FREE: Cek target masih hidup → extend 3 bulan
 - └ PAID (Rp5.000/thn):
 - └ Generate invoice INV-20260715-XXXX
 - └ Simpan ke payments table (pending)
 - └ Tampilkan QRIS Paywuz
 - └ User scan → bayar
 - └ Webhook Paywuz → update status → extend 1 tahun
 - └ Email user: konfirmasi
 - └ Notif email ADMIN — pembayaran masuk
 - └ User lihat invoice di /dashboard/invoices
7. EXPIRED (jika tidak perpanjang)
 - └ H-7: Email peringatan ke user
 - └ H-0: Status subdomain → 'expired'
 - └ Grace period 14 hari (DNS masih jalan)
 - └ H+14: Hapus DNS Cloudflare + hapus dari DB
 - └ Subdomain release → bisa diklaim orang lain
8. FITUR LAIN
 - └ Contact: form → D1 + notif email ADMIN
 - └ Abuse report: form → D1 + notif email ADMIN

ADMIN (ARAZHAR)

- NOTIF EMAIL (push, 4 event):
- └ "Aplikasi Baru: subdomain.tepi.my.id"
 - └ "[MERAH] Abuse Report: subdomain.tepi.my.id"
 - └ "Pesanan Baru dari [nama]"
 - └ "Pembayaran Berhasil: subdomain – Rp5.000"

- ADMIN PANEL (/admin):
- └ Review aplikasi → approve (auto DNS) / tolak (email)

```
| └─ Blog CRUD (posting testimoni)
| └─ Abuse reports → suspend / tandai selesai
| └─ Users management
| └─ Activity logs timeline
| └─ Payments + invoice link
| └─ Site settings (nama, deskripsi, sosmed, OG, WA, ads)
```

CI/CD (GITHUB ACTIONS)

DEPLOY WORKFLOW (push ke main):

```
| └─ npm ci
| └─ npx wrangler d1 execute tepi-db --remote (auto migrasi)
| └─ npm run deploy (opennextjs-cloudflare)
| └─ Deploy ke tepi.azhr.workers.dev
```


EXPIRY CRON (setiap hari 00:00 UTC):

```
| └─ H-7: Kirim reminder email
| └─ H-0: Update status expired
| └─ H+14: Hapus DNS + DB + release
```

5. Reserved Subdomain List (70+ Nama)

ADMIN & SYSTEM:	admin, adm, root, system, sys, server, panel, dashboard, cpanel, whm, plesk, directadmin
EMAIL:	mail, email, noreply, no-reply, no_reply, reply, contact, support, help, cs, care, service, info
DNS:	ns1, ns2, ns3, ns4, dns, mx, smtp, pop3, imap
SECURITY:	ssl, tls, auth, login, register, signup, signin, logout, signout, verify, verification, captcha
WEB:	www, wwwwww, web, site, home, index, main, app, dev, test, beta, alpha, staging, demo, stage, prod, production, api, rest, graphql, cdn, static, assets, media, upload, files, download, status, health, monitor, ping
SOCIAL:	blog, news, forum, community, chat, group, event
MONITORING:	tracker, analytics, stats, log, logs, debug
PAYMENT:	payment, billing, invoice, receipt, order, cart
LEGAL:	legal, terms, privacy, policy, copyright, dmca
COMPANY:	about, company, team, career, job, office
DANGEROUS:	null, undefined, localhost, 0, 127001, *, wildcard, any, all

6. CI/CD Pipeline



CRON JOBS (GitHub Actions):

```

expiry-cron.yml (00:00 UTC daily):
  GET /api/cron/expiry?key=<CRON_SECRET>
  └─ H-7: Find about-to-expire subdomains → send reminder
  └─ H-0: Set status='expired', send notification
  └─ H+14: Delete DNS record + remove from DB → release

```

7. Checklist – Biar Live

- [] 1. CF Workers → Settings → Variables:
 - NEXT_PUBLIC_SUPABASE_URL
 - NEXT_PUBLIC_SUPABASE_ANON_KEY
 - ADMIN_USER_ID
 - ADMIN_NOTIF_EMAIL = rizalrahmadi13@gmail.com
 - NEXT_PUBLIC_APP_URL = https://tepi.azhr.workers.dev
- [] 2. GitHub → Settings → Secrets → Actions:
 - CF_API_TOKEN
 - CF_ACCOUNT_ID
 - NEXT_PUBLIC_SUPABASE_URL
 - NEXT_PUBLIC_SUPABASE_ANON_KEY
 - ADMIN_USER_ID
 - ADMIN_NOTIF_EMAIL
 - CRON_SECRET (random 32 char)

- [] 3. Buka /api/admin/setup (jadikan lo admin)
- [] 4. Turnstile keys (CF Dashboard → Turnstile)
- [] 5. Resend API key (notif email)
- [] 6. Paywuz API key + merchant ID (QRIS)

Dokumentasi ini digenerate otomatis — Juli 2026

Tepi.my.id — Free subdomain for developers Indonesia