
File System, Permissions, and Storage

Topic : Destructive Auto-Deleting File Monitor (ftype-extensions.sh)

Step 1 : here we can see the delay of 10sec and after 10sec all the files form this get deleted



```
root@boss:~# cat /usr/bin/boss-sec-wrapper.sh
#!/bin/bash
while true; do
        /usr/bin/ftype-extensions.sh
        #/usr/bin/bossnet-chk.sh
        #sleep 10  # 10 seconds
        sleep 10  # 30 minutes in seconds
done
exit 0

root@boss:~# cat /usr/bin/ftype-extensions.sh
#!/bin/bash
# Version: 3.0 (fixed logic)
# Description: Detect suspicious extensions (root + all users + tmp)


ZENITY="/usr/bin/zenity"
DATE="/usr/bin/date"
LOG="/var/log/bossps/extension-removal.log"

mkdir -p "$(dirname "$LOG")"


deep_exts=("*.desktop" "*.elf" "*.php" "*.out" "*.pl" "*.desktop.*" "*.pif" "*.scr" "*.hta"
.py*" "*.exe" "*.exec" "*.war" "*.bash" "*.dash" "*.rar" "*.zip" "*.gz" "*.gzip" "*.deb" "
*.link" "*.lnk" "*.url")

new_patterns=(
"lightnode" "bogofilter" "libssh" "libexec-kworker" "sleep-test"
"xzegrep-1" "dash" "cups_server" "avahi_daemon" "dconf_dirmngr"
```

Step 2: Highlighted the where main part form where the file was going deleted



Step 3 now we use the kill cmd for both boss-sec-wrapper.sh and ftype extension.sh
We tried chmod +x but it fail it is not giving the permission to permit so then systemctl disable boss secure.service




Step 4 : as we know chmod +x failed

If it shows ----i---------, that confirms the immutable flag. "System used chattr +i to protect their destructive scripts from being modified, but we removed it with chattr -i, proving that even their file protection mechanisms can be bypassed by a root user."

Now do the live demo with the test file to show her it works!



Step 5: we added a delay of 15 sec to the file so first it was deleting in 10 sec now we changed it .


Jul 8 6:19 PM
root@boss: ~
root@boss: # chattr -i /usr/bin/voss-sec-wrapper.sh
chattr: No such file or directory while trying to stat /usr/bin/voss-sec-wrapper.sh
root@boss: # chattr -i /usr/bin/boss-sec-wrapper.sh
root@boss: # chattr -i /usr/bin/ftype-extensions.sh
root@boss:-# chmod -x /usr/bin/boss-sec-wrapper.sh
root@boss:-# chmod -x /usr/bin/ftype-extensions.sh
root@boss:-# ps aux | grep boss-sec
root 648078 0.0 0.0 7020 3356 ? Ss 17:38 0:00 /bin/bash /usr/bin/boss-sec-wrapper.sh
root 680591 0.0 0.0 6600 2192 pts/3 S+ 17:56 0:00 grep boss-sec
root@boss:-# ps aux | grep ftype
root 648694 0.1 0.0 7152 3464 ? S 17:39 0:02 /bin/bash /usr/bin/ftype-extensions.sh
root 681509 0.0 0.0 6600 2216 pts/3 S+ 17:57 0:00 grep ftype
root@boss:-# kill -9 $(pgrep -f boss-sec-wrapper)
root@boss: # kill -9 $(pgrep -f ftype-extensions)
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
root@boss:-# ps aux | grep boss-sec
ps aux | grep ftype
root 683425 0.0 0.0 6600 2288 pts/3 S+ 18:03 0:00 grep boss-sec
root 683427 0.0 0.0 6600 2276 pts/3 S+ 18:03 0:00 grep ftype
root@boss:-# touch /tmp/testfile.sh
ls -la /tmp/testfile.sh
-rw-r--r-- 1 root root 0 Jul 8 18:04 /tmp/testfile.sh
root@boss:-# sleep 20 && ls -la /tmp/testfile.sh
-rw-r--r-- 1 root root 0 Jul 8 18:04 /tmp/testfile.sh
root@boss:-# echo "print('hello world')" > /tmp/test.py
sleep 15
ls -la /tmp/test.py
python3 /tmp/test.py
-rw-r--r-- 1 root root 21 Jul 8 18:06 /tmp/test.py
python3: can't open file '/tmp/test.py': [Errno 13] Permission denied
root@boss: # cp /tmp/test.py /root/test.py
python3 /root/test.py
cp: cannot open '/tmp/test.py' for reading: Permission denied
python3: can't open file '/root/test.py': [Errno 2] No such file or directory
root@boss:-# touch /tmp/testfile.txt
sleep 15
ls /tmp/testfile.txt
/tmp/testfile.txt
root@boss:-# ls /tmp/testfile.txt
/tmp/testfile.txt
root@boss:-#