




Fixed Measurements r: Selection Accuracy vs r
Selection Accuracy $P(\hat{j} = j^*)$ (%)
Validation Measurements r
Dense (q=1.0)
Sparse (q=0.5)
Sparse (q=0.2)
Sparse (q=0.1)
Sparse (q=0.05)


Fixed Nonzeros: Selection Accuracy vs Budget nnz(Ψ)
Selection Accuracy $P(\hat{j} = j^*)$ (%)
Total Non-Zero Entries nnz(Ψ) (Budget B)
Dense (q=1.0)
Sparse (q=0.5)
Sparse (q=0.2)
Sparse (q=0.1)
Sparse (q=0.05)


Fixed Measurements r: Ordering (Kendall's τ) vs r
Mean Kendall's τ
Validation Measurements r
Dense (q=1.0)
Sparse (q=0.5)
Sparse (q=0.2)
Sparse (q=0.1)
Sparse (q=0.05)


Fixed Nonzeros: Ordering (Kendall's τ) vs Budget nnz(Ψ)
Mean Kendall's τ
Total Non-Zero Entries nnz(Ψ) (Budget B)
Dense (q=1.0)
Sparse (q=0.5)
Sparse (q=0.2)
Sparse (q=0.1)
Sparse (q=0.05)