

Laboratory work 5

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays a tree of database objects, with 'Tables (16)' expanded and 'passengers' selected. The main query editor contains the following SQL code:

```
--1
ALTER TABLE passengers
ADD CONSTRAINT chk_passengers_age
CHECK (date_of_birth <= CURRENT_DATE - INTERVAL '10 years');
```

The 'Messages' tab at the bottom shows the execution result: 'ALTER TABLE' and 'Query returned successfully in 124 msec.'



The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays a tree of database objects, with 'Tables (16)' expanded and 'public.booking' selected. The main query editor contains the following SQL code:



```
--1
ALTER TABLE passengers
ADD CONSTRAINT chk_passengers_age
CHECK (date_of_birth <= CURRENT_DATE - INTERVAL '10 years');

--2
ALTER TABLE public.booking
ADD CONSTRAINT chk_booking_price
CHECK (ticket_price > 0 AND ticket_price <= 50000);
```

The 'Messages' tab at the bottom shows the execution result: 'ALTER TABLE' and 'Query returned successfully in 119 msec.'

Total rows: Query complete 00:00:00.119 CRLF Ln 7, Col 1





pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (16)
 - airline
 - airline_3nf
 - airport
 - airport_3nf
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_3nf
 - booking_flight
 - booking_passenger_3nf
 - flight_3nf
 - flights
 - passenger_3nf
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- phonebook_db
- postgres
- snake_game

Query

```
--7
ALTER TABLE public.passengers
ADD CONSTRAINT chk_citizenship_age
CHECK (
    (
        country_of_citizenship = 'Kazakhstan'
        AND date_of_birth <= CURRENT_DATE - INTERVAL '18 years'
    )
    OR
    (
        country_of_citizenship = 'France'
        AND date_of_birth <= CURRENT_DATE - INTERVAL '17 years'
    )
    OR
    (
        country_of_citizenship NOT IN ('Kazakhstan', 'France')
        AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years'
    )
);
```

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 122 msec.

Total rows: Query complete 00:00:00.122

CRLF Ln 54, Col 1

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (16)
 - airline
 - airline_3nf
 - airport
 - airport_3nf
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_3nf
 - booking_flight
 - booking_passenger_3nf
 - flight_3nf
 - flights
 - passenger_3nf
 - passengers
 - security_check
 - Trigger Functions
 - Types
 - Views
- Subscriptions
- phonebook_db
- postgres
- snake_game

Query

```
--8
ALTER TABLE public.booking
ADD COLUMN ticket_discount NUMERIC(5,2);
ALTER TABLE public.booking
ADD CONSTRAINT chk_booking_ticket_discount
CHECK (
    (
        created_at > TIMESTAMP '2024-01-01'
        AND ticket_discount = 5
    )
    OR
    (
        created_at < TIMESTAMP '2024-01-01'
        AND ticket_discount = 10
    )
);
```

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 81 msec.

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (16)
 - airline
 - airline_3nf
 - airport
 - airport_3nf
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_3nf
 - booking_flight
 - booking_passenger_3nf
 - flight_3nf
 - flights
 - passenger_3nf
 - passengers
 - security_check
- Trigger Functions
- Types
- Views
- Subscriptions
- phonebook_db
- postgres
- snake_game

Query

```
--8
74 ALTER TABLE public.booking
75 ADD COLUMN ticket_discount NUMERIC(5,2);
76 ALTER TABLE public.booking
77 ADD CONSTRAINT chk_booking_ticket_discount
78 CHECK (
79     (
80         created_at > TIMESTAMP '2024-01-01'
81         AND ticket_discount = 5
82     )
83     OR
84     (
85         created_at < TIMESTAMP '2024-01-01'
86         AND ticket_discount = 10
87     )
88 );
89
90 --9
91 ALTER TABLE public.booking
92 ALTER COLUMN status SET DEFAULT 'Confirmed';
93
```

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 81 msec.

✓ Query returned successfully in 81 msec.

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (16)
 - airline
 - airline_3nf
 - airport
 - airport_3nf
 - baggage
 - baggage_check
 - boarding_pass
 - booking
 - booking_3nf
 - booking_flight
 - booking_passenger_3nf
 - flight_3nf
 - flights
 - passenger_3nf
 - passengers
 - security_check
- Trigger Functions
- Types
- Views
- Subscriptions
- phonebook_db
- postgres
- snake_game

Query

```
76 ALTER TABLE public.booking
77 ADD CONSTRAINT chk_booking_ticket_discount
78 CHECK (
79     (
80         created_at > TIMESTAMP '2024-01-01'
81         AND ticket_discount = 5
82     )
83     OR
84     (
85         created_at < TIMESTAMP '2024-01-01'
86         AND ticket_discount = 10
87     )
88 );
89
90 --9
91 ALTER TABLE public.booking
92 ALTER COLUMN status SET DEFAULT 'Confirmed';
93
94 --10
95 ALTER TABLE public.booking
96 ALTER COLUMN created_at SET DEFAULT CURRENT_TIMESTAMP;

```

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 126 msec.

✓ Query returned successfully in 126 msec.