## Legend

Support Status (colors)	Tests Groups (letters)
supported	M = Minimal (run locally before checking in)
working	A = Acceptance (run for pull requests before going to master)
future support	F = Full (all integration tests run through jenkins against master after checkin)
unsupported	

## **Integration Tests**

serve html									
	Target	local	openSUSE_13_2	openSUSE_13_1	Tumbleweed		<u>ao</u> cker		fedora
host			x86_64	x86_64	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64								
openSUSE_13_1	x86_64								
leap	x86_64								
Tumbleweed	x86_64								
local		Α							

CLI										
	Target	local	openSUSE_13_2	openSUSE_13_1		Tumbleweed		। ब <u>ो</u> क्टker		fedora
host			x86_64	x86_64	arm	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64	F								
openSUSE_13_1										·
leap	x86_64	F								·
Tumbleweed	x86_64	F								
local		Α								

validate										
	Target	local	openSUSE_13_2		openSUSE_13_1	Tumbleweed		। <u>अं</u> ट्रिस् <i>हा</i>		fedora
host			x86_64	arm	x86_64	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64	F								
openSUSE_13_1	x86_64	F					, in the second			
leap	x86_64	F								
Tumbleweed	x86_64	F								
local										

upgrade format									
	Target	local	openSUSE_13_2	openSUSE_13_1	Tumbleweed		1 <u>∆o</u> ker		fedora
host			x86_64	x86_64	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64	F							
openSUSE_13_1									
	x86_64								
Tumbleweed	x86_64	F							
local									

inspect											-
	Target	local		openSUSE_13_2	openSUSE_13_1		Tumbleweed		। ब <u>ो</u> क्टker		fedora
host				x86_64	x86_64	arm	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64			F							
openSUSE_13_1					F						·
leap	x86_64		F								·
Tumbleweed	x86_64						F			$ldsymbol{ld}}}}}}$	
local			Α								

inspect-container										
	Target	local	openSUSE_13_2	openSUSE_13_1		Tumbleweed		1 ब <u>ो</u> क्टेker		fedora
host			x86_64	x86_64	arm	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64									
openSUSE_13_1	x86_64					·	·			·
leap	x86_64									
Tumbleweed	x86_64									
local								Α		

build											
	Target	local		openSUSE_13_2	openSUSE_13_1		Tumbleweed		। <u>ब</u> ोक्टker		fedora
host			x86_64	x86_64	x86_64	arm	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64										
openSUSE_13_1											
leap	x86_64		F								
Tumbleweed	x86_64										
local											

export						_				
	Target	local		openSUSE_13_2	openSUSE_13_1	Tumbleweed		1 <u>ão</u> ≿ker		fedora
host			x86_64	x86_64	x86_64	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64			F						
openSUSE_13_1					F					
leap	x86_64		F							
Tumbleweed	x86_64									
local			Α							

analyze											
	Target	local		openSUSE_13_2	openSUSE_13_1		Tumbleweed		। ब <u>ो</u> क्टker		fedora
host				x86_64	x86_64	arm	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64			F							
openSUSE_13_1					F						
leap	x86_64		F								
Tumbleweed	x86_64										
local											

deploy							_				
	Target	local		openSUSE_13_2	openSUSE_13_1		Tumbleweed		। <u>ब</u> ोक्टker		fedora
host			x86_64	x86_64	x86_64	arm	x86_6 4	arm	openSUSE_	leap	
openSUSE_13_2	x86_64										
openSUSE_13_1											
leap	x86_64								·		
Tumbleweed	x86_64										
local											

## **Unit Tests**

tested		
host	arch	ruby version
openSUSE_13_1	x86_64	ruby2.0
openSUSE_13_2	x86_64	ruby2.1

## Runs On

	Action	Package installation	General commands
Host			
openSUSE_13_2	x86_64	F	М
openSUSE_13_1	x86_64	F	
Tumbleweed	x86_64	F	