Apple News Template Routing

This document details the expected behavior of the template router when the following rules are used. Please review the summary section at the end of this document for an overview of the category rules.

```
{
    'match': {
        'category': /\/APPLE NEWS\//i,          // find all categories with Apple News
        'context' : /\//,                       // split categories by a /
        'options' : /\/?Option - (.*?)\/?$/i    // Extract Option values
    }
}
```

Summary

channel **(required)**	/display/newscorpaustralia.com/Web/ ... /Apple News/<channel> e.g. /display/newscorpaustralia.com/Web/ ... /Apple News/Confidential /display/newscorpaustralia.com/Web/ ... /Apple News/Daily Telegraph	
template **(optional)**	/display/newscorpaustralia.com/Web/ ... /STORY TEMPLATE/Apple News/<channel> e.g. /display/newscorpaustralia.com/Web/ ... /STORY TEMPLATE/Apple News/Longform	
template global options **(optional)**	/display/newscorpaustralia.com/Web/ /STORY TEMPLATE/Apple News/<option> e.g. /display/newscorpaustralia.com/Web/ ... /STORY TEMPLATE/Apple News/Option - Is Sponsored	
template specific options **(optional)**	/display/newscorpaustralia.com/Web/ /STORY TEMPLATE/Apple News/<channel>/<option> e.g. /display/newscorpaustralia.com/Web/ ... /STORY TEMPLATE/Apple News/Longform/Option - Parallax Background	

… = removed for brevity (NewsNetwork)

Channel Selection

There are two types of section assignment which when specified within Methode which can change the context of the request to tcog. An editor can specify an Apple News Channel; i.e where the content should be published and they can also specify template options for this channel.

These section assignments would follow the following format. Note the first channel assignment is only taken into consideration.

```
/display/newscorpaustralia.com/Web/NewsNetwork/Apple News/<channel>
/display/newscorpaustralia.com/Web/NewsNetwork/Apple News/Confidential
/display/newscorpaustralia.com/Web/NewsNetwork/Apple News/DailyTelegraph/News
```

Template Selection

Templates are selected based upon rules defined within the template router. These rules follow the format of.

```
"channel"      : "template",
"confidential" : "s3/applenews-default/default/index"

// Default template mappings

{

    'templates': {
        'default'           : 's3/applenews-default/default/index',  // fallback
        'confidential'      : 's3/applenews-confidential/index',
        'dailytelegraph/news' : 's3/applenews-dailytelegraph/news'
    }
}
```

Should no template rules be defined, then a further lookup can be performed by reviewing the product definitions.

```
{
    'products': {
        'confidential': {
            template:
```

Global Options

Global options can be applied to any channels template. Template authors should keep the behavior consistent.

```
/display/newscorpaustralia.com/Web/../STORY TEMPLATES/Apple News/Option - Mosaic/
/display/newscorpaustralia.com/Web/../STORY TEMPLATES/Apple News/Option - Featured/
/display/newscorpaustralia.com/Web/../STORY TEMPLATES/Apple News/Option - Sponsored/
```

Options must follow the format of ***"Option - <name>"***. Not options which begin with **"IS"** or **"NOT"** are considered to be boolean values and will be converted as such.

- /display/newscorpaustralia.com/Web/../STORY TEMPLATES/Apple News/<option>/
- /display/newscorpaustralia.com/Web/../STORY TEMPLATES/Apple News/<channel>/<option>

```
/display/newscorpaustralia.com/Web/../STORY TEMPLATES/Apple News/Confidential/Option -
Celebrity Mode
/display/newscorpaustralia.com/Web/../STORY TEMPLATES/Apple News/Confidential/Option -
Not Live
```