PatchTST for Parkinson's Speech Classification

Verified Pipeline and Speaker-disjoint OOF Evaluation

Arannamoy Mondal
arannamoymondal13@gmail.com

13 October 2026 • Report 1.2 • Experiment v2.0

Abstract

This report explains the current official PatchTST result, checked by the latest completed audit, v2.0-audit.2. It follows one compact classifier that uses speech to distinguish people with Parkinson's disease from elderly healthy controls. It explains how recordings are checked, how repeat sessions are linked to the same person, how sound becomes a spectrogram, how the model is trained, and how many short-window scores become one decision per person.

The main experiment uses 773 recordings from 46 people: 25 patients and 21 controls. Five speaker-disjoint folds keep each test person's recordings out of the model that predicts that person. The pooled speaker-level results are F1 97.96%, recall 96.00%, specificity 100.00%, precision 100.00%, and accuracy 97.83%. There is one missed patient and no false alarms among controls.

The saved results reproduce. However, the recordings also contain strong group-related acoustic differences, and recording dates are separated by class. The report therefore explains both the leakage controls that were checked and the recording-condition problem that remains. These are internal results on this corpus, not an independent clinical validation.

1 One question, one model, one input

The question is simple: *using speech recordings, can this model separate people labeled with Parkinson's disease from elderly healthy controls in this dataset?* The recorded diagnosis supplies the training label. The model predicts that label; it does not create a new medical diagnosis.

Model	Corrected, channel-independent PatchTST; experiment v2.0.
Verification	Latest completed recheck: v2.0-audit.2.
Input	A 64-band log-mel spectrogram, cut into 400-frame windows.
Output	One model score per window, combined into one speaker score.
Decision	Score at least 0.5: PD; score below 0.5: elderly control.
Evaluation unit	One person, not one recording or one short window.

How to read this report. Sections 2–7 describe the data and model. Sections 8–11 explain training, OOF predictions and score averaging. Sections 12–15 give the results and their limits; Sections 16–17 explain reproduction and terms. Sections 18–19 add exact fold-file counts and statistical plots. Appendices list every recording's role in every fold. All figures support black-and-white printing.

2 The whole pipeline in one picture

Read Figure 1 from top to bottom. A *manifest* is simply a table with one row for each recording. A *fold* is one group of people held aside for testing. The same model design is trained separately for each fold.




Figure 1: The complete single-model workflow. Steps 6–9 run once for each held-out fold. OOF means that a person's score comes from the model trained without that person.

Two kinds of work happen here. Fixed audio conversion can be cached once because it learns no statistics from the dataset. Learning weights and choosing how long to train happen inside each training split. Section 14 explains why that boundary matters.

3 Which recordings and people enter the study?

The source is the Italian Parkinson's Voice and Speech corpus [1], associated with the VoxTester and speech-intelligibility work [2, 3]. The folder name "28 People with Parkinson's disease" is a folder count, not the final number of distinct patients. Linking repeat sessions gives 25 patient IDs.




Figure 2: The counts at each stage. Excluded recordings remain on disk; exclusion means that their rows do not enter the experiment.

Why exclude young controls?

The 15 young controls are aged 19–29. Including them could reward a model for detecting age rather than disease. This study uses elderly controls as the comparison group. That reduces an obvious age difference, but does not guarantee that every age or recruitment effect is removed.

Why does the main result contain 46 rather than 47 people?

The completed v2.0 experiment froze a common, task-available cohort for the original project comparison. One elderly control, Vitantonio D, has no B1/B2 passage recordings, so that cohort excluded him. This report keeps that exact 46-person cohort to match the saved result. PatchTST itself does not require every person to have a passage; this exclusion is an evaluation-design choice.

Speech task	Meaning in everyday words	Files	Codes
Passages	Read a longer piece of text	94	B1, B2
Repeated syllables	Repeat short sounds such as /pa/ and /ta/	98	D1, D2
Vowels	Hold a vowel sound	485	VA1–VU2
Words	Read a word list	49	PR1
Phrases	Read short phrases	47	FB1
Total	All these tasks enter PatchTST	773	

Labels. PD is 1; elderly healthy control is 0. Labels come from the exact group folder. Searching for the word "Parkinson" anywhere in a path would be wrong because the dataset's root folder also contains that word.

4 One person must keep one identity

The same person can have several recordings, several tasks, or more than one recording session. Those are repeated observations of one person. They must not be mistaken for different people when training and testing are separated.




Figure 3: Repeat sessions are joined before folds are created. The person is the unit of separation, even when dates, folders or token spellings differ.

The identity checks used here

The index reads the task, person token and recording time from each filename. Known text problems are corrected in the index; the original file is not renamed. Folders are linked using the same cohort and matching person tokens, with the documented name/birth-year/sex matches used for known repeat sessions.

- Vito S with token ending `46M` is linked across his two sessions.
- Nicola S and Roberto R are linked despite two spellings of their tokens.
- The other Vito S, whose token ends in `47M`, stays a different person.
- Antonia G has one inconsistent export token. The folder's usual token is used, and that recording receives a correction flag.

These are the project's working identity rules. The audit checks them against the known corpus records; it does not claim biometric proof of every identity.

A useful file table does not become a model input

The manifest stores the speaker ID, label, task, original sample rate, duration, date, fold and cache path. Age, sex and spreadsheet fields help check records. **The network receives only the spectrogram values.** It does not receive a name, filename, age, sex, recording date, reading-speed score or native sample rate.

A `sheet_flag` records a review mark in the source spreadsheet. Four eligible controls have this flag; three are present in the main cohort. They remain in this evaluation. This flag is metadata and is never a model input.

The rule to remember: a new folder does not mean a new person. Create the person ID first; then split the people.

5 Preprocessing: turning sound into a useful table

Audio is a long list of sample values. A spectrogram turns that list into a time-by-frequency description: it shows which frequency ranges carry energy at each short time step. The model uses the numerical table, not a screenshot.




Figure 4: Fixed preprocessing applied separately to each recording. "ms" means milliseconds; 1,000 milliseconds make one second.

Read and resample

The corpus WAVs are mono, 16-bit PCM. They are read as 32-bit floating-point numbers on a common digital scale. If the original sample rate is 44,100 Hz, the waveform is resampled to 16,000 Hz using `soxr_hq`. Native 16,000-Hz files are read directly. Resampling changes the number of samples per second; it does not intentionally make the person speak faster or slower.

Measure frequency energy in short frames

A 400-sample analysis window covers 25 ms at 16 kHz. The next frame starts 160 samples, or 10 ms, later. A 512-point Fourier transform separates frequency content. Sixty-four overlapping mel filters combine that energy into bands spaced more closely at lower frequencies. The implementation uses librosa's default Hann analysis window and centered-frame convention.

Use the same logarithmic reference for every file

Power values are converted to decibels using a fixed reference of 1.0 and a power floor of 10^{-10}. The floor avoids taking a logarithm of zero. In simplified form, for a band power P,

$$X = 10\log_{10}\left(\frac{\max(P, 10^{-10})}{1.0}\right).$$

There is no per-file peak normalization and no per-file maximum as the decibel reference. Recording-relative decibel clipping is disabled. This keeps digital level differences visible. A quiet voice can be informative, but gain and microphone distance can change the same numbers. Digital level is not calibrated physical voice loudness.

Two different windows: the 25-ms analysis window builds each spectrogram frame. The 4-second model window later groups 400 frames into one model input. They do different jobs.

6 Windows and patches: three different time scales

The spectrogram has 64 frequency-band rows and a variable number of time columns. Roughly 100 columns describe one second. Centering can add a boundary frame, so full-file frame counts are only approximately duration times 100.




Figure 5: A simple timeline sketch. Four-second windows move forward by two seconds, so nearby windows share sound. The actual code works in frame indices and adds a final window when needed to cover the end.




Figure 6: An input-shape sketch, not a measured spectrogram. Only a few horizontal guide lines are drawn. The real numerical input has 64 rows.

- **Model input:** 64 bands $\times$ 400 frames. That is 25,600 numerical values, not 25,600 separately designed acoustic features.
- **Short files:** if fewer than 400 frames are available, the final frame is repeated until the window is full. This is called edge padding.
- **Training:** keep at most eight evenly spaced windows from each file.
- **Validation and testing:** keep every window, including final-tail coverage.
- **Inside PatchTST:** split each band into 25 non-overlapping patches of 16 frames. Patch starts are 160 ms apart; analysis frames themselves overlap.

Why split people first? Overlapping windows can contain much of the same audio. A random window split could place near-identical sound in both training and testing. In this pipeline, every window follows its person's existing fold.

7 What the PatchTST model actually does

PatchTST's original idea is to read short time patches and reuse one encoder across channels [4]. Here it is adapted to classification: each mel band acts as one channel. This is a compact project implementation, not a claim to have invented PatchTST or reproduced its forecasting benchmark.




Figure 7: The single classifier used in this report. Dimensions exclude the batch size. The model has 29,553 trainable parameters.

Attention lets a patch use information from other patches in the same band. Four heads provide four learned ways of comparing those patches. The encoder width is 16 and its feed-forward width is 64, with GELU activation. **Channel-independent** means that bands share the encoder's weights and do not attend across bands there. The final head combines the bands.

Position embeddings allow time order to matter; they do not prove that the trained decisions need it. The later audit found the main decisions survived strong changes to within-window temporal detail. A model score is also not a calibrated estimate of a person's clinical probability of disease.

8 OOF: how each person receives a held-out score

OOF means out-of-fold. First, the 46 people are divided into five groups. For each group, a separate model is trained using only the other four groups. That model then predicts the held-out group. The five held-out tables are joined into one table containing each person exactly once.




Figure 8: Each row is a separately trained model. White cells supply outer-training people, including the inner validation split. The black cell supplies that model's held-out test people. Fold IDs match the saved files.

The working policy

1. Build one row per speaker and use a stratified five-fold split with seed 42. *Stratified* means keeping both classes represented in every fold.
2. Copy the fold ID to all of that person's sessions, files and windows.
3. Hold one fold aside. Within the remaining people, choose training length using the inner procedure in Section 9.
4. Refit a fresh model on all outer-training people and predict the held-out people. The test fold does not choose weights, epochs or the threshold.
5. Save one score per held-out speaker. Repeat for fold IDs 0–4.
6. Join $10+9+9+9+9=46$ speaker rows and calculate the pooled metrics once.

What OOF does and does not mean

A person may train models for other folds. That is normal. What matters is that the model used to score that person has never trained on that person's recordings.

OOF is *not* a five-model vote for each of these 46 people. Four of those five models would have used that person during training. Averaging all five for the reported OOF score would break the held-out rule.

"Five-fold cross-validation" names the procedure. "OOF predictions" names its saved held-out outputs. They are two parts of the same evaluation, not competing methods. OOF also does not make this corpus an independent external test set.

9 Choose training length without looking at the test fold

An **epoch** is one pass through the selected training windows. Too few epochs may leave the model undertrained; too many may fit details of the training people. The project chooses the count using a small validation group taken only from the outer-training people.




Figure 9: Actual person counts and selected epoch count for fold 0. The right-hand path joins only at final testing.

Inner validation uses a stratified 20% holdout of the outer-training people. The selection run allows at most 20 epochs. Its score is the average binary cross-entropy of *speaker* probabilities, where lower is better. An improvement must exceed 0.0001; training stops after five epochs without such an improvement. The best accepted epoch count is then used for a fresh refit.

Fold	Inner train	Validation	Refit train	Test	Chosen epochs
0	28	8	36	10	3
1	29	8	37	9	10
2	29	8	37	9	14
3	29	8	37	9	16
4	29	8	37	9	20

Validation people enter the final refit after the epoch count is fixed. Test people do not. Threshold 0.5 is fixed throughout; it is not chosen from OOF scores. The split/training seed is $42 +$ fold ID for this inner procedure.

10 How training learns from the windows

For each batch, the model produces one logit per window. Binary cross-entropy compares that output with the known label and penalizes a confident wrong answer. The optimizer changes the model's weights to reduce the weighted training loss. Labels are used as targets; they are not appended to the input spectrogram.

Why every window should not have equal influence

A long recording produces more windows than a short one. A person with two sessions produces more files than a person with one session. If all windows were treated equally, those people would have more influence just because more audio was recorded. The loss weights address this imbalance.




Figure 10: The weight hierarchy for training. Counts are calculated from the current training partition, not from held-out test people.

For a window belonging to person i, file j and class c, its raw weight is

$$w_{ij} = \frac{1}{N_c F_i W_{ij}},$$

where N_c is the number of training people in class c, F_i is that person's number of training files, and W_{ij} is the number of selected windows in that file. All weights are then rescaled so their average is 1. This keeps their relative importance while keeping the overall loss scale convenient.

Setting	Value	What it means
Optimizer	AdamW	Updates weights using the training loss.
Learning rate	0.001	Sets the scale of an update.
Weight decay	0.0001	Discourages unnecessarily large weights.
Batch size	16 windows	Number of windows processed in one batch.
Dropout	0.2	Randomly drops selected activations during training.
Gradient norm limit	1.0	Limits unusually large update signals.
Compute	CPU, 4 threads	The completed run used deterministic Torch settings.

During prediction the model is in evaluation mode: dropout is off, and no weights are updated. The saved checkpoint is the refitted model, not the discarded inner-selection model.

11 From window scores to one speaker decision

The model first scores short windows, but the study's question is about people. The pipeline therefore averages twice: first within a recording, then across that person's recordings. It averages probabilities, not hard yes/no votes.




Figure 11: A made-up example to explain the arithmetic, not a real participant. Both files have equal influence on the final speaker score.

If all six windows in this example were averaged directly, the answer would be $2.50/6 \approx 0.417$. Recording A would count twice as much because it supplied twice as many windows. The two-stage average avoids that particular imbalance.

For a person with F_i files and W_{ij} windows in file j, the rule is

$$\bar{p}_{ij} = \frac{1}{W_{ij}} \sum_{k=1}^{W_{ij}} p_{ijk}, \qquad p_i = \frac{1}{F_i} \sum_{j=1}^{F_i} \bar{p}_{ij}.$$

Here p_{ijk} is a window score, $\bar{p}_{ij}$ is a file score, and p_i is the speaker score. Prediction is 1 when $p_i \geq 0.5$, otherwise 0.

Why this still needs careful interpretation

Files have equal weight, but task families do not necessarily have equal weight: a person with many vowel recordings gives that family more file slots. The main cohort also contains 10–32 recordings per person, median 16. Averaging can reduce random noise, but it can preserve a recording signature that appears across all of a person's files.

One person, one row, one decision. The final table records speaker ID, true label, probability, threshold, prediction, fold and sheet flag. Only these speaker rows enter the headline metrics.

12 Every fold, followed by the pooled result

These are the main saved results for **v2.0 / Arannamoy PatchTST / main**. All five metrics are percentages. Fold IDs are 0–4, exactly as stored in the run. Each row evaluates only the people held out from that row's model.

Fold	People	F1	Recall	Specificity	Precision	Accuracy
0	10	100.00	100.00	100.00	100.00	100.00
1	9	100.00	100.00	100.00	100.00	100.00
2	9	100.00	100.00	100.00	100.00	100.00
3	9	100.00	100.00	100.00	100.00	100.00
4	9	88.89	80.00	100.00	100.00	88.89
Mean $\pm$ SD	–	97.78 ± 4.97	96.00 ± 8.94	100.00 ± 0.00	100.00 ± 0.00	97.78 ± 4.97

Table 1: Held-out fold results and their mean $\pm$ sample standard deviation. SD describes variation across these five folds, not uncertainty in a new clinical population.

Pooled result: calculate once from all 46 held-out people

People	F1	Recall	Specificity	Precision	Accuracy
46	97.96	96.00	100.00	100.00	97.83

	Predicted PD	Predicted control
Actual PD	24 detected (TP)	1 missed (FN)
Actual control	0 false alarms (FP)	21 correctly left out (TN)

Figure 12: The pooled confusion matrix: 25 patients and 21 controls.

Why pooled F1 is not the mean fold F1. Pooling first adds the confusion counts: $TP = 24$, $FN = 1$, $TN = 21$, $FP = 0$. Then

$$\text{F1} = \frac{2TP}{2TP + FP + FN} = \frac{48}{49} = 97.96\%, \quad \text{Accuracy} = \frac{24 + 21}{46} = 97.83\%.$$

The mean fold F1 is 97.78%, because it averages five percentages instead. Both are useful; the pooled five-metric result is the primary result.

The one error. Fold 4 misses one patient at speaker probability 0.4159119, below the fixed 0.5 threshold. That fold detects four of its five patients and correctly classifies all four controls. No threshold is changed after seeing this error.

13 Reading the speaker scores and the five metrics

Figure 13 plots the actual saved OOF probabilities. No model is trained to draw it. The horizontal dashed line is the same 0.5 threshold used for every fold.




Figure 13: Actual main-cohort scores. Open circles are controls; filled circles are patients. For display only, people are grouped by true class and ordered by score within each group. This ordering is not a training input. One filled circle falls below the decision threshold.

Metric	Formula	Question it answers
F1	$2TP/(2TP+FP+FN)$	How well are precision and recall balanced?
Recall	$TP/(TP+FN)$	Of the patients, how many were detected?
Specificity	$TN/(TN+FP)$	Of the controls, how many were correctly classified?
Precision	$TP/(TP+FP)$	Of the people predicted as PD, how many were PD here?
Accuracy	$(TP+TN)/N$	Of all people, how many were classified correctly?

F1 leaves out true negatives, so it cannot replace specificity. Accuracy can hide missed patients, so it cannot replace recall. Reporting the five together shows the different types of success and error.

Precision depends on how common PD is in the evaluated group. This sample is close to half patients; its precision is not the positive predictive value of screening a general community. The probability axis likewise shows model output, not proven clinical risk.

The sample is small. One extra missed patient changes recall by four percentage points; one extra false alarm changes specificity by about 4.76 points. The five fold models also share much of their training data. Fold variation should not be read as five independent clinical trials.

14 Data leakage: the routes and the controls

Data leakage means that information from the held-out evaluation enters learning or model selection in a way it should not. A high score can then reflect prior exposure rather than a fair prediction on an unseen person.




Figure 14: Why the split must follow people. Speaker separation addresses identity overlap; it does not automatically address all recording differences.

Possible route	What the pipeline does about it
Same person in train and test	Link known repeat sessions before splitting; check disjoint speaker IDs in outer and inner splits.
Overlapping audio windows	Create windows within already assigned speaker groups; never randomly divide windows across train and test.
Identical audio under another ID	Compare raw-file and decoded-audio hashes; no identical decoded signal was found across the 773 main files under different people.
Test set chooses training length	Choose epochs on inner validation speakers; refit before the held-out fold is scored.
Test set chooses the threshold	Fix the threshold at 0.5 for all folds.
Preprocessing learns from test people	Use fixed per-recording audio transforms and fixed model scaling; there is no cohort-fitted normalizer in this PatchTST.
Metadata reveals the answer	Keep IDs, labels, dates, age, sex and rate out of the feature tensor. Labels enter the training loss only.
Wrong or stale feature cache	Cache names use the audio bytes' hash and feature settings. Check shape and finite values; the audit recomputed all main features.
Repeated tuning on reported results	Record earlier development and freeze the current protocol. This history cannot be undone by rerunning the same folds.

Why caching every file is allowed here. A fixed transform can process a held-out file without learning from it, just as a saved model must eventually read a test input. If future preprocessing learns a mean, feature selection or any other parameter from multiple people, that learning must occur inside the training partition and then be applied unchanged to its held-out partition.

Remaining distinction. Recording-condition confounding can survive every identity check. Different people can still share class-related microphone or room cues. Section 15 explains the evidence for that concern.

15 Verified OOF operation and its remaining limit

The current official result uses the 46-person main cohort throughout. The report builder checks the saved fold assignments, split files and prediction tables before generating the results. The latest completed audit supplies the raw-audio and saved-model replay evidence.

Check	Verified evidence for this main result
One held-out row per person	46 unique speakers, each assigned to exactly one test fold.
Outer and inner separation	All five saved split files keep test people out of training and validation.
Correct score source	Each pooled speaker row matches its own held-out fold's prediction table.
Correct averaging	Saved window scores reproduce file means and then equally weighted speaker means.
Fixed decision rule	Every speaker uses threshold 0.5; no OOF threshold tuning.
Raw-input reproduction	All 773 feature arrays matched the cache with one BLAS thread; all five main fold models passed fresh-feature replay.

Why this is leakage-checked, rather than proven leakage-free

The checked person-overlap and training-selection routes are controlled. But different people can share a class-related recording signature. That can make the held-out task easier without the model recognizing disease-specific speech.




Figure 15: A correct speaker split still allows different sources of acoustic information. The diagram shows possible routes, not measured causal effects.

The audit found class-separated recording dates even among original 16-kHz recordings, with dates shared across train and test. Quietest-frame digital levels also differ between groups; these frames are not verified speech-free silence. The main model's decisions survive removal of within-window time detail. These findings leave recording-condition confounding unresolved.

Earlier development also used this corpus. Correct OOF bookkeeping protects this run's person boundary, but does not erase that development history. Evaluation on new, matched-condition recordings is needed to test generalization.

16 Reproducibility: connect every number to a saved file

The current official trained result is v2.0 / Arannamoy / main, verified by v2.0-audit.2. Report 1.2 extends the verified report with file lists and plots. The frozen run records the exact model, inputs and evaluation used for the reported score.

The frozen result directory

`artifacts/runs/20261012T183328Z_f-all_cead14cc32f1/`

File relative to that run	What it records
`config.yaml`	Exact settings used by the completed run.
`protocol.json`, `folds.csv`	Cohort, source fingerprints and speaker assignments.
`source/`	Archived implementation and dependency files.
`main/arannamoy/manifest.csv`	The 773 input recordings and their metadata.
`main/arannamoy/fold_0/split.json`	Training, validation and test person IDs for fold 0.
`main/arannamoy/fold_0/selection.json`	Chosen epoch count and model size.
`main/arannamoy/fold_0/checkpoint.pt`	The refitted model's learned weights.
`main/arannamoy/fold_0/window_predictions.csv`	Window scores for that fold's test people.
`main/arannamoy/fold_0/speaker_predictions.csv`	Speaker scores from that fold's model.
`main/arannamoy/speaker_predictions.csv`	The 46 pooled OOF speaker rows.
`main/arannamoy/metrics.json`	Pooled metrics, fold metrics and their spread.

The same per-fold files exist for fold IDs 1–4. Each training run stores an inner-selection history and a refit history. File hashes are fingerprints of file contents; they help detect accidental changes but do not establish that a scientific interpretation is correct.

What the latest audit actually reproduced

Audit v2.0-audit.2 recomputed all 773 main log-mel arrays from raw audio. With one BLAS arithmetic thread, all arrays matched the cache bit for bit. All five main PatchTST checkpoints reproduced their saved decisions using freshly extracted inputs. A tiny initial discrepancy of about 1.5×10^{-5} dB was traced to arithmetic thread count. The initial failure and its resolution are both retained.

This is a raw-input and prediction replay check, not a full new training run. It confirms that the saved model, inputs and reported outputs agree. It does not remove recording-condition confounding.

How to rebuild this verified report

From the project root, with the project dependencies and `pdflatex` installed, run:

```
.venv/bin/python docs/whitepaper_v1_2/build_report.py
```

Install the report-only plotting packages listed in the source folder's `requirements.txt`. The builder checks OOF records, regenerates tables, plots and exact file lists, then saves file fingerprints. It reads completed audit evidence; rebuilding does not rerun audio extraction or model training.

17 Key terms and the final interpretation

Term	Meaning in this project
Speaker	One person, even if that person has several sessions or folders.
Recording	One WAV file from one speech task.
Native sample rate	Samples per second in the original WAV, before conversion.
Frame	One short frequency-energy measurement, taken every 10 ms.
Mel band	A frequency range used to summarize sound energy.
Log-mel	Mel-band power expressed on a fixed logarithmic scale.
Window	The 400-frame input given to the model at one time.
Patch	A 16-frame piece of one band inside that window.
Parameter	A number the model learns during training.
Epoch	One pass through the selected training windows.
Validation	Training-side people used to choose how long to train.
Test fold	People excluded from the model used to predict them.
OOF prediction	A score made by the model trained without that person's fold.
Pooled result	Metrics recalculated after joining all held-out speaker rows.
Leakage	Held-out information improperly entering fitting or selection.
Confounding	Another group-related difference can help explain the score.
Checkpoint	A saved copy of the model's learned weights.

What is established

The pipeline consistently converts audio into the stated input, keeps known repeat sessions together, chooses epochs inside training people, and reports one held-out decision per speaker. The main saved result is 24 detected patients, one missed patient, 21 correctly classified controls and no false alarms. The published tables in this report are generated from saved speaker scores.

What is not established

The small, repeatedly studied corpus does not establish performance in a new clinic. Keeping people separate does not make recording conditions identical. The high score does not show that temporal attention is necessary or that recording cues have been eliminated. The supported description is *speaker-disjoint, leakage-checked OOF evaluation*, with unresolved recording-condition confounding.

The main lesson

A trustworthy speech-classification report must explain *who was held out*, *what the model could see*, and *how the final person-level decision was made*. A high percentage alone does not answer those questions.

18 Exact training, validation and test files in each fold

The saved `split.json` files list people. To obtain the exact WAV files, the report joins those identities to the frozen 773-row recording manifest. This matters because the validation people are chosen separately inside each outer-training fold. Validation cannot be reconstructed just by picking a second global fold.

	Inner train		Validation		Final refit train		Held-out test	
Fold	People	Files	People	Files	People	Files	People	Files
0	28	439	8	142	36	581	10	192
1	29	503	8	126	37	629	9	144
2	29	510	8	128	37	638	9	135
3	29	505	8	126	37	631	9	142
4	29	470	8	143	37	613	9	160

Table 2: Exact partition sizes from the saved speaker splits and recording manifest. A file means one complete WAV recording, not one window.

The two meanings of training

- **Inner training:** these people and their files teach the selection model its weights. Training uses at most eight windows per recording.
- **Validation:** these people choose the epoch count through their speaker-level loss. Every validation window is scored.
- **Final refit training:** after the epoch count is fixed, a fresh model is trained on the union of inner training and validation. Including validation here is intentional; it is no longer being used to measure held-out performance.
- **Test:** these people and every one of their files stay outside both selection and refit. Every test window is scored to build the OOF predictions.

Where to find every exact filename

Appendix A gives the directory key. Appendix B prints all 773 filenames and five role columns, one for each fold. Read a column to identify **T** (inner train), **V** (validation) and **E** (test). That fold's final refit set is exactly T plus V. The file IDs connect the PDF, CSV exports and interactive file browser.

Twenty ready-to-use CSV lists accompany the report: four partitions for each fold ID 0–4. Each row includes the full project-relative path, speaker ID, class, task, duration and original sample rate. For fold 0, the files are:

`docs/whitepaper_v1_2/generated/fold_files/`
`fold_0_inner_train.csv`
`fold_0_inner_validation.csv`
`fold_0_outer_train.csv`
`fold_0_outer_test.csv`

Within one fold, T, V and E are disjoint and cover all 773 recordings. Across the five folds, every recording is in E exactly once. All files from the same person keep the same role within each fold.

19 Statistical views of the saved experiment

These plots describe the same main-cohort experiment. Matplotlib creates the print figures; Plotly provides an offline interactive companion with hover labels and a searchable fold-file browser. Every plotted value comes from the saved predictions, histories or manifest.

1. How much data does each split contain?




Figure 16: The actual people and recordings in inner training, validation and testing. Bars start at zero and are labeled with exact counts. Final refit uses the sum of inner training and validation.

The speaker groups are similar in size, while the recording counts vary more. Fold 0 has ten test people and 192 test recordings. The other folds each have nine test people, but between 135 and 160 recordings. A person with additional sessions can contribute many recordings without becoming several independent test participants.

The number that matters for classification remains the number of people. The file counts explain computation and recording availability; they do not increase the sample size of the speaker-level accuracy, recall or F1.

How to interpret this statistical section

The plots are descriptive summaries, not tests of a disease mechanism. No p-value is inferred from treating recordings or windows as independent people. The five fold models share much of their training data, and earlier development used the same corpus. Fold spread is therefore not an external-generalization confidence interval. These plots do not change the fixed 0.5 threshold.

2. Every fold's five metrics, with the pooled result




Figure 17: Each open symbol is one held-out fold; a filled diamond is the pooled result. Symbols are shifted slightly vertically to make equal scores visible. The numerical score is the horizontal position.

Folds 0–3 classify every test person correctly. Fold 4 misses one of its five patients. This lowers that fold's recall to 80.00%, F1 to 88.89% and accuracy to 88.89%, while precision and specificity remain 100.00%.

Pooling the five test groups gives F1 97.96%, recall 96.00%, specificity 100.00%, precision 100.00% and accuracy 97.83%. The pooled diamond is calculated from all 46 people, rather than being an average of the five symbols.

The sample standard deviations are 4.97 percentage points for F1, 8.94 for recall, 0.00 for specificity, 0.00 for precision and 4.97 for accuracy. A zero spread for one metric means its value happened to match across these five small folds; it does not establish that the metric would be constant in a new population.

The complete fold table in Section 12 supplies the exact values. This plot makes the pattern of errors visible without selecting a best fold or hiding the one missed patient.

3. Score distributions at the person level




Figure 18: Left: boxes show the median and middle half of scores, with whiskers to the most extreme observations within 1.5 box heights; every person is also plotted. Marker shape identifies the fold as in the preceding figure. Horizontal jitter is only for visibility. Right: the empirical cumulative distribution gives the fraction of each group at or below a score.

Class	People	Minimum	Q1	Median	Q3	Maximum
Control	21	5.027e-12	0.0005523	0.003002	0.06165	0.3893
PD	25	0.4159	0.9652	0.9996	1	1

Table 3: Descriptive speaker-score summaries, rounded to four significant digits. Q1 and Q3 mark the 25th and 75th percentiles.

The dashed line on the left is the operating threshold, 0.5. The scores are strongly separated by true class in this corpus. One patient lies below the threshold even though that patient's score is above all control scores. The right-hand curves show ranking separation without selecting a different threshold.

These numbers are model outputs. A score close to one is not a verified 100% clinical risk. The figure describes separation and spread in the 46 saved OOF predictions; it does not establish calibration or identify the acoustic cause of that separation.

4. Ranking curves and the fixed operating point




Figure 19: Pooled OOF ROC and precision–recall curves from the 46 speaker scores. Stars mark the actual threshold of 0.5. The dotted ROC diagonal is the random-ranking reference; the dotted precision line is the sample's PD fraction, 25/46. AUROC and average precision (AP) summarize ranking.

AUROC and average precision are both 1.000 for these saved scores: every patient's score is above every control's score. Yet the predeclared 0.5 threshold still misses one patient. Perfect ranking and perfect thresholded classification are different statements.

At the star, recall is 96.00%, specificity 100.00%, precision 100.00%, F1 97.96% and accuracy 97.83%. The report retains that operating point. Drawing the full curve does not tune the threshold using held-out people.

The curve combines scores from five separately trained models and should be read as a descriptive pooled OOF ranking diagnostic. The precision reference depends on this study's nearly balanced sample. It is not the expected precision of community screening, where Parkinson's disease is much less common.

A ranking summary accompanies the five operating-point metrics; it does not replace recall and specificity at the threshold actually used.

5. The saved training and validation curves




Figure 20: The five actual inner-selection histories. Dashed curves are weighted window-level training loss; solid curves are speaker-level validation loss. Circles and vertical dotted lines mark the selected epochs. The logarithmic vertical axes make small positive losses visible. Each panel uses its own scale.

The chosen epoch counts are 3, 10, 14, 16 and 20 for folds 0–4. Each choice comes from that fold's training-side validation people. Selection accepts an improvement larger than 0.0001, with at most 20 epochs and five non-improving epochs of patience. The refit starts with fresh weights and uses the chosen count.

Training and validation losses use different observations and weighting, so their vertical gap alone is not a clean measure of overfitting. These curves document the saved selection process. The test people supply no curve used to choose an epoch.

6. How much audio comes from each person?




Figure 21: Each dot is one person. Left: number of recordings. Right: total recording duration in minutes, including all content in those files. Boxes show the median and middle half; whiskers follow the same 1.5-box-height rule as the score plot. Dots show every observation, including those beyond whiskers. Jitter only separates overlapping points.

The main cohort has 10–32 files per person, with a median of 16. Duration also varies with task, speaking pace and recording conditions. The duration plot sums the saved file durations; it does not estimate speech-only time.

This imbalance is why the pipeline balances training weight by class, person, file and selected window. At prediction time it first averages windows inside each file, then gives every file equal weight in the person's score. A person with more recordings still contributes exactly one final decision.

Interactive plots and downloadable data

Open the accompanying Plotly page in a browser to inspect the speaker IDs, folds and values. The file browser filters by fold and role and searches complete paths. The page embeds Plotly and works offline: `docs/whitepaper_v1_2/generated/statistical_dashboard.html`

The `generated/` folder also contains the underlying plot tables, all twenty per-partition file CSVs, a full `file_catalogue.csv`, and PDF/PNG copies of the six new Matplotlib figures. The report manifest fingerprints these outputs and their source records.

References

[1] G. Dimauro and F. Girardi. *Italian Parkinson's Voice and Speech*. IEEE DataPort, 2019. DOI: 10.21227/aw6b-tg17.

[2] G. Dimauro et al. "VoxTester, software for digital evaluation of speech changes in Parkinson disease." *IEEE International Symposium on Medical Measurements and Applications (MeMeA)*, 2016. DOI: 10.1109/MeMeA.2016.7533761.

[3] G. Dimauro, V. Di Nicola, V. Bevilacqua, D. Caivano and F. Girardi. "Assessment of Speech Intelligibility in Parkinson's Disease Using a Speech-To-Text System." *IEEE Access*, vol. 5, pp. 22199–22208, 2017. DOI: 10.1109/ACCESS.2017.2762475.

[4] Y. Nie, N. H. Nguyen, P. Sinthong and J. Kalagnanam. "A Time Series is Worth 64 Words: Long-term Forecasting with Transformers." *ICLR*, 2023. arXiv:2211.14730.

[5] M. Hireš, P. Drotár, N. D. Pah, Q. C. Ngo and D. K. Kumar. "On the inter-dataset generalization of machine learning approaches to Parkinson's disease detection from voice." *International Journal of Medical Informatics*, vol. 179, 105237, 2023. DOI: 10.1016/j.ijmedinf.2023.105237.

[6] A. Mondal. Project evidence for experiment v2.0, verified by v2.0-audit.2, 2026. The frozen data and code provenance is identified in Section 16. Supporting project documents:
`docs/corrected_comparison.md`
`docs/corrected_results.md`
`docs/high_score_audit.md`
`docs/publication_readiness_audit.md`

Evidence and build notes

The exact model settings come from the frozen run's configuration, not from a later edit to the active configuration. Fold metrics, selected epochs and speaker probabilities are read from saved artifacts. No training takes place when this report is built.

The complete audit record for the raw-audio recheck is under:
`artifacts/runs/20261012T215648Z_v2.0-audit.2_2167119cc167/`

The report source and build instructions are under:
`docs/whitepaper_v1_2/`

Document and figures

This report uses a restrained, single-column whitepaper layout with serif text, black rules, equations and diagrams. The speaker-score plot uses actual saved predictions. The worked averaging example and input-shape sketches are illustrative. The PDF, source and build manifest are supplied together so the report can be checked and updated.

This report describes an internal, revised evaluation after prior development on the same corpus. Broader cross-dataset concerns are discussed in Hireš et al. [5]. The next benchmark phase should use a frozen procedure and clearly state which data were available during development.

A Folder key for the exact recording lists

Each directory below is relative to this corpus root:
`Italian Parkinson's Voice and speech/`

Join the root, the listed directory, a slash and the filename in Appendix B to obtain the exact WAV path. File IDs are report lookup labels; speaker IDs are the frozen evaluation identities.

Folder	Corpus-relative directory and speaker identity
D01	`22 Elderly Healthy Control/AGNESE P` Elderly control; `EHC_APGANRET55F`
D02	`22 Elderly Healthy Control/ANGELA C` Elderly control; `EHC_ACNAGRER49F`
D03	`22 Elderly Healthy Control/ANGELA G` Elderly control; `EHC_AGNIGNEE54F`
D04	`22 Elderly Healthy Control/ANTONIETTA P` Elderly control; `EHC_APNITNOT56F`
D05	`22 Elderly Healthy Control/ANTONIO C` Elderly control; `EHC_ACNUTCOC40M`
D06	`22 Elderly Healthy Control/BRIGIDA C` Elderly control; `EHC_BCRAISGS48F`
D07	`22 Elderly Healthy Control/GILDA C` Elderly control; `EHC_GCIALSDA52F`
D08	`22 Elderly Healthy Control/GIOVANNA G` Elderly control; `EHC_GGIAORVG47F`
D09	`22 Elderly Healthy Control/GIOVANNI B` Elderly control; `EHC_GBIAORVI48M`
D10	`22 Elderly Healthy Control/GRAZIA G` Elderly control; `EHC_GGRIAUZL45F`
D11	`22 Elderly Healthy Control/LEONARDA F` Elderly control; `EHC_LFEIOONR57F`
D12	`22 Elderly Healthy Control/LISCO G` Elderly control; `EHC_GLIIUSSC57M`
D13	`22 Elderly Healthy Control/LUIGI P` Elderly control; `EHC_LPUUITGI41M`
D14	`22 Elderly Healthy Control/MARIACRISTINA P` Elderly control; `EHC_MPAERRIR56F`
D15	`22 Elderly Healthy Control/MICHELE G` Elderly control; `EHC_MGIACTHT49M`
D16	`22 Elderly Healthy Control/NICOLA P` Elderly control; `EHC_NPIICEOR42M`
D17	`22 Elderly Healthy Control/PORCELLI A` Elderly control; `EHC_APNOTROC49M`
D18	`22 Elderly Healthy Control/SUMMO L` Elderly control; `EHC_LSUUIMGM48F`
D19	`22 Elderly Healthy Control/TERESA M` Elderly control; `EHC_TMEIRAEC54F`
D20	`22 Elderly Healthy Control/VITO A` Elderly control; `EHC_VAILTFOO49M`
D21	`22 Elderly Healthy Control/VITO L` Elderly control; `EHC_VLIATFOO55M`
D22	`28 People with Parkinson's disease/1-5/Domenico C` PD; `PD_CDAOPMOE67M`
D23	`28 People with Parkinson's disease/1-5/Felicetta C` PD; `PD_CFAERLEI54F`
D24	`28 People with Parkinson's disease/1-5/Leonarda L` PD; `PD_LLOEROUN56F`

Continued on the next page

Folder	Corpus-relative directory and speaker identity (continued)
D25	28 People with Parkinson's disease/1-5/Lucia R PD; PD_RLOUSCSI77F
D26	28 People with Parkinson's disease/1-5/Roberto R PD; PD_roberto_r_49M
D27	28 People with Parkinson's disease/11-16/Anna B PD; PD_ABNINSAC46F
D28	28 People with Parkinson's disease/11-16/Michele C PD; PD_MCIICLHL46M
D29	28 People with Parkinson's disease/11-16/Nicola S PD; PD_nicola_s_44M
D30	28 People with Parkinson's disease/11-16/Roberto L PD; PD_RLOABREE42M
D31	28 People with Parkinson's disease/11-16/Roberto R PD; PD_roberto_r_49M
D32	28 People with Parkinson's disease/11-16/Vito S PD; PD_VSIPTIOZ46M
D33	28 People with Parkinson's disease/17-28/Antonia G PD; PD_AGNUTGOL52F
D34	28 People with Parkinson's disease/17-28/Daria L PD; PD_DLAARCII37F
D35	28 People with Parkinson's disease/17-28/Giovanni M PD; PD_GMIAOSVI44M
D36	28 People with Parkinson's disease/17-28/Giovanni N PD; PD_GNIEOGVL47M
D37	28 People with Parkinson's disease/17-28/Giulia L PD; PD_GLIAUDLO5OF
D38	28 People with Parkinson's disease/17-28/Giulia P PD; PD_GPIUUGLL63F
D39	28 People with Parkinson's disease/17-28/Giustina M PD; PD_GMIAUSST39F
D40	28 People with Parkinson's disease/17-28/Mario B PD; PD_MBAUROIN45M
D41	28 People with Parkinson's disease/17-28/Nicola M PD; PD_NMIICNOO52M
D42	28 People with Parkinson's disease/17-28/NicolÃš C PD; PD_NCIICAOC52M
D43	28 People with Parkinson's disease/17-28/Vito L PD; PD_VLIATOP47M
D44	28 People with Parkinson's disease/17-28/Vito S PD; PD_VSIOTLOP47M
D45	28 People with Parkinson's disease/6-10/Luigi B PD; PD_LBUAIRGO52M
D46	28 People with Parkinson's disease/6-10/Nicola S PD; PD_nicola_s_44M
D47	28 People with Parkinson's disease/6-10/Saverio S PD; PD_SSACVHEI61M
D48	28 People with Parkinson's disease/6-10/Ugo B PD; PD_UBGUOT_T4OM
D49	28 People with Parkinson's disease/6-10/Vito S PD; PD_VSIPTIOZ46M

B Every recording's role in every fold

This is the complete 773-file catalogue. Read down a fold column to find its exact training, validation and test files. **T = inner training; V = inner validation; E = held-out test.** Final refit training is the union of T and V in that column. The same file can have a different role in another fold, but is tested exactly once. Folder IDs are resolved in Appendix A.

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0001	D01	B1APGANRET55F170320171104.wav	E	T	V	T	T
F0002	D01	B2APGANRET55F170320171105.wav	E	T	V	T	T
F0003	D01	D1APGANRET55F170320171106.wav	E	T	V	T	T
F0004	D01	D2APGANRET55F170320171107.wav	E	T	V	T	T
F0005	D01	FB1APGANRET55F170320171115.wav	E	T	V	T	T
F0006	D01	PR1APGANRET55F170320171114.wav	E	T	V	T	T
F0007	D01	VA1APGANRET55F170320171107.wav	E	T	V	T	T
F0008	D01	VA2APGANRET55F170320171108.wav	E	T	V	T	T
F0009	D01	VE1APGANRET55F170320171109.wav	E	T	V	T	T
F0010	D01	VE2APGANRET55F170320171109.wav	E	T	V	T	T
F0011	D01	VI1APGANRET55F170320171109.wav	E	T	V	T	T
F0012	D01	VI2APGANRET55F170320171110.wav	E	T	V	T	T
F0013	D01	VO1APGANRET55F170320171111.wav	E	T	V	T	T
F0014	D01	VO2APGANRET55F170320171111.wav	E	T	V	T	T
F0015	D01	VU1APGANRET55F170320171112.wav	E	T	V	T	T
F0016	D01	VU2APGANRET55F170320171112.wav	E	T	V	T	T
F0017	D02	B1ACNAGRER49F210320170916.wav	E	V	T	T	T
F0018	D02	B2ACNAGRER49F210320170919.wav	E	V	T	T	T
F0019	D02	D1ACNAGRER49F210320171134.wav	E	V	T	T	T
F0020	D02	D2ACNAGRER49F210320171135.wav	E	V	T	T	T
F0021	D02	FB1ACNAGRER49F210320170926.wav	E	V	T	T	T
F0022	D02	PR1ACNAGRER49F210320170925.wav	E	V	T	T	T
F0023	D02	VA1ACNAGRER49F210320170920.wav	E	V	T	T	T
F0024	D02	VA2ACNAGRER49F210320170920.wav	E	V	T	T	T
F0025	D02	VE1ACNAGRER49F210320170921.wav	E	V	T	T	T
F0026	D02	VE2ACNAGRER49F210320170921.wav	E	V	T	T	T
F0027	D02	VI1ACNAGRER49F210320170921.wav	E	V	T	T	T
F0028	D02	VI2ACNAGRER49F210320170922.wav	E	V	T	T	T
F0029	D02	VO1ACNAGRER49F210320170922.wav	E	V	T	T	T
F0030	D02	VO2ACNAGRER49F210320170923.wav	E	V	T	T	T
F0031	D02	VU1ACNAGRER49F210320170923.wav	E	V	T	T	T
F0032	D02	VU2ACNAGRER49F210320170923.wav	E	V	T	T	T
F0033	D03	B1AGNIGNEE54F230320171018.wav	T	T	T	E	T
F0034	D03	B2AGNIGNEE54F230320171019.wav	T	T	T	E	T
F0035	D03	D1AGNIGNEE54F230320171019.wav	T	T	T	E	T
F0036	D03	D2AGNIGNEE54F230320171020.wav	T	T	T	E	T
F0037	D03	FB1AGNIGNEE54F230320171025.wav	T	T	T	E	T
F0038	D03	PR1AGNIGNEE54F230320171024.wav	T	T	T	E	T
F0039	D03	VA1AGNIGNEE54F230320171020.wav	T	T	T	E	T
F0040	D03	VA2AGNIGNEE54F230320171021.wav	T	T	T	E	T
F0041	D03	VE1AGNIGNEE54F230320171021.wav	T	T	T	E	T
F0042	D03	VE2AGNIGNEE54F230320171021.wav	T	T	T	E	T
F0043	D03	VI1AGNIGNEE54F230320171021.wav	T	T	T	E	T
F0044	D03	VI2AGNIGNEE54F230320171022.wav	T	T	T	E	T
F0045	D03	VO1AGNIGNEE54F230320171022.wav	T	T	T	E	T
F0046	D03	VO2AGNIGNEE54F230320171022.wav	T	T	T	E	T
F0047	D03	VU1AGNIGNEE54F230320171022.wav	T	T	T	E	T
F0048	D03	VU2AGNIGNEE54F230320171023.wav	T	T	T	E	T
F0049	D04	B1APNITNOT56F230320170847.wav	T	E	T	V	T
F0050	D04	B2APNITNOT56F230320170849.wav	T	E	T	V	T
F0051	D04	D1APNITNOT56F230320170849.wav	T	E	T	V	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0052	D04	D2APNITNOT56F230320170850.wav	T	E	T	V	T
F0053	D04	FB1APNITNOT56F230320170857.wav	T	E	T	V	T
F0054	D04	PR1APNITNOT56F230320170856.wav	T	E	T	V	T
F0055	D04	VA1APNITNOT56F230320170850.wav	T	E	T	V	T
F0056	D04	VA2APNITNOT56F230320170851.wav	T	E	T	V	T
F0057	D04	VE1APNITNOT56F230320170851.wav	T	E	T	V	T
F0058	D04	VE2APNITNOT56F230320170852.wav	T	E	T	V	T
F0059	D04	VI1APNITNOT56F230320170852.wav	T	E	T	V	T
F0060	D04	VI2APNITNOT56F230320170853.wav	T	E	T	V	T
F0061	D04	VO1APNITNOT56F230320170854.wav	T	E	T	V	T
F0062	D04	VO2APNITNOT56F230320170854.wav	T	E	T	V	T
F0063	D04	VU1APNITNOT56F230320170855.wav	T	E	T	V	T
F0064	D04	VU2APNITNOT56F230320170855.wav	T	E	T	V	T
F0065	D05	B1ACNUTCOC40M230320171121.wav	T	V	V	T	E
F0066	D05	B2ACNUTCOC40M230320171123.wav	T	V	V	T	E
F0067	D05	D1ACNUTCOC40M230320171124.wav	T	V	V	T	E
F0068	D05	D2ACNUTCOC40M230320171124.wav	T	V	V	T	E
F0069	D05	FB1ACNUTCOC40M230320171130.wav	T	V	V	T	E
F0070	D05	PR1ACNUTCOC40M230320171129.wav	T	V	V	T	E
F0071	D05	VA1ACNUTCOC40M230320171125.wav	T	V	V	T	E
F0072	D05	VA2ACNUTCOC40M230320171125.wav	T	V	V	T	E
F0073	D05	VE1ACNUTCOC40M230320171126.wav	T	V	V	T	E
F0074	D05	VE2ACNUTCOC40M230320171126.wav	T	V	V	T	E
F0075	D05	VI1ACNUTCOC40M230320171126.wav	T	V	V	T	E
F0076	D05	VI2ACNUTCOC40M230320171126.wav	T	V	V	T	E
F0077	D05	VO1ACNUTCOC40M230320171127.wav	T	V	V	T	E
F0078	D05	VO2ACNUTCOC40M230320171127.wav	T	V	V	T	E
F0079	D05	VU1ACNUTCOC40M230320171128.wav	T	V	V	T	E
F0080	D05	VU2ACNUTCOC40M230320171128.wav	T	V	V	T	E
F0081	D06	B1BCRAISGS48F210320171002.wav	T	V	E	T	V
F0082	D06	B2BCRAISGS48F210320171004.wav	T	V	E	T	V
F0083	D06	D1BCRAISGS48F210320171004.wav	T	V	E	T	V
F0084	D06	D2BCRAISGS48F210320171005.wav	T	V	E	T	V
F0085	D06	FB1BCRAISGS48F210320171013.wav	T	V	E	T	V
F0086	D06	PR1BCRAISGS48F210320171012.wav	T	V	E	T	V
F0087	D06	VA1BCRAISGS48F210320171005.wav	T	V	E	T	V
F0088	D06	VA2BCRAISGS48F210320171005.wav	T	V	E	T	V
F0089	D06	VE1BCRAISGS48F210320171006.wav	T	V	E	T	V
F0090	D06	VE2BCRAISGS48F210320171006.wav	T	V	E	T	V
F0091	D06	VI1BCRAISGS48F210320171007.wav	T	V	E	T	V
F0092	D06	VI2BCRAISGS48F210320171007.wav	T	V	E	T	V
F0093	D06	VO1BCRAISGS48F210320171007.wav	T	V	E	T	V
F0094	D06	VO2BCRAISGS48F210320171008.wav	T	V	E	T	V
F0095	D06	VU1BCRAISGS48F210320171009.wav	T	V	E	T	V
F0096	D06	VU2BCRAISGS48F210320171010.wav	T	V	E	T	V
F0097	D07	B1GCIALSDA52F170320171124.wav	T	T	T	T	E
F0098	D07	B2GCIALSDA52F170320171125.wav	T	T	T	T	E
F0099	D07	D1GCIALSDA52F170320171126.wav	T	T	T	T	E
F0100	D07	D2GCIALSDA52F170320171126.wav	T	T	T	T	E
F0101	D07	FB1GCIALSDA52F170320171133.wav	T	T	T	T	E
F0102	D07	PR1GCIALSDA52F170320171132.wav	T	T	T	T	E
F0103	D07	VA1GCIALSDA52F170320171127.wav	T	T	T	T	E
F0104	D07	VA2GCIALSDA52F170320171127.wav	T	T	T	T	E
F0105	D07	VE1GCIALSDA52F170320171127.wav	T	T	T	T	E
F0106	D07	VE2GCIALSDA52F170320171128.wav	T	T	T	T	E
F0107	D07	VI1GCIALSDA52F170320171128.wav	T	T	T	T	E
F0108	D07	VI2GCIALSDA52F170320171129.wav	T	T	T	T	E

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0109	D07	VO1GCIALSDA52F170320171129.wav	T	T	T	T	E
F0110	D07	VO2GCIALSDA52F170320171130.wav	T	T	T	T	E
F0111	D07	VU1GCIALSDA52F170320171130.wav	T	T	T	T	E
F0112	D07	VU2GCIALSDA52F170320171130.wav	T	T	T	T	E
F0113	D08	B1GGIAORVG47F300320171207.wav	V	T	T	E	T
F0114	D08	B2GGIAORVG47F300320171210.wav	V	T	T	E	T
F0115	D08	D1GGIAORVG47F300320171212.wav	V	T	T	E	T
F0116	D08	D2GGIAORVG47F300320171212.wav	V	T	T	E	T
F0117	D08	FB1GGIAORVG47F300320171218.wav	V	T	T	E	T
F0118	D08	PR1GGIAORVG47F300320171217.wav	V	T	T	E	T
F0119	D08	VA1GGIAORVG47F300320171212.wav	V	T	T	E	T
F0120	D08	VA2GGIAORVG47F300320171213.wav	V	T	T	E	T
F0121	D08	VE1GGIAORVG47F300320171213.wav	V	T	T	E	T
F0122	D08	VE2GGIAORVG47F300320171214.wav	V	T	T	E	T
F0123	D08	VI1GGIAORVG47F300320171214.wav	V	T	T	E	T
F0124	D08	VI2GGIAORVG47F300320171214.wav	V	T	T	E	T
F0125	D08	VO1GGIAORVG47F300320171214.wav	V	T	T	E	T
F0126	D08	VO2GGIAORVG47F300320171215.wav	V	T	T	E	T
F0127	D08	VU1GGIAORVG47F300320171215.wav	V	T	T	E	T
F0128	D08	VU2GGIAORVG47F300320171215.wav	V	T	T	E	T
F0129	D09	B1GBIAORVI48M230320171233.wav	E	V	T	T	T
F0130	D09	B2GBIAORVI48M230320171234.wav	E	V	T	T	T
F0131	D09	D1GBIAORVI48M230320171235.wav	E	V	T	T	T
F0132	D09	D2GBIAORVI48M230320171235.wav	E	V	T	T	T
F0133	D09	FB1GBIAORVI48M230320171241.wav	E	V	T	T	T
F0134	D09	PR1GBIAORVI48M230320171240.wav	E	V	T	T	T
F0135	D09	VA1GBIAORVI48M230320171236.wav	E	V	T	T	T
F0136	D09	VA2GBIAORVI48M230320171236.wav	E	V	T	T	T
F0137	D09	VE1GBIAORVI48M230320171236.wav	E	V	T	T	T
F0138	D09	VE2GBIAORVI48M230320171237.wav	E	V	T	T	T
F0139	D09	VI1GBIAORVI48M230320171237.wav	E	V	T	T	T
F0140	D09	VI2GBIAORVI48M230320171238.wav	E	V	T	T	T
F0141	D09	VO1GBIAORVI48M230320171238.wav	E	V	T	T	T
F0142	D09	VO2GBIAORVI48M230320171239.wav	E	V	T	T	T
F0143	D09	VU1GBIAORVI48M230320171239.wav	E	V	T	T	T
F0144	D09	VU2GBIAORVI48M230320171239.wav	E	V	T	T	T
F0145	D10	B1GGRIAUZL45FO20420171817.wav	T	T	T	E	V
F0146	D10	B2GGRIAUZL45FO20420171820.wav	T	T	T	E	V
F0147	D10	D1GGRIAUZL45FO20420171820.wav	T	T	T	E	V
F0148	D10	D2GGRIAUZL45FO20420171820.wav	T	T	T	E	V
F0149	D10	FB1GGRIAUZL45FO20420171827.wav	T	T	T	E	V
F0150	D10	PR1GGRIAUZL45FO20420171826.wav	T	T	T	E	V
F0151	D10	VA1GGRIAUZL45FO20420171821.wav	T	T	T	E	V
F0152	D10	VA2GGRIAUZL45FO20420171821.wav	T	T	T	E	V
F0153	D10	VE1GGRIAUZL45FO20420171822.wav	T	T	T	E	V
F0154	D10	VE2GGRIAUZL45FO20420171822.wav	T	T	T	E	V
F0155	D10	VI1GGRIAUZL45FO20420171822.wav	T	T	T	E	V
F0156	D10	VI2GGRIAUZL45FO20420171823.wav	T	T	T	E	V
F0157	D10	VO1GGRIAUZL45FO20420171823.wav	T	T	T	E	V
F0158	D10	VO2GGRIAUZL45FO20420171823.wav	T	T	T	E	V
F0159	D10	VU1GGRIAUZL45FO20420171824.wav	T	T	T	E	V
F0160	D10	VU2GGRIAUZL45FO20420171824.wav	T	T	T	E	V
F0161	D11	B1LFEIOONR57F210320171120.wav	T	T	E	T	V
F0162	D11	B2LFEIOONR57F210320171124.wav	T	T	E	T	V
F0163	D11	D1LFEIOONR57F210320171125.wav	T	T	E	T	V
F0164	D11	D2LFEIOONR57F210320171125.wav	T	T	E	T	V
F0165	D11	FB1LFEIOONR57F210320171131.wav	T	T	E	T	V

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0166	D11	PR1LFEIOONR57F210320171130.wav	T	T	E	T	V
F0167	D11	VA1LFEIOONR57F210320171126.wav	T	T	E	T	V
F0168	D11	VA2LFEIOONR57F210320171126.wav	T	T	E	T	V
F0169	D11	VE1LFEIOONR57F210320171126.wav	T	T	E	T	V
F0170	D11	VE2LFEIOONR57F210320171127.wav	T	T	E	T	V
F0171	D11	VI1LFEIOONR57F210320171127.wav	T	T	E	T	V
F0172	D11	VI2LFEIOONR57F210320171127.wav	T	T	E	T	V
F0173	D11	VO1LFEIOONR57F210320171128.wav	T	T	E	T	V
F0174	D11	VO2LFEIOONR57F210320171128.wav	T	T	E	T	V
F0175	D11	VU1LFEIOONR57F210320171128.wav	T	T	E	T	V
F0176	D11	VU2LFEIOONR57F210320171128.wav	T	T	E	T	V
F0177	D12	B1GLIIUSSC57M210320171050.wav	E	T	T	T	T
F0178	D12	B2GLIIUSSC57M210320171051.wav	E	T	T	T	T
F0179	D12	D1GLIIUSSC57M210320171052.wav	E	T	T	T	T
F0180	D12	D2GLIIUSSC57M210320171052.wav	E	T	T	T	T
F0181	D12	FB1GLIIUSSC57M210320171058.wav	E	T	T	T	T
F0182	D12	PR1GLIIUSSC57M210320171057.wav	E	T	T	T	T
F0183	D12	VA1GLIIUSSC57M210320171052.wav	E	T	T	T	T
F0184	D12	VA2GLIIUSSC57M210320171053.wav	E	T	T	T	T
F0185	D12	VE1GLIIUSSC57M210320171053.wav	E	T	T	T	T
F0186	D12	VE2GLIIUSSC57M210320171053.wav	E	T	T	T	T
F0187	D12	VI1GLIIUSSC57M210320171054.wav	E	T	T	T	T
F0188	D12	VI2GLIIUSSC57M210320171054.wav	E	T	T	T	T
F0189	D12	VO1GLIIUSSC57M210320171055.wav	E	T	T	T	T
F0190	D12	VO2GLIIUSSC57M210320171055.wav	E	T	T	T	T
F0191	D12	VU1GLIIUSSC57M210320171055.wav	E	T	T	T	T
F0192	D12	VU2GLIIUSSC57M210320171056.wav	E	T	T	T	T
F0193	D13	B1LPUUITGI41M230320171109.wav	T	T	V	T	E
F0194	D13	B2LPUUITGI41M230320171110.wav	T	T	V	T	E
F0195	D13	D1LPUUITGI41M230320171110.wav	T	T	V	T	E
F0196	D13	D2LPUUITGI41M230320171111.wav	T	T	V	T	E
F0197	D13	FB1LPUUITGI41M230320171116.wav	T	T	V	T	E
F0198	D13	PR1LPUUITGI41M230320171115.wav	T	T	V	T	E
F0199	D13	VA1LPUUITGI41M230320171111.wav	T	T	V	T	E
F0200	D13	VA2LPUUITGI41M230320171111.wav	T	T	V	T	E
F0201	D13	VE1LPUUITGI41M230320171112.wav	T	T	V	T	E
F0202	D13	VE2LPUUITGI41M230320171112.wav	T	T	V	T	E
F0203	D13	VI1LPUUITGI41M230320171113.wav	T	T	V	T	E
F0204	D13	VI2LPUUITGI41M230320171113.wav	T	T	V	T	E
F0205	D13	VO1LPUUITGI41M230320171113.wav	T	T	V	T	E
F0206	D13	VO2LPUUITGI41M230320171113.wav	T	T	V	T	E
F0207	D13	VU1LPUUITGI41M230320171114.wav	T	T	V	T	E
F0208	D13	VU2LPUUITGI41M230320171114.wav	T	T	V	T	E
F0209	D14	B1MPAERRIR56F300320171143.wav	T	E	V	T	T
F0210	D14	B2MPAERRIR56F300320171145.wav	T	E	V	T	T
F0211	D14	D1MPAERRIR56F300320171145.wav	T	E	V	T	T
F0212	D14	D2MPAERRIR56F300320171145.wav	T	E	V	T	T
F0213	D14	FB1MPAERRIR56F300320171151.wav	T	E	V	T	T
F0214	D14	PR1MPAERRIR56F300320171150.wav	T	E	V	T	T
F0215	D14	VA1MPAERRIR56F300320171146.wav	T	E	V	T	T
F0216	D14	VA2MPAERRIR56F300320171146.wav	T	E	V	T	T
F0217	D14	VE1MPAERRIR56F300320171147.wav	T	E	V	T	T
F0218	D14	VE2MPAERRIR56F300320171147.wav	T	E	V	T	T
F0219	D14	VI1MPAERRIR56F300320171147.wav	T	E	V	T	T
F0220	D14	VI2MPAERRIR56F300320171148.wav	T	E	V	T	T
F0221	D14	VO1MPAERRIR56F300320171148.wav	T	E	V	T	T
F0222	D14	VO2MPAERRIR56F300320171148.wav	T	E	V	T	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0223	D14	VU1MPAERRIR56F300320171149.wav	T	E	V	T	T
F0224	D14	VU2MPAERRIR56F300320171149.wav	T	E	V	T	T
F0225	D15	B1MGIACTHT49M210320170848.wav	V	T	E	V	T
F0226	D15	B2MGIACTHT49M210320170850.wav	V	T	E	V	T
F0227	D15	D1MGIACTHT49M210320170854.wav	V	T	E	V	T
F0228	D15	D2MGIACTHT49M210320170855.wav	V	T	E	V	T
F0229	D15	FB1MGIACTHT49M210320170904.wav	V	T	E	V	T
F0230	D15	PR1MGIACTHT49M210320170903.wav	V	T	E	V	T
F0231	D15	VA1MGIACTHT49M210320170855.wav	V	T	E	V	T
F0232	D15	VA2MGIACTHT49M210320170856.wav	V	T	E	V	T
F0233	D15	VE1MGIACTHT49M210320170856.wav	V	T	E	V	T
F0234	D15	VE2MGIACTHT49M210320170857.wav	V	T	E	V	T
F0235	D15	VI1MGIACTHT49M210320170859.wav	V	T	E	V	T
F0236	D15	VI2MGIACTHT49M210320170859.wav	V	T	E	V	T
F0237	D15	VO1MGIACTHT49M210320170859.wav	V	T	E	V	T
F0238	D15	VO2MGIACTHT49M210320170900.wav	V	T	E	V	T
F0239	D15	VU1MGIACTHT49M210320170900.wav	V	T	E	V	T
F0240	D15	VU2MGIACTHT49M210320170901.wav	V	T	E	V	T
F0241	D16	B1NPIICEOR42MO20420171805.wav	V	T	E	V	T
F0242	D16	B2NPIICEOR42MO20420171807.wav	V	T	E	V	T
F0243	D16	D1NPIICEOR42MO20420171807.wav	V	T	E	V	T
F0244	D16	D2NPIICEOR42MO20420171807.wav	V	T	E	V	T
F0245	D16	FB1NPIICEOR42MO20420171814.wav	V	T	E	V	T
F0246	D16	PR1NPIICEOR42MO20420171813.wav	V	T	E	V	T
F0247	D16	VA1NPIICEOR42MO20420171808.wav	V	T	E	V	T
F0248	D16	VA2NPIICEOR42MO20420171809.wav	V	T	E	V	T
F0249	D16	VE1NPIICEOR42MO20420171810.wav	V	T	E	V	T
F0250	D16	VE2NPIICEOR42MO20420171810.wav	V	T	E	V	T
F0251	D16	VI1NPIICEOR42MO20420171811.wav	V	T	E	V	T
F0252	D16	VI2NPIICEOR42MO20420171811.wav	V	T	E	V	T
F0253	D16	VO1NPIICEOR42MO20420171811.wav	V	T	E	V	T
F0254	D16	VO2NPIICEOR42MO20420171811.wav	V	T	E	V	T
F0255	D16	VU1NPIICEOR42MO20420171812.wav	V	T	E	V	T
F0256	D16	VU2NPIICEOR42MO20420171812.wav	V	T	E	V	T
F0257	D17	B1APNOTROC49M230320170926.wav	V	E	T	T	V
F0258	D17	B2APNOTROC49M230320170927.wav	V	E	T	T	V
F0259	D17	D1APNOTROC49M230320170928.wav	V	E	T	T	V
F0260	D17	D2APNOTROC49M230320170928.wav	V	E	T	T	V
F0261	D17	FB1APNOTROC49M230320170934.wav	V	E	T	T	V
F0262	D17	PR1APNOTROC49M230320170933.wav	V	E	T	T	V
F0263	D17	VA1APNOTROC49M230320170928.wav	V	E	T	T	V
F0264	D17	VA2APNOTROC49M230320170929.wav	V	E	T	T	V
F0265	D17	VE1APNOTROC49M230320170929.wav	V	E	T	T	V
F0266	D17	VE2APNOTROC49M230320170930.wav	V	E	T	T	V
F0267	D17	VI1APNOTROC49M230320170930.wav	V	E	T	T	V
F0268	D17	VI2APNOTROC49M230320170930.wav	V	E	T	T	V
F0269	D17	VO1APNOTROC49M230320170931.wav	V	E	T	T	V
F0270	D17	VO2APNOTROC49M230320170931.wav	V	E	T	T	V
F0271	D17	VU1APNOTROC49M230320170932.wav	V	E	T	T	V
F0272	D17	VU2APNOTROC49M230320170932.wav	V	E	T	T	V
F0273	D18	B1LSUUIMGM48F230320171049.wav	E	T	T	V	T
F0274	D18	B2LSUUIMGM48F230320171050.wav	E	T	T	V	T
F0275	D18	D1LSUUIMGM48F230320171051.wav	E	T	T	V	T
F0276	D18	D2LSUUIMGM48F230320171051.wav	E	T	T	V	T
F0277	D18	FB1LSUUIMGM48F230320171059.wav	E	T	T	V	T
F0278	D18	PR1LSUUIMGM48F230320171058.wav	E	T	T	V	T
F0279	D18	VA1LSUUIMGM48F230320171053.wav	E	T	T	V	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0280	D18	VA2LSUUIMGM48F230320171053.wav	E	T	T	V	T
F0281	D18	VE1LSUUIMGM48F230320171054.wav	E	T	T	V	T
F0282	D18	VE2LSUUIMGM48F230320171054.wav	E	T	T	V	T
F0283	D18	VI1LSUUIMGM48F230320171055.wav	E	T	T	V	T
F0284	D18	VI2LSUUIMGM48F230320171055.wav	E	T	T	V	T
F0285	D18	VO1LSUUIMGM48F230320171056.wav	E	T	T	V	T
F0286	D18	VO2LSUUIMGM48F230320171056.wav	E	T	T	V	T
F0287	D18	VU1LSUUIMGM48F230320171057.wav	E	T	T	V	T
F0288	D18	VU2LSUUIMGM48F230320171057.wav	E	T	T	V	T
F0289	D19	B1TMEIRAEC54F230320171150.wav	T	T	T	E	T
F0290	D19	B2TMEIRAEC54F230320171152.wav	T	T	T	E	T
F0291	D19	D1TMEIRAEC54F230320171152.wav	T	T	T	E	T
F0292	D19	D2TMEIRAEC54F230320171152.wav	T	T	T	E	T
F0293	D19	FB1TMEIRAEC54F230320171158.wav	T	T	T	E	T
F0294	D19	PR1TMEIRAEC54F230320171157.wav	T	T	T	E	T
F0295	D19	VA1TMEIRAEC54F230320171153.wav	T	T	T	E	T
F0296	D19	VA2TMEIRAEC54F230320171153.wav	T	T	T	E	T
F0297	D19	VE1TMEIRAEC54F230320171154.wav	T	T	T	E	T
F0298	D19	VE2TMEIRAEC54F230320171154.wav	T	T	T	E	T
F0299	D19	VI1TMEIRAEC54F230320171154.wav	T	T	T	E	T
F0300	D19	VI2TMEIRAEC54F230320171154.wav	T	T	T	E	T
F0301	D19	VO1TMEIRAEC54F230320171155.wav	T	T	T	E	T
F0302	D19	VO2TMEIRAEC54F230320171155.wav	T	T	T	E	T
F0303	D19	VU1TMEIRAEC54F230320171155.wav	T	T	T	E	T
F0304	D19	VU2TMEIRAEC54F230320171155.wav	T	T	T	E	T
F0305	D20	B1VAILTFOO49M230320171029.wav	T	T	T	T	E
F0306	D20	B2VAILTFOO49M230320171030.wav	T	T	T	T	E
F0307	D20	D1VAILTFOO49M230320171030.wav	T	T	T	T	E
F0308	D20	D2VAILTFOO49M230320171031.wav	T	T	T	T	E
F0309	D20	FB1VAILTFOO49M230320171036.wav	T	T	T	T	E
F0310	D20	PR1VAILTFOO49M230320171035.wav	T	T	T	T	E
F0311	D20	VA1VAILTFOO49M230320171031.wav	T	T	T	T	E
F0312	D20	VA2VAILTFOO49M230320171031.wav	T	T	T	T	E
F0313	D20	VE1VAILTFOO49M230320171032.wav	T	T	T	T	E
F0314	D20	VE2VAILTFOO49M230320171032.wav	T	T	T	T	E
F0315	D20	VI1VAILTFOO49M230320171032.wav	T	T	T	T	E
F0316	D20	VI2VAILTFOO49M230320171033.wav	T	T	T	T	E
F0317	D20	VO1VAILTFOO49M230320171033.wav	T	T	T	T	E
F0318	D20	VO2VAILTFOO49M230320171033.wav	T	T	T	T	E
F0319	D20	VU1VAILTFOO49M230320171033.wav	T	T	T	T	E
F0320	D20	VU2VAILTFOO49M230320171034.wav	T	T	T	T	E
F0321	D21	B1VLIATFOO55M300320171237.wav	T	E	T	T	T
F0322	D21	B2VLIATFOO55M300320171238.wav	T	E	T	T	T
F0323	D21	D1VLIATFOO55M300320171244.wav	T	E	T	T	T
F0324	D21	D2VLIATFOO55M300320171244.wav	T	E	T	T	T
F0325	D21	FB1VLIATFOO55M300320171243.wav	T	E	T	T	T
F0326	D21	PR1VLIATFOO55M300320171241.wav	T	E	T	T	T
F0327	D21	VA1VLIATFOO55M300320171245.wav	T	E	T	T	T
F0328	D21	VA2VLIATFOO55M300320171245.wav	T	E	T	T	T
F0329	D21	VE1VLIATFOO55M300320171246.wav	T	E	T	T	T
F0330	D21	VE2VLIATFOO55M300320171246.wav	T	E	T	T	T
F0331	D21	VI1VLIATFOO55M300320171247.wav	T	E	T	T	T
F0332	D21	VI2VLIATFOO55M300320171247.wav	T	E	T	T	T
F0333	D21	VO1VLIATFOO55M300320171247.wav	T	E	T	T	T
F0334	D21	VO2VLIATFOO55M300320171248.wav	T	E	T	T	T
F0335	D21	VU1VLIATFOO55M300320171248.wav	T	E	T	T	T
F0336	D21	VU2VLIATFOO55M300320171249.wav	T	E	T	T	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0337	D22	B1cdaopmoe67M2605161902.wav	T	E	T	T	T
F0338	D22	B2cdaopmoe67M2605161904.wav	T	E	T	T	T
F0339	D22	D1cdaopmoe67M2605161905.wav	T	E	T	T	T
F0340	D22	D2cdaopmoe67M2605161905.wav	T	E	T	T	T
F0341	D22	FB1cdaopmoe67M2605161917.wav	T	E	T	T	T
F0342	D22	PR1cdaopmoe67M2605161916.wav	T	E	T	T	T
F0343	D22	VA1cdaopmoe67M2605161906.wav	T	E	T	T	T
F0344	D22	VA2cdaopmoe67M2605161907.wav	T	E	T	T	T
F0345	D22	VE1cdaopmoe67M2605161909.wav	T	E	T	T	T
F0346	D22	VE2cdaopmoe67M2605161909.wav	T	E	T	T	T
F0347	D22	VI1cdaopmoe67M2605161910.wav	T	E	T	T	T
F0348	D22	VI2cdaopmoe67M2605161911.wav	T	E	T	T	T
F0349	D22	VO1cdaopmoe67M2605161911.wav	T	E	T	T	T
F0350	D22	VO2cdaopmoe67M2605161912.wav	T	E	T	T	T
F0351	D22	VU1cdaopmoe67M2605161913.wav	T	E	T	T	T
F0352	D22	VU2cdaopmoe67M2605161913.wav	T	E	T	T	T
F0353	D23	B1cfaerlei54F2605161738.wav	T	V	T	V	E
F0354	D23	B2cfaerlei54F2605161740.wav	T	V	T	V	E
F0355	D23	D1cfaerlei54F2605161742.wav	T	V	T	V	E
F0356	D23	D2cfaerlei54F2605161742.wav	T	V	T	V	E
F0357	D23	FB1cfaerlei54F2605161816.wav	T	V	T	V	E
F0358	D23	PR1cfaerlei54F2605161815.wav	T	V	T	V	E
F0359	D23	VA1cfaerlei54F2605161745.wav	T	V	T	V	E
F0360	D23	VA2cfaerlei54F2605161745.wav	T	V	T	V	E
F0361	D23	VE1cfaerlei54F2605161747.wav	T	V	T	V	E
F0362	D23	VE2cfaerlei54F2605161748.wav	T	V	T	V	E
F0363	D23	VI1cfaerlei54F2605161751.wav	T	V	T	V	E
F0364	D23	VI2cfaerlei54F2605161752.wav	T	V	T	V	E
F0365	D23	VO1cfaerlei54F2605161755.wav	T	V	T	V	E
F0366	D23	VO2cfaerlei54F2605161756.wav	T	V	T	V	E
F0367	D23	VU1cfaerlei54F2605161808.wav	T	V	T	V	E
F0368	D23	VU2cfaerlei54F2605161810.wav	T	V	T	V	E
F0369	D24	B1lloeroun56F2605161922.wav	T	T	T	T	E
F0370	D24	B2lloeroun56F2605161923.wav	T	T	T	T	E
F0371	D24	D1lloeroun56F2605161924.wav	T	T	T	T	E
F0372	D24	D2lloeroun56F2605161924.wav	T	T	T	T	E
F0373	D24	FB1lloeroun56F2605161937.wav	T	T	T	T	E
F0374	D24	PR1lloeroun56F2605161936.wav	T	T	T	T	E
F0375	D24	VA1lloeroun56F2605161926.wav	T	T	T	T	E
F0376	D24	VA2lloeroun56F2605161927.wav	T	T	T	T	E
F0377	D24	VE1lloeroun56F2605161927.wav	T	T	T	T	E
F0378	D24	VE2lloeroun56F2605161928.wav	T	T	T	T	E
F0379	D24	VI1lloeroun56F2605161929.wav	T	T	T	T	E
F0380	D24	VI2lloeroun56F2605161930.wav	T	T	T	T	E
F0381	D24	VO1lloeroun56F2605161931.wav	T	T	T	T	E
F0382	D24	VO2lloeroun56F2605161931.wav	T	T	T	T	E
F0383	D24	VU1lloeroun56F2605161932.wav	T	T	T	T	E
F0384	D24	VU2lloeroun56F2605161933.wav	T	T	T	T	E
F0385	D25	B1rlouscsi77F2605161820.wav	T	T	T	E	T
F0386	D25	B2rlouscsi77F2605161822.wav	T	T	T	E	T
F0387	D25	D1rlouscsi77F2605161822.wav	T	T	T	E	T
F0388	D25	D2rlouscsi77F2605161823.wav	T	T	T	E	T
F0389	D25	FB1rlouscsi77F2605161834.wav	T	T	T	E	T
F0390	D25	PR1rlouscsi77F2605161834.wav	T	T	T	E	T
F0391	D25	VA1rlouscsi77F2605161825.wav	T	T	T	E	T
F0392	D25	VA2rlouscsi77F2605161825.wav	T	T	T	E	T
F0393	D25	VE1rlouscsi77F2605161826.wav	T	T	T	E	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0394	D25	VE2rlouscsi77F2605161826.wav	T	T	T	E	T
F0395	D25	VI1rlouscsi77F2605161827.wav	T	T	T	E	T
F0396	D25	VI2rlouscsi77F2605161828.wav	T	T	T	E	T
F0397	D25	VO1rlouscsi77F2605161828.wav	T	T	T	E	T
F0398	D25	VO2rlouscsi77F2605161829.wav	T	T	T	E	T
F0399	D25	VU1rlouscsi77F2605161830.wav	T	T	T	E	T
F0400	D25	VU2rlouscsi77F2605161830.wav	T	T	T	E	T
F0401	D26	B1rriovbie49M2605161841.wav	E	T	T	T	T
F0402	D26	B2rriovbie49M2605161842.wav	E	T	T	T	T
F0403	D26	D1rriovbie49M2605161843.wav	E	T	T	T	T
F0404	D26	D2rriovbie49M2605161843.wav	E	T	T	T	T
F0405	D26	FB1rriovbie49M2605161855.wav	E	T	T	T	T
F0406	D26	PR1rriovbie49M2605161853.wav	E	T	T	T	T
F0407	D26	VA1rriovbie49M2605161845.wav	E	T	T	T	T
F0408	D26	VA2rriovbie49M2605161845.wav	E	T	T	T	T
F0409	D26	VE1rriovbie49M2605161846.wav	E	T	T	T	T
F0410	D26	VE2rriovbie49M2605161846.wav	E	T	T	T	T
F0411	D26	VI1rriovbie49M2605161847.wav	E	T	T	T	T
F0412	D26	VI2rriovbie49M2605161848.wav	E	T	T	T	T
F0413	D26	VO1rriovbie49M2605161848.wav	E	T	T	T	T
F0414	D26	VO2rriovbie49M2605161849.wav	E	T	T	T	T
F0415	D26	VU1rriovbie49M2605161849.wav	E	T	T	T	T
F0416	D26	VU2rriovbie49M2605161850.wav	E	T	T	T	T
F0417	D27	B1ABNINSAC46F240120171753.wav	T	T	T	E	T
F0418	D27	B2ABNINSAC46F240120171755.wav	T	T	T	E	T
F0419	D27	D1ABNINSAC46F240120171756.wav	T	T	T	E	T
F0420	D27	D2ABNINSAC46F240120171756.wav	T	T	T	E	T
F0421	D27	FB1ABNINSAC46F240120171808.wav	T	T	T	E	T
F0422	D27	PR1ABNINSAC46F240120171807.wav	T	T	T	E	T
F0423	D27	VA1ABNINSAC46F240120171758.wav	T	T	T	E	T
F0424	D27	VA2ABNINSAC46F240120171759.wav	T	T	T	E	T
F0425	D27	VE1ABNINSAC46F240120171800.wav	T	T	T	E	T
F0426	D27	VE2ABNINSAC46F240120171801.wav	T	T	T	E	T
F0427	D27	VI1ABNINSAC46F240120171801.wav	T	T	T	E	T
F0428	D27	VI2ABNINSAC46F240120171802.wav	T	T	T	E	T
F0429	D27	VO1ABNINSAC46F240120171802.wav	T	T	T	E	T
F0430	D27	VO2ABNINSAC46F240120171803.wav	T	T	T	E	T
F0431	D27	VU1ABNINSAC46F240120171804.wav	T	T	T	E	T
F0432	D27	VU2ABNINSAC46F240120171804.wav	T	T	T	E	T
F0433	D28	B1MCIICLHL46M240120171825.wav	T	T	T	E	T
F0434	D28	B2MCIICLHL46M240120171827.wav	T	T	T	E	T
F0435	D28	D1MCIICLHL46M240120171828.wav	T	T	T	E	T
F0436	D28	D2MCIICLHL46M240120171828.wav	T	T	T	E	T
F0437	D28	FB1MCIICLHL46M240120171837.wav	T	T	T	E	T
F0438	D28	PR1MCIICLHL46M240120171836.wav	T	T	T	E	T
F0439	D28	VA1MCIICLHL46M240120171830.wav	T	T	T	E	T
F0440	D28	VA2MCIICLHL46M240120171829.wav	T	T	T	E	T
F0441	D28	VE1MCIICLHL46M240120171830.wav	T	T	T	E	T
F0442	D28	VE2MCIICLHL46M240120171831.wav	T	T	T	E	T
F0443	D28	VI1MCIICLHL46M240120171831.wav	T	T	T	E	T
F0444	D28	VI2MCIICLHL46M240120171832.wav	T	T	T	E	T
F0445	D28	VO1MCIICLHL46M240120171833.wav	T	T	T	E	T
F0446	D28	VO2MCIICLHL46M240120171834.wav	T	T	T	E	T
F0447	D28	VU1MCIICLHL46M240120171834.wav	T	T	T	E	T
F0448	D28	VU2MCIICLHL46M240120171835.wav	T	T	T	E	T
F0449	D29	B1NSICCHOI44M240120171842.wav	V	T	T	T	E
F0450	D29	B2NSICCHOI44M240120171843.wav	V	T	T	T	E

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0451	D29	D1NSICCHOI44M240120171845.wav	V	T	T	T	E
F0452	D29	D2NSICCHOI44M240120171845.wav	V	T	T	T	E
F0453	D29	FB1NSICCHOI44M240120171852.wav	V	T	T	T	E
F0454	D29	PR1NSICCHOI44M240120171851.wav	V	T	T	T	E
F0455	D29	VA1NSICCHOI44M240120171845.wav	V	T	T	T	E
F0456	D29	VA2NSICCHOI44M240120171846.wav	V	T	T	T	E
F0457	D29	VE1NSICCHOI44M240120171847.wav	V	T	T	T	E
F0458	D29	VE2NSICCHOI44M240120171847.wav	V	T	T	T	E
F0459	D29	VI1NSICCHOI44M240120171848.wav	V	T	T	T	E
F0460	D29	VI2NSICCHOI44M240120171848.wav	V	T	T	T	E
F0461	D29	VO1NSICCHOI44M240120171848.wav	V	T	T	T	E
F0462	D29	VO2NSICCHOI44M240120171849.wav	V	T	T	T	E
F0463	D29	VU1NSICCHOI44M240120171849.wav	V	T	T	T	E
F0464	D29	VU2NSICCHOI44M240120171850.wav	V	T	T	T	E
F0465	D30	B1RLOABREE42M240120171942.wav	T	T	E	T	T
F0466	D30	B2RLOABREE42M240120171944.wav	T	T	E	T	T
F0467	D30	D1RLOABREE42M240120171944.wav	T	T	E	T	T
F0468	D30	D2RLOABREE42M240120171946.wav	T	T	E	T	T
F0469	D30	FB1RLOABREE42M240120171955.wav	T	T	E	T	T
F0470	D30	PR1RLOABREE42M240120171954.wav	T	T	E	T	T
F0471	D30	VA1RLOABREE42M240120171947.wav	T	T	E	T	T
F0472	D30	VA2RLOABREE42M240120171947.wav	T	T	E	T	T
F0473	D30	VE1RLOABREE42M240120171948.wav	T	T	E	T	T
F0474	D30	VE2RLOABREE42M240120171949.wav	T	T	E	T	T
F0475	D30	VI1RLOABREE42M240120171949.wav	T	T	E	T	T
F0476	D30	VI2RLOABREE42M240120171950.wav	T	T	E	T	T
F0477	D30	VO1RLOABREE42M240120171950.wav	T	T	E	T	T
F0478	D30	VO2RLOABREE42M240120171951.wav	T	T	E	T	T
F0479	D30	VU1RLOABREE42M240120171951.wav	T	T	E	T	T
F0480	D30	VU2RLOABREE42M240120171952.wav	T	T	E	T	T
F0481	D31	B1RROIBVEI49M240120171859.wav	E	T	T	T	T
F0482	D31	B2RROIBVEI49M240120171902.wav	E	T	T	T	T
F0483	D31	D1RROIBVEI49M240120171903.wav	E	T	T	T	T
F0484	D31	D2RROIBVEI49M240120171903.wav	E	T	T	T	T
F0485	D31	FB1RROIBVEI49M240120171914.wav	E	T	T	T	T
F0486	D31	PR1RROIBVEI49M240120171913.wav	E	T	T	T	T
F0487	D31	VA1RROIBVEI49M240120171904.wav	E	T	T	T	T
F0488	D31	VA2RROIBVEI49M240120171905.wav	E	T	T	T	T
F0489	D31	VE1RROIBVEI49M240120171906.wav	E	T	T	T	T
F0490	D31	VE2RROIBVEI49M240120171907.wav	E	T	T	T	T
F0491	D31	VI1RROIBVEI49M240120171908.wav	E	T	T	T	T
F0492	D31	VI2RROIBVEI49M240120171909.wav	E	T	T	T	T
F0493	D31	VO1RROIBVEI49M240120171910.wav	E	T	T	T	T
F0494	D31	VO2RROIBVEI49M240120171910.wav	E	T	T	T	T
F0495	D31	VU1RROIBVEI49M240120171911.wav	E	T	T	T	T
F0496	D31	VU2RROIBVEI49M240120171911.wav	E	T	T	T	T
F0497	D32	B1VSIPTIOZ46M240120171920.wav	E	T	T	T	V
F0498	D32	B2VSIPTIOZ46M240120171922.wav	E	T	T	T	V
F0499	D32	D1VSIPTIOZ46M240120171923.wav	E	T	T	T	V
F0500	D32	D2VSIPTIOZ46M240120171923.wav	E	T	T	T	V
F0501	D32	FB1VSIPTIOZ46M240120171936.wav	E	T	T	T	V
F0502	D32	PR1VSIPTIOZ46M240120171935.wav	E	T	T	T	V
F0503	D32	VA1VSIPTIOZ46M240120171924.wav	E	T	T	T	V
F0504	D32	VA2VSIPTIOZ46M240120171925.wav	E	T	T	T	V
F0505	D32	VE1VSIPTIOZ46M240120171926.wav	E	T	T	T	V
F0506	D32	VE2VSIPTIOZ46M240120171927.wav	E	T	T	T	V
F0507	D32	VI1VSIPTIOZ46M240120171928.wav	E	T	T	T	V

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0508	D32	VI2VSIPTIOZ46M240120171928.wav	E	T	T	T	V
F0509	D32	VO1VSIPTIOZ46M240120171929.wav	E	T	T	T	V
F0510	D32	VO2VSIPTIOZ46M240120171930.wav	E	T	T	T	V
F0511	D32	VU1VSIPTIOZ46M240120171932.wav	E	T	T	T	V
F0512	D32	VU2VSIPTIOZ46M240120171932.wav	E	T	T	T	V
F0513	D33	B1AGNUTGOL52F100220171041.wav	V	V	V	T	E
F0514	D33	B2AGNUTGOL52F100220171045.wav	V	V	V	T	E
F0515	D33	D1AGNUTGOL52F100220171046.wav	V	V	V	T	E
F0516	D33	D2AGNUTGOL52F100220171046.wav	V	V	V	T	E
F0517	D33	FB1AGNUTGOL52F100220171059.wav	V	V	V	T	E
F0518	D33	PR1AGNUTGOL52F100220171057.wav	V	V	V	T	E
F0519	D33	VA1AGNUTGOL52F100220171049.wav	V	V	V	T	E
F0520	D33	VA2AGNUTGOL52F100220171049.wav	V	V	V	T	E
F0521	D33	VE1AGNUTGOL52F100220171050.wav	V	V	V	T	E
F0522	D33	VE2AGNUTGOL52F100220171049.wav	V	V	V	T	E
F0523	D33	VI1AGNUTGOL52F100220171051.wav	V	V	V	T	E
F0524	D33	VI2AGNUTGOL63F100220171052.wav	V	V	V	T	E
F0525	D33	VO1AGNUTGOL52F100220171052.wav	V	V	V	T	E
F0526	D33	VO2AGNUTGOL52F100220171053.wav	V	V	V	T	E
F0527	D33	VU1AGNUTGOL52F100220171054.wav	V	V	V	T	E
F0528	D33	VU2AGNUTGOL52F100220171054.wav	V	V	V	T	E
F0529	D34	B1DLAARCII37F100220171111.wav	T	T	E	T	V
F0530	D34	D1DLAARCII37F100220171113.wav	T	T	E	T	V
F0531	D34	D2DLAARCII37F100220171113.wav	T	T	E	T	V
F0532	D34	FB1DLAARCII37F100220171125.wav	T	T	E	T	V
F0533	D34	PR1DLAARCII37F100220171123.wav	T	T	E	T	V
F0534	D34	VA1DLAARCII37F100220171114.wav	T	T	E	T	V
F0535	D34	VA2DLAARCII37F100220171114.wav	T	T	E	T	V
F0536	D34	VE1DLAARCII37F100220171115.wav	T	T	E	T	V
F0537	D34	VE2DLAARCII37F100220171115.wav	T	T	E	T	V
F0538	D34	VI1DLAARCII37F100220171116.wav	T	T	E	T	V
F0539	D34	VI2DLAARCII37F100220171117.wav	T	T	E	T	V
F0540	D34	VO1DLAARCII37F100220171117.wav	T	T	E	T	V
F0541	D34	VO2DLAARCII37F100220171117.wav	T	T	E	T	V
F0542	D34	VU1DLAARCII37F100220171119.wav	T	T	E	T	V
F0543	D34	VU2DLAARCII37F100220171119.wav	T	T	E	T	V
F0544	D35	B1GMIAOSVI44M100220170942.wav	E	T	T	T	T
F0545	D35	B2GMIAOSVI44M100220170944.wav	E	T	T	T	T
F0546	D35	D1GMIAOSVI44M100220170945.wav	E	T	T	T	T
F0547	D35	D2GMIAOSVI44M100220170945.wav	E	T	T	T	T
F0548	D35	FB1GMIAOSVI44M100220170952.wav	E	T	T	T	T
F0549	D35	PR1GMIAOSVI44M100220170951.wav	E	T	T	T	T
F0550	D35	VA1GMIAOSVI44M100220170946.wav	E	T	T	T	T
F0551	D35	VA2GMIAOSVI44M100220170946.wav	E	T	T	T	T
F0552	D35	VE1GMIAOSVI44M100220170947.wav	E	T	T	T	T
F0553	D35	VE2GMIAOSVI44M100220170947.wav	E	T	T	T	T
F0554	D35	VI1GMIAOSVI44M100220170948.wav	E	T	T	T	T
F0555	D35	VI2GMIAOSVI44M100220170948.wav	E	T	T	T	T
F0556	D35	VO1GMIAOSVI44M100220170948.wav	E	T	T	T	T
F0557	D35	VO2GMIAOSVI44M100220170949.wav	E	T	T	T	T
F0558	D35	VU1GMIAOSVI44M100220170949.wav	E	T	T	T	T
F0559	D35	VU2GMIAOSVI44M100220170949.wav	E	T	T	T	T
F0560	D36	B1GNIEOGVL47M100220171213.wav	T	E	T	T	T
F0561	D36	B2GNIEOGVL47M100220171214.wav	T	E	T	T	T
F0562	D36	D1GNIEOGVL47M100220171215.wav	T	E	T	T	T
F0563	D36	D2GNIEOGVL47M100220171215.wav	T	E	T	T	T
F0564	D36	FB1GNIEOGVL47M100220171227.wav	T	E	T	T	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0565	D36	PR1GNIEOGVL47M100220171226.wav	T	E	T	T	T
F0566	D36	VA1GNIEOGVL47M100220171216.wav	T	E	T	T	T
F0567	D36	VA2GNIEOGVL47M100220171217.wav	T	E	T	T	T
F0568	D36	VE1GNIEOGVL47M100220171217.wav	T	E	T	T	T
F0569	D36	VE2GNIEOGVL47M100220171217.wav	T	E	T	T	T
F0570	D36	VI1GNIEOGVL47M100220171218.wav	T	E	T	T	T
F0571	D36	VI2GNIEOGVL47M100220171219.wav	T	E	T	T	T
F0572	D36	VO1GNIEOGVL47M100220171223.wav	T	E	T	T	T
F0573	D36	VO2GNIEOGVL47M100220171224.wav	T	E	T	T	T
F0574	D36	VU1GNIEOGVL47M100220171224.wav	T	E	T	T	T
F0575	D36	VU2GNIEOGVL47M100220171224.wav	T	E	T	T	T
F0576	D37	B1GLIAUDLO50F100220171257.wav	V	E	V	T	T
F0577	D37	B2GLIAUDLO50F100220171259.wav	V	E	V	T	T
F0578	D37	D1GLIAUDLO50F100220171259.wav	V	E	V	T	T
F0579	D37	D2GLIAUDLO50F100220171300.wav	V	E	V	T	T
F0580	D37	FB1GLIAUDLO50F100220171308.wav	V	E	V	T	T
F0581	D37	PR1GLIAUDLO50F100220171307.wav	V	E	V	T	T
F0582	D37	VA1GLIAUDLO50F100220171301.wav	V	E	V	T	T
F0583	D37	VA2GLIAUDLO50F100220171301.wav	V	E	V	T	T
F0584	D37	VE1GLIAUDLO50F100220171302.wav	V	E	V	T	T
F0585	D37	VE2GLIAUDLO50F100220171302.wav	V	E	V	T	T
F0586	D37	VI1GLIAUDLO50F100220171303.wav	V	E	V	T	T
F0587	D37	VI2GLIAUDLO50F100220171303.wav	V	E	V	T	T
F0588	D37	VO1GLIAUDLO50F100220171304.wav	V	E	V	T	T
F0589	D37	VO2GLIAUDLO50F100220171304.wav	V	E	V	T	T
F0590	D37	VU1GLIAUDLO50F100220171305.wav	V	E	V	T	T
F0591	D37	VU2GLIAUDLO50F100220171306.wav	V	E	V	T	T
F0592	D38	B1GPIUUGLL63F100220171020.wav	E	T	V	V	T
F0593	D38	B2GPIUUGLL63F100220171021.wav	E	T	V	V	T
F0594	D38	D1GPIUUGLL63F100220171022.wav	E	T	V	V	T
F0595	D38	D2GPIUUGLL63F100220171022.wav	E	T	V	V	T
F0596	D38	FB1GPIUUGLL63F100220171030.wav	E	T	V	V	T
F0597	D38	PR1GPIUUGLL63F100220171029.wav	E	T	V	V	T
F0598	D38	VA1GPIUUGLL63F100220171023.wav	E	T	V	V	T
F0599	D38	VA2GPIUUGLL63F100220171024.wav	E	T	V	V	T
F0600	D38	VE1GPIUUGLL63F100220171024.wav	E	T	V	V	T
F0601	D38	VE2GPIUUGLL63F100220171025.wav	E	T	V	V	T
F0602	D38	VI1GPIUUGLL63F100220171025.wav	E	T	V	V	T
F0603	D38	VI2GPIUUGLL63F100220171026.wav	E	T	V	V	T
F0604	D38	VO1GPIUUGLL63F100220171026.wav	E	T	V	V	T
F0605	D38	VO2GPIUUGLL63F100220171027.wav	E	T	V	V	T
F0606	D38	VU1GPIUUGLL63F100220171027.wav	E	T	V	V	T
F0607	D38	VU2GPIUUGLL63F100220171027.wav	E	T	V	V	T
F0608	D39	B1GMIAUSST39F100220171156.wav	T	T	E	T	T
F0609	D39	D1GMIAUSST39F100220171157.wav	T	T	E	T	T
F0610	D39	D2GMIAUSST39F100220171158.wav	T	T	E	T	T
F0611	D39	FB1GMIAUSST39F100220171206.wav	T	T	E	T	T
F0612	D39	PR1GMIAUSST39F100220171204.wav	T	T	E	T	T
F0613	D39	VA1GMIAUSST39F100220171159.wav	T	T	E	T	T
F0614	D39	VE1GMIAUSST39F100220171159.wav	T	T	E	T	T
F0615	D39	VI1GMIAUSST39F100220171200.wav	T	T	E	T	T
F0616	D39	VO1GMIAUSST39F100220171200.wav	T	T	E	T	T
F0617	D39	VU1GMIAUSST39F100220171200.wav	T	T	E	T	T
F0618	D40	B1MBAUROIN45M100220171003.wav	E	T	T	T	T
F0619	D40	B2MBAUROIN45M100220171006.wav	E	T	T	T	T
F0620	D40	D1MBAUROIN45M100220171006.wav	E	T	T	T	T
F0621	D40	D2MBAUROIN45M100220171006.wav	E	T	T	T	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0622	D40	FB1MBAUROIN45M100220171015.wav	E	T	T	T	T
F0623	D40	PR1MBAUROIN45M100220171014.wav	E	T	T	T	T
F0624	D40	VA1MBAUROIN45M100220171007.wav	E	T	T	T	T
F0625	D40	VA2MBAUROIN45M100220171008.wav	E	T	T	T	T
F0626	D40	VE1MBAUROIN45M100220171009.wav	E	T	T	T	T
F0627	D40	VE2MBAUROIN45M100220171009.wav	E	T	T	T	T
F0628	D40	VI1MBAUROIN45M100220171009.wav	E	T	T	T	T
F0629	D40	VI2MBAUROIN45M100220171010.wav	E	T	T	T	T
F0630	D40	VO1MBAUROIN45M100220171010.wav	E	T	T	T	T
F0631	D40	VO2MBAUROIN45M100220171011.wav	E	T	T	T	T
F0632	D40	VU1MBAUROIN45M100220171011.wav	E	T	T	T	T
F0633	D40	VU2MBAUROIN45M100220171011.wav	E	T	T	T	T
F0634	D41	B1NMIICNOO52M100220171134.wav	T	V	E	V	T
F0635	D41	D1NMIICNOO52M100220171135.wav	T	V	E	V	T
F0636	D41	D2NMIICNOO52M100220171135.wav	T	V	E	V	T
F0637	D41	PR1NMIICNOO52M100220171146.wav	T	V	E	V	T
F0638	D41	VA1NMIICNOO52M100220171136.wav	T	V	E	V	T
F0639	D41	VA2NMIICNOO52M100220171137.wav	T	V	E	V	T
F0640	D41	VE1NMIICNOO52M100220171138.wav	T	V	E	V	T
F0641	D41	VE2NMIICNOO52M100220171139.wav	T	V	E	V	T
F0642	D41	VI1NMIICNOO52M100220171139.wav	T	V	E	V	T
F0643	D41	VI2NMIICNOO52M100220171140.wav	T	V	E	V	T
F0644	D41	VO1NMIICNOO52M100220171140.wav	T	V	E	V	T
F0645	D41	VO2NMIICNOO52M100220171140.wav	T	V	E	V	T
F0646	D41	VU1NMIICNOO52M100220171141.wav	T	V	E	V	T
F0647	D41	VU2NMIICNOO52M100220171142.wav	T	V	E	V	T
F0648	D42	B1NCIICAOC52M100220171237.wav	V	T	T	E	T
F0649	D42	D1NCIICAOC52M100220171238.wav	V	T	T	E	T
F0650	D42	D2NCIICAOC52M100220171239.wav	V	T	T	E	T
F0651	D42	PR1NCIICAOC52M100220171249.wav	V	T	T	E	T
F0652	D42	VA1NCIICAOC52M100220171239.wav	V	T	T	E	T
F0653	D42	VA2NCIICAOC52M100220171240.wav	V	T	T	E	T
F0654	D42	VE1NCIICAOC52M100220171240.wav	V	T	T	E	T
F0655	D42	VE2NCIICAOC52M100220171240.wav	V	T	T	E	T
F0656	D42	VI1NCIICAOC52M100220171241.wav	V	T	T	E	T
F0657	D42	VI2NCIICAOC52M100220171241.wav	V	T	T	E	T
F0658	D42	VO1NCIICAOC52M100220171242.wav	V	T	T	E	T
F0659	D42	VO2NCIICAOC52M100220171243.wav	V	T	T	E	T
F0660	D42	VU1NCIICAOC52M100220171243.wav	V	T	T	E	T
F0661	D42	VU2NCIICAOC52M100220171244.wav	V	T	T	E	T
F0662	D43	B1VLIAT OP47M100220171314.wav	T	V	T	T	E
F0663	D43	B2VLIAT OP47M100220171316.wav	T	V	T	T	E
F0664	D43	D1VLIAT OP47M100220171317.wav	T	V	T	T	E
F0665	D43	D2VLIAT OP47M100220171317.wav	T	V	T	T	E
F0666	D43	FB1VLIAT OP47M100220171324.wav	T	V	T	T	E
F0667	D43	PR1VLIAT OP47M100220171323.wav	T	V	T	T	E
F0668	D43	VA1VLIAT OP47M100220171318.wav	T	V	T	T	E
F0669	D43	VA2VLIAT OP47M100220171318.wav	T	V	T	T	E
F0670	D43	VE1VLIAT OP47M100220171319.wav	T	V	T	T	E
F0671	D43	VE2VLIAT OP47M100220171319.wav	T	V	T	T	E
F0672	D43	VI1VLIAT OP47M100220171319.wav	T	V	T	T	E
F0673	D43	VI2VLIAT OP47M100220171320.wav	T	V	T	T	E
F0674	D43	VO1VLIAT OP47M100220171320.wav	T	V	T	T	E
F0675	D43	VO2VLIAT OP47M100220171320.wav	T	V	T	T	E
F0676	D43	VU1VLIAT OP47M100220171321.wav	T	V	T	T	E
F0677	D43	VU2VLIAT OP47M100220171321.wav	T	V	T	T	E
F0678	D44	B1VSIOTLOP47M100220171328.wav	T	T	E	T	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0679	D44	B2VSIOTLOP47M100220171330.wav	T	T	E	T	T
F0680	D44	D1VSIOTLOP47M100220171330.wav	T	T	E	T	T
F0681	D44	D2VSIOTLOP47M100220171331.wav	T	T	E	T	T
F0682	D44	FB1VSIOTLOP47M100220171338.wav	T	T	E	T	T
F0683	D44	PR1VSIOTLOP47M100220171337.wav	T	T	E	T	T
F0684	D44	VA1VSIOTLOP47M100220171331.wav	T	T	E	T	T
F0685	D44	VA2VSIOTLOP47M100220171332.wav	T	T	E	T	T
F0686	D44	VE1VSIOTLOP47M100220171332.wav	T	T	E	T	T
F0687	D44	VE2VSIOTLOP47M100220171333.wav	T	T	E	T	T
F0688	D44	VI1VSIOTLOP47M100220171334.wav	T	T	E	T	T
F0689	D44	VI2VSIOTLOP47M100220171334.wav	T	T	E	T	T
F0690	D44	VO1VSIOTLOP47M100220171335.wav	T	T	E	T	T
F0691	D44	VO2VSIOTLOP47M100220171335.wav	T	T	E	T	T
F0692	D44	VU1VSIOTLOP47M100220171336.wav	T	T	E	T	T
F0693	D44	VU2VSIOTLOP47M100220171336.wav	T	T	E	T	T
F0694	D45	B1lbuairgo52M1606161810.wav	T	E	T	T	V
F0695	D45	B2lbuairgo52M1606161811.wav	T	E	T	T	V
F0696	D45	D1lbuairgo52M1606161812.wav	T	E	T	T	V
F0697	D45	D2lbuairgo52M1606161812.wav	T	E	T	T	V
F0698	D45	FB1lbuairgo52M1606161825.wav	T	E	T	T	V
F0699	D45	PR1lbuairgo52M1606161824.wav	T	E	T	T	V
F0700	D45	VA1lbuairgo52M1606161813.wav	T	E	T	T	V
F0701	D45	VA2lbuairgo52M1606161814.wav	T	E	T	T	V
F0702	D45	VE1lbuairgo52M1606161815.wav	T	E	T	T	V
F0703	D45	VE2lbuairgo52M1606161815.wav	T	E	T	T	V
F0704	D45	VI1lbuairgo52M1606161816.wav	T	E	T	T	V
F0705	D45	VI2lbuairgo52M1606161816.wav	T	E	T	T	V
F0706	D45	VO1lbuairgo52M1606161817.wav	T	E	T	T	V
F0707	D45	VO2lbuairgo52M1606161817.wav	T	E	T	T	V
F0708	D45	VU1lbuairgo52M1606161819.wav	T	E	T	T	V
F0709	D45	VU2lbuairgo52M1606161820.wav	T	E	T	T	V
F0710	D46	B1sncihcio44M1606161717.wav	V	T	T	T	E
F0711	D46	B2sncihcio44M1606161718.wav	V	T	T	T	E
F0712	D46	D1sncihcio44M1606161719.wav	V	T	T	T	E
F0713	D46	D2sncihcio44M1606161719.wav	V	T	T	T	E
F0714	D46	FB1sncihcio44M1606161728.wav	V	T	T	T	E
F0715	D46	PR1sncihcio44M1606161727.wav	V	T	T	T	E
F0716	D46	VA1sncihcio44M1606161720.wav	V	T	T	T	E
F0717	D46	VA2sncihcio44M1606161721.wav	V	T	T	T	E
F0718	D46	VE1sncihcio44M1606161721.wav	V	T	T	T	E
F0719	D46	VE2sncihcio44M1606161722.wav	V	T	T	T	E
F0720	D46	VI1sncihcio44M1606161722.wav	V	T	T	T	E
F0721	D46	VI2sncihcio44M1606161722.wav	V	T	T	T	E
F0722	D46	VO1sncihcio44M1606161723.wav	V	T	T	T	E
F0723	D46	VO2sncihcio44M1606161723.wav	V	T	T	T	E
F0724	D46	VU1sncihcio44M1606161724.wav	V	T	T	T	E
F0725	D46	VU2sncihcio44M1606161725.wav	V	T	T	T	E
F0726	D47	B1ssacvhei61M1606161740.wav	T	E	V	V	T
F0727	D47	B2ssacvhei61M1606161741.wav	T	E	V	V	T
F0728	D47	D1ssacvhei61M1606161742.wav	T	E	V	V	T
F0729	D47	D2ssacvhei61M1606161742.wav	T	E	V	V	T
F0730	D47	FB1ssacvhei61M1606161751.wav	T	E	V	V	T
F0731	D47	PR1ssacvhei61M1606161750.wav	T	E	V	V	T
F0732	D47	VA1ssacvhei61M1606161744.wav	T	E	V	V	T
F0733	D47	VA2ssacvhei61M1606161744.wav	T	E	V	V	T
F0734	D47	VE1ssacvhei61M1606161745.wav	T	E	V	V	T
F0735	D47	VE2ssacvhei61M1606161745.wav	T	E	V	V	T

Continued on the next page

T: inner train V: validation E: test Final refit: T + V

File ID	Folder	Exact filename	F0	F1	F2	F3	F4
F0736	D47	VI1ssacvhei61M1606161746.wav	T	E	V	V	T
F0737	D47	VI2ssacvhei61M1606161746.wav	T	E	V	V	T
F0738	D47	VO1ssacvhei61M1606161747.wav	T	E	V	V	T
F0739	D47	VO2ssacvhei61M1606161747.wav	T	E	V	V	T
F0740	D47	VU1ssacvhei61M1606161748.wav	T	E	V	V	T
F0741	D47	VU2ssacvhei61M1606161748.wav	T	E	V	V	T
F0742	D48	B1ubguot_t40M1606161755.wav	T	T	T	E	V
F0743	D48	B2ubguot_t40M1606161756.wav	T	T	T	E	V
F0744	D48	D1ubguot_t40M1606161758.wav	T	T	T	E	V
F0745	D48	D2ubguot_t40M1606161758.wav	T	T	T	E	V
F0746	D48	FB1ubguot_t40M1606161807.wav	T	T	T	E	V
F0747	D48	PR1ubguot_t40M1606161806.wav	T	T	T	E	V
F0748	D48	VA1ubguot_t40M1606161759.wav	T	T	T	E	V
F0749	D48	VA2ubguot_t40M1606161759.wav	T	T	T	E	V
F0750	D48	VE1ubguot_t40M1606161800.wav	T	T	T	E	V
F0751	D48	VE2ubguot_t40M1606161801.wav	T	T	T	E	V
F0752	D48	VI1ubguot_t40M1606161801.wav	T	T	T	E	V
F0753	D48	VI2ubguot_t40M1606161802.wav	T	T	T	E	V
F0754	D48	VO1ubguot_t40M1606161802.wav	T	T	T	E	V
F0755	D48	VO2ubguot_t40M1606161803.wav	T	T	T	E	V
F0756	D48	VU1ubguot_t40M1606161803.wav	T	T	T	E	V
F0757	D48	VU2ubguot_t40M1606161804.wav	T	T	T	E	V
F0758	D49	B1vsiptioz46M1606161659.wav	E	T	T	T	V
F0759	D49	B2vsiptioz46M1606161701.wav	E	T	T	T	V
F0760	D49	D1vsiptioz46M1606161702.wav	E	T	T	T	V
F0761	D49	D2vsiptioz46M1606161704.wav	E	T	T	T	V
F0762	D49	FB1vsiptioz46M1606161712.wav	E	T	T	T	V
F0763	D49	PR1vsiptioz46M1606161711.wav	E	T	T	T	V
F0764	D49	VA1vsiptioz46M1606161705.wav	E	T	T	T	V
F0765	D49	VA2vsiptioz46M1606161705.wav	E	T	T	T	V
F0766	D49	VE1vsiptioz46M1606161706.wav	E	T	T	T	V
F0767	D49	VE2vsiptioz46M1606161706.wav	E	T	T	T	V
F0768	D49	VI1vsiptioz46M1606161707.wav	E	T	T	T	V
F0769	D49	VI2vsiptioz46M1606161707.wav	E	T	T	T	V
F0770	D49	VO1vsiptioz46M1606161708.wav	E	T	T	T	V
F0771	D49	VO2vsiptioz46M1606161708.wav	E	T	T	T	V
F0772	D49	VU1vsiptioz46M1606161709.wav	E	T	T	T	V
F0773	D49	VU2vsiptioz46M1606161709.wav	E	T	T	T	V