



SMART CONTRACT SECURITY AUDIT

Mamy Shiba Inu

August, 2021

Table of Contents

Table of Contents	2
Disclaimer	3
Procedure	4
Terminology	5
Limitations	5
Token Contract Details for 05.08.2021	6
Audit Details	6
MamySHIBA Token Distribution	7
Contract Function Details	8
Vulnerabilities checking	13
Security Issues	14
Conclusion	15

Disclaimer

This is a comprehensive report based on our automated and manual examination of cybersecurity vulnerabilities and framework flaws. We took into consideration smart contract based algorithms, as well. Reading the full analysis report is essential to build your understanding of project's security level. It is crucial to take note, though we have done our best to perform this analysis and report, that you should not rely on the our research and cannot claim what it states or how we created it. Before making any judgments, you have to conduct your own independent research. We will discuss this in more depth in the following disclaimer - please read it fully.

DISCLAIMER: You agree to the terms of this disclaimer by reading this report or any portion thereof. Please stop reading this report and remove and delete any copies of this report that you download and/or print if you do not agree to these conditions. This report is for non-reliability information only and does not represent investment advice. No one shall be entitled to depend on the report or its contents, and Soken and its affiliates shall not be held responsible to you or anyone else, nor shall Soken provide any guarantee or representation to any person with regard to the accuracy or integrity of the report. Without any terms, warranties or other conditions other than as set forth in that exclusion and Soken excludes hereby all representations, warrants, conditions and other terms (including, without limitation, guarantees implied by the law of satisfactory quality, fitness for purposes and the use of reasonable care and skills). The report is provided as "as is" and does not contain any terms and conditions. Except as legally banned, Soken disclaims all responsibility and responsibilities and no claim against Soken is made to any amount or type of loss or damages (without limitation, direct, indirect, special, punitive, consequential or pure economic loses or losses) that may be caused by you or any other person, or any damages or damages, including without limitations (whether innocent or negligent).

Security analysis is based only on the smart contracts. No applications or operations were reviewed for security. No product code has been reviewed.

Procedure

Our analysis contains following steps:

1. Project Analysis;
2. Manual analysis of smart contracts:
 - Deploying smart contracts on any of the network(Ropsten/Rinkeby) using Remix IDE
 - Hashes of all transaction will be recorded
 - Behaviour of functions and gas consumption is noted, as well.
3. Unit Testing:
 - Smart contract functions will be unit tested on multiple parameters and under multiple conditions to ensure that all paths of functions are functioning as intended.
 - In this phase intended behaviour of smart contract is verified.
 - In this phase, we would also ensure that smart contract functions are not consuming unnecessary gas.
 - Gas limits of functions will be verified in this stage.
4. Automated Testing:
 - Mythril
 - Oyente
 - Manticore
 - Solgraph

Terminology

We categorize the finding into 4 categories based on their vulnerability:

- Low-severity issue — less important, must be analyzed
- Medium-severity issue — important, needs to be analyzed and fixed
- High-severity issue — important, might cause vulnerabilities, must be analyzed and fixed
- Critical-severity issue — serious bug causes, must be analyzed and fixed.

Limitations

The security audit of Smart Contract cannot cover all vulnerabilities. Even if no vulnerabilities are detected in the audit, there is no guarantee that future smart contracts are safe. Smart contracts are in most cases safeguarded against specific sorts of attacks. In order to find as many flaws as possible, we carried out a comprehensive smart contract audit. Audit is a document that is not legally binding and guarantees nothing.

Token Contract Details for 05.08.2021

Contract Name: **MamyShibaToken**

Deployer address: **0x154ECeB42679ac155EeF18820dE2Be75699263A8**

Total Supply: **1,000,000,000,000,000**

Token Tracker: **MamySHIBA**

Decimals: **9**

Token holders: **1**

Transactions count: **1**

Top 100 holders dominance: **100%**

Contract deployer address:
0x154ECeB42679ac155EeF18820dE2Be75699263A8

Audit Details




Project Name: **MamyShubalnu**

Language: **Solidity**

Blockchain: **BSC**

Project Website: **mamyshibainu.com**

MamySHIBA Token Distribution



MamySHIBA Top 10 Holders

Rank	Address	Quantity (Token)	Percentage
1	MamyShibahu: Deployer	1,000,000,000,000,000	100.0000%

Contract Function Details

+ Context

- [Int] _msgSender
- [Int] _msgData

+ IERC20

- [Ext] transfer #
- [Ext] allowance #
- [Ext] approve
- [Ext] transferFrom #
- [Ext] totalSupply
- [Ext] balanceOf

+ [Lib] SafeMath

- [Int] add
- [Int] sub
- [Int] sub
- [Int] mul
- [Int] div
- [Int] div
- [Int] mod
- [Int] mod

+ [Lib] Address

- [Int] isContract
- [Int] sendValue #
- [Int] functionCall #
- [Int] functionCall #
- [Int] functionCallWithValue #
- [Int] _functionCallWithValue #

+ Ownable.sol (Context)

- [Pub] <Constructor> #
- [Pub] owner
- [Pub] renounceOwnership #
 - modifiers: onlyOwner
- [Pub] transferOwnership #
 - modifiers: onlyOwner

+ [Int] IUniswapV2Factory

- [Ext] feeTo
- [Ext] feeToSetter
- [Ext] getPair

- [Ext] allPairs
- [Ext] allPairsLength
- [Ext] createPair #
- [Ext] setFeeTo #
- [Ext] setFeeToSetter #

+ [Int] IUniswapV2Pair

- [Ext] name
- [Ext] symbol
- [Ext] decimals
- [Ext] totalSupply
- [Ext] balanceOf
- [Ext] allowance
- [Ext] approve #
- [Ext] transfer #
- [Ext] transferFrom #
- [Ext] DOMAIN_SEPARATOR
- [Ext] PERMIT_TYPEHASH
- [Ext] nonces
- [Ext] permit #
- [Ext] _LIQUIDITY
- [Ext] factory
- [Ext] token0
- [Ext] token1
- [Ext] getReserves
- [Ext] price0CumulativeLast
- [Ext] price1CumulativeLast
- [Ext] kLast
- [Ext] mint
- [Ext] burn #
- [Ext] swap #
- [Ext] skim #
- [Ext] sync #
- [Ext] initialize #

+ [Int] IUniswapV2Router01

- [Ext] factory
- [Ext] WETH
- [Ext] addLiquidity #
- [Ext] addLiquidityETH (\$)
- [Ext] removeLiquidity #
- [Ext] removeLiquidityETH #
- [Ext] removeLiquidityWithPermit #

- [Ext] removeLiquidityETHWithPermit #
 - [Ext] swapExactTokensForTokens #
 - [Ext] swapTokensForExactTokens #
 - [Ext] swapExactETHForTokens (\$)
 - [Ext] swapTokensForExactETH #
 - [Ext] swapExactTokensForETH #
 - [Ext] swapETHForExactTokens (\$)
 - [Ext] quote
 - [Ext] getAmountOut
 - [Ext] getAmountIn
 - [Ext] getAmountsOut
 - [Ext] getAmountsIn
- + [Int] IUniswapV2Router02 (IUniswapV2Router01)
- [Ext] removeLiquidityETHSupportingFeeOnTransferTokens #
 - [Ext] removeLiquidityETHWithPermitSupportingFeeOnTransferTokens #
 - [Ext] swapExactTokensForTokensSupportingFeeOnTransferTokens #
 - [Ext] swapExactETHForTokensSupportingFeeOnTransferTokens (\$)
 - [Ext] swapExactTokensForETHSupportingFeeOnTransferTokens #
- + MamyShibaToken
- [Ext] name
 - [Ext] symbol
 - [Ext] decimals
 - [Ext] totalSupply
 - [Pub] balanceOf
 - [Pub] allowance
 - [Pub] approve #
 - [Pub] transfer #
 - [Pub] transferFrom #
 - [Pub] increaseAllowance
 - [Pub] decreaseAllowance
 - [Pub] isExcludedFromRewards
 - [Pub] totalFees
 - [Pub] minimumTokensBeforeSwapAmount
 - [Pub] buyBackSellLimitAmount
 - [Pub] afterPresale
 - [Pub] toggleMaxWallet
 - [Pub] deliver
 - [Pub] checkTxLimit
 - [Pub] checkWalletLimit
 - [Pub] reflectionFromToken
 - [Pub] tokenFromReflection

- [Pub] excludeFromReward
- [Pub] includeInReward

- [Prv] _approve
- [Prv] _transfer
- [Prv] swapTokens
- [Prv] buyBackTokens
- [Prv] swapTokensForEth
- [Prv] swapETHForTokens
- [Prv] addLiquidity
- [Prv] _tokenTransfer
- [Prv] _transferStandard
- [Prv] _transferToExcluded
- [Prv] _transferFromExcluded
- [Prv] _transferBothExcluded
- [Prv] _reflectFee
- [Prv] _getValues
- [Prv] _getTValues
- [Prv] _getRValues
- [Prv] _getRate
- [Prv] _getCurrentSupply
- [Prv] _takeLiquidity
- [Prv] calculateTaxFee
- [Prv] calculateLiquidityFee
- [Prv] removeAllFee
- [Prv] restoreAllFee
- [Prv] isExcludedFromFee
- [Prv] excludeFromFee
- [Prv] excludeFromMaxTx
- [Prv] excludeFromMaxWallet
- [Prv] includeInFee
- [Prv] prepareForDxSale
- [Prv] _getSellBnBAmount
- [Prv] _removeOldSellHistories
- [Prv] SetBuyBackMaxTimeForHistories
- [Prv] SetBuyBackDivisor

- [Pub] GetBuyBackTimeInterval

- [Ext] SetBuyBackTimeInterval
- [Ext] SetBuyBackRangeRate
- [Ext] GetSwapMinutes
- [Ext] SetSwapMinutes
- [Ext] setTaxFeePercent
- [Ext] setBuyFee

- [Ext] setSellFee
- [Ext] setLiquidityFeePercent
- [Ext] setBuyBackSellLimit
- [Ext] setMaxTxPercent
- [Ext] setMaxWalletPercent
- [Ext] setMarketingDivisor
- [Ext] setNumTokensSellToAddToBuyBack
- [Ext] setMarketingAddress

- [Pub] setSwapAndLiquifyEnabled
- [Pub] setBuyBackEnabled
- [Pub] setAutoBuyBackEnabled
- [Pub] transferToAddressETH
- [Pub] changeRouterVersion

- [Ext] setAddressFee
- [Ext] setBuyAddressFee
- [Ext] setSellAddressFee

(\$) = payable function

= non-constant function

Vulnerabilities checking

Issue Description	Checking Status
Compiler Errors	Completed
Delays in Data Delivery	Completed
Re-entrancy	Completed
Transaction-Ordering Dependence	Completed
Timestamp Dependence	Completed
Shadowing State Variables	Completed
DoS with Failed Call	Completed
DoS with Block Gas Limit	Low-issues
Outdated Compiler Version	Completed
Assert Violation	Completed
Use of Deprecated Solidity Functions	Completed
Integer Overflow and Underflow	Completed
Function Default Visibility	Completed
Malicious Event Log	Completed
Math Accuracy	Completed
Design Logic	Completed
Fallback Function Security	Completed
Cross-function Race Conditions	Completed
Safe Zeppelin Module	Completed

Security Issues

1) Out of Gas issue:

```
function includeInReward(address account) external onlyOwner() {
    require(!_isExcluded[account], "Account is not excluded");
    for (uint256 i = 0; i < _excluded.length; i++) {
        if (_excluded[i] == account) {
            _excluded[i] = _excluded[_excluded.length - 1];
            _tOwned[account] = 0;
            _isExcluded[account] = false;
            _excluded.pop();
            break;
        }
    }
}
```

The function `includeInRewards()` uses the loop to find and remove addresses from the `_excluded` list. Function will be aborted with `OUT_OF_GAS` exception if there will be a long excluded addresses list.

2) Out of Gas issue:

The function `_getCurrentSupply` also uses the loop for evaluating total supply. It also could be aborted with `OUT_OF_GAS` exception if there will be a long excluded addresses list.

```
function _getCurrentSupply() private view returns(uint256, uint256) {
    uint256 rSupply = _rTotal;
    uint256 tSupply = _tTotal;
    for (uint256 i = 0; i < _excluded.length; i++) {
        if (_rOwned[_excluded[i]] > rSupply || _tOwned[_excluded[i]] > tSupply) return (_rTotal, _tTotal);
        rSupply = rSupply.sub(_rOwned[_excluded[i]]);
        tSupply = tSupply.sub(_tOwned[_excluded[i]]);
    }
    if (rSupply < _rTotal.div(_tTotal)) return (_rTotal, _tTotal);
    return (rSupply, tSupply);
}
```

Recommendation:

Use `EnumerableSet` instead of array or do not use long arrays.

Conclusion

Low-severity issues exist within smart contracts. Smart contracts are free from any critical or high-severity issues.

NOTE: Please check the disclaimer above and note, that audit makes no statements or warranties on business model, investment attractiveness or code sustainability.