	₽£•vgv	
822 ESOLUE	AND THE PORT NEW TONES OF THE PORT OF THE	
DE		r -200
DE SOUND N	ame 23550 387250 1143870 2501433 22550 3872300 1143870 2501433	322
R	Will Number Real State Contains Contain	
July BRY		25
0/0	Best 18 Sept Solves 18 Sept 18	300
EX	RERIMENT SOLUTION SERVICE SOLUTION SOLUTION SERVICE SOLUTION SERVICE SOLUTION SOLUTION SERVICE SOLUTION SOLUTION SERVICE SERVICE SOLUTION SERVICE SOLUTION SERVICE SERVICE SERVICE SOLUTION SERVICE	
Titli x 300 A	RERIMENT POPULATION OF THE PROBLEM REPLACED SUB ARRAY PROBLEM REPLACED SUB ARRAY PROBLEM	014
.co^\\ 1	Secription of the state of the	6
	You are competing in a basketball contest. In this contest the score for each successful shot depends on both the distance from the basket and the player's position. The ball is shot N times, successfully. You are given an array A containing the distance of a player from basket for N shots.	30
3CSO/14 38	Yvur task is tv find and return an integer value, representing the maximum pvssible score yvu can achieve by choosing a contiguous subarray of size K from the given array. Note:	200
ď	Nvte:	
ONESPRE	* A subarray is a cyntiguyus part yf array.	200
,010	* A subarray is a centigueus part of array. * Assume 1 based indexing. * The array centains both negative and profitive values.	5
م	* The array contains both negative and positive values.	
S. C.	* Assume the player is standing vn a cartesian plane. Input Fvrmat	NIL
, 2	Input Fyrmat	3
10	- input1:An integer value N representing the number vf shivts made by the player	
723000 NO	- input2 : An integer K representing the size vf subarray - input3 : An array vf integers	300
)`	- input3 : An array vf integers	
38	Sample Input	
SSO/11/38	5	50
	2 12345	i.
BRY	Sample Output	
	14	Si
8	Sample Output 14 vurce Cwde: 38 22 25 26 11 38 22 25 26 11 38 22 25 26 11 38 22 25 26 11 38 22 25 26 11 38 22 25 26 11 38 22 25 26 11 38 22 25 26 11 38 22 25 26 11 38 22 25 26 11 38 22 25 26 26 26 26 26 26 26 26 26 26 26 26 26	
	The state of the s	2

```
goals=int(input())
   size=int(input())
   l=list(map(int,input().split()))
   for i in range(0,len(1)):
       sub=l[i:i+size]
       k=1
       s=0
       for j in sub:
            s+=(j*k)
            k+=1
            if s>max:
                max=s
   print(max)
RESULT
 5 / 5 Test Cases Passed | 100 \%
```

- 0/1/13-