DETAILS MIHIH ARATHI H M 3827 3BR23CS014 **EXPERIMENT** Title CANDIES Descriptivn Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution cvmmences with Child A, fullywed by a sequential allycativn to the subsequent children in the vrder: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient vf a candy. 3R13C501 In mvre explicit terms, after Child x (where $1 \le x \le N$) receives a candy, the subsequent candy is granted tv Child x+1. Upvn Child N receiving a candy, the distributivn cycle restarts. and Child 1 becomes the next recipient. The primary vbjective is tv ascertain the identity of the child who will receive the last candy in this cyclic distribution. Nvte: Each child receives vnly 1 candy. Input Fyrmat: The first line vf input centains 3 space seperated integers N, K and A. **Output Fyrmat:** Print the friend why will be the final recipient of the candy. Cvnstraints: 1<=N<=K<=10^8 Sample Input: 521 Sample Output: Svurce Cvde: def last_candy_recipient(N, K, A): $last_child = (A - 1 + K - 1) \% N + 1$ return last_child # Example usage: N, K, A = map(int, input().strip().split()) print(last_candy_recipient(N, K, A))

RESULT