CloudFront in S3








s3
Global
Account ID: 8411-7679-7875
Arati Yadav
CloudFront > Distributions > Create distribution
Step 3
Enable security
Step 4
Review and create
Your origin is where your content (such as a website or app) lives. CloudFront works with AWS-based origins and origins hosted on other cloud providers.
Origin type
Amazon S3
Deliver static assets like files and images, statically generated websites or single page applications (SPA).
Elastic Load Balancer
Deliver applications hosted behind ELB such as dynamic websites, web services, and APIs.
API Gateway
Deliver API endpoints for REST APIs hosted on API Gateway.
Select S3 location
Buckets (1)
Last updated
November 17, 2025, 07:57 PM GMT+5:30
Find bucket
Bucket name
Creation date
bb.1
Mon, 17 Nov 2025 14:25:40 GMT
Cancel
Choose
Origin path - optional
The directory path within your origin where your content is stored. Learn more
/path
Settings Info


s3
Global
Account ID: 8411-7679-7875
Arati Yadav
CloudFront > Distributions > Create distribution
Step 1
Get started
Step 2
Specify origin
Step 3
Enable security
Step 4
Review and create
Enable security
Web Application Firewall (WAF) Info
Enable security protections
Keep your application secure from the most common web threats and security vulnerabilities using AWS WAF. Blocked requests are stopped before they reach your web servers.
Do not enable security protections
Select this option if your application does not need security protections from AWS WAF.
Cancel
Previous
Next


s3
Global
Account ID: 8411-7679-7875
Arati Yadav
CloudFront > Distributions > Create distribution
Review and create
Origin
Edit
Because you granted CloudFront access to your origin, CloudFront can write and update S3 bucket policies that restrict access to your S3 origin to CloudFront.
S3 origin
bb.1.s3.us-east-1.amazonaws.com
Origin path
-
Grant CloudFront access to origin
Yes
Enable Origin Shield
No
Connection attempts
3
Connection timeout
10
Cache settings
Edit
CloudFront will apply default cache settings tailored to serving content from a S3 origin. You can customize settings after you create your distribution.
Security
Edit
Security protections
None
Use monitor mode
No
Use existing WAF configuration
No
Cancel
Previous
Create distribution


s3
Global
Account ID: 8411-7679-7875
Arati Yadav
CloudFront > Distributions
Distributions (2) Info
Enable
Disable
Delete
Create distribution
Search all distributions
Filter type
All distributions
ID
Status
Description
Type
Domain name (standard)
Alternate domai...
E1M30OJPV10ZRQ
Enabled
Standard
d2zt0rplqvwh5i.cloudfront.net
ENDA9EH50HL2X
Disabled
Standard
d2pd61zjpmxzrb.cloudfront.net


s3
Global
Account ID: 8411-7679-7875
Arati Yadav
CloudFront > Distributions > E1M30OJPV10ZRQ > Create origin
Name
Enter a name for this origin.
bb.1.s3.us-east-1.amazonaws.com
Origin access Info
Public
Bucket must allow public access.
Origin access control settings (recommended)
Bucket can restrict access to only CloudFront.
Legacy access identities
Use a CloudFront origin access identity (OAI) to access the S3 bucket.
Add custom header - optional
CloudFront includes this header in all requests that it sends to your origin.
Add header
Enable Origin Shield
Origin shield is an additional caching layer that can help reduce the load on your origin and help protect its availability.
No
Yes
Additional settings
Cancel
Create origin


d2zt0rplqvwh5i.cloudfront.net/bird.jpg