

## Source Code

### User.cs

```
namespace BankWebApp.Models
{
    public class User
    {
        public int Id { get; set; }
        public string Username { get; set; }
        public string Password { get; set; }
    }
}
```

### AccountController.cs

```
using BankWebApp.Models;
using Microsoft.AspNetCore.Mvc;

namespace BankWebApp.Controllers
{
    public class AccountController : Controller
    {
        // Simulated user data (replace with your actual authentication logic)
        private readonly User _user = new User { Id = 1, Username = "user", Password = "password" };

        [HttpGet]
        public IActionResult Login()
        {
            return View();
        }

        [HttpPost]
        public IActionResult Login(User model)
        {
            if (ModelState.IsValid && model.Username == _user.Username && model.Password == _user.Password)
            {
                // Successful login, redirect to dashboard
                return RedirectToAction("Index", "Dashboard");
            }

            // Invalid login, show error message
            ModelState.AddModelError("", "Invalid username or password");
            return View(model);
        }
    }
}
```

## DashboardController.cs

```
using Microsoft.AspNetCore.Authorization;
using Microsoft.AspNetCore.Mvc;

namespace BankWebApp.Controllers
{
    public class DashboardController : Controller
    {
        [Authorize]
        public IActionResult Index()
        {
            return View();
        }
    }
}
```

## Login.cshtml

```
@model BankWebApp.Models.User
@{
    ViewData["Title"] = "Login";
}

<h1>Login</h1>
<form asp-controller="Account" asp-action="Login" method="post">
    <div class="form-group">
        <label asp-for="Username">Username:</label>
        <input asp-for="Username" class="form-control" />
        <span asp-validation-for="Username" class="text-danger"></span>
    </div>
    <div class="form-group">
        <label asp-for="Password">Password:</label>
        <input asp-for="Password" type="password" class="form-control" />
        <span asp-validation-for="Password" class="text-danger"></span>
    </div>
    <button type="submit" class="btn btn-primary">Login</button>
</form>
```

## Index.cshtml

```
@{
    ViewData["Title"] = "Index";
}

<h1 style="text-align:center">Welcome to Dashboard</h1>
```

## Program.cs

```
using Microsoft.AspNetCore.Authentication.Cookies;

var builder = WebApplication.CreateBuilder(args);

// Add services to the container.
builder.Services.AddControllersWithViews();

builder.Services.AddAuthentication(CookieAuthenticationDefaults.AuthenticationScheme)
    .AddCookie(options =>
    {
        options.LoginPath = "/Account/Login"; // Redirect to the login page for unauthenticated
        users
    });

var app = builder.Build();

// Configure the HTTP request pipeline.
if (!app.Environment.IsDevelopment())
{
    app.UseExceptionHandler("/Home/Error");
}
app.UseStaticFiles();

app.UseRouting();

app.UseAuthentication();

app.UseAuthorization();

app.UseEndpoints(endpoints =>
{
    endpoints.MapControllerRoute(
        name: "dashboard",
        pattern: "dashboard",
        defaults: new { controller = "Dashboard", action = "Index" });

    endpoints.MapControllerRoute(
        name: "default",
        pattern: "{controller=Account}/{action=Login}/{id?}");
});

app.Run();
```