



**Started on** Wednesday, 26 August 2026, 5:07 PM

**State** Finished

**Completed on** Monday, 31 August 2026, 8:39 AM

**Time taken** 4 days 15 hours

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

A person needs to eat burgers. Each burger contains a count of calorie. After eating the burger, the person needs to run a distance to burn out his calories.

If he has eaten  $i$  burgers with  $c$  calories each, then he has to run at least  $3^i * c$  kilometers to burn out the calories. For example, if he ate 3

burgers with the count of calorie in the order: [1, 3, 2], the kilometers he needs to run are  $(3^0 * 1) + (3^1 * 3) + (3^2 * 2) = 1 + 9 + 18 = 28$ .

But this is not the minimum, so need to try out other orders of consumption and choose the minimum value. Determine the minimum distance

he needs to run. Note: He can eat burger in any order and use an efficient sorting algorithm. Apply greedy approach to solve the problem.

#### Input Format

First Line contains the number of burgers

Second line contains calories of each burger which is  $n$  space-separate integers

#### Output Format

Print: Minimum number of kilometers needed to run to burn out the calories

#### Sample Input

```
3
5 10 7
```

#### Sample Output

```
76
```

#### For example:

| Test        | Input      | Result |
|-------------|------------|--------|
| Test Case 1 | 3<br>1 3 2 | 18     |

**Answer:** (penalty regime: 0 %)

Ace editor not ready. Perhaps reload page?

Falling back to raw text area.

```
#include<stdio.h>
#include<math.h>
int main(){
    int n;
    scanf("%d", &n);
    int arr[n];
    for(int i = 0; i < n; i++){
        scanf("%d",&arr[i]);
    }
    for(int i = 0; i < n-1; i++){
        for(int j = 0; j < n-i-1; j++){
            if(arr[j] < arr[j+1]){
                int temp = arr[j];
                arr[j] = arr[j+1];
                arr[j+1] = temp;
            }
        }
    }
}
```

|   | Test        | Input        | Expected | Got |   |
|---|-------------|--------------|----------|-----|---|
| ✓ | Test Case 1 | 3<br>1 3 2   | 18       | 18  | ✓ |
| ✓ | Test Case 2 | 4<br>7 4 9 6 | 389      | 389 | ✓ |
| ✓ | Test Case 3 | 3<br>5 10 7  | 76       | 76  | ✓ |

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)