

BLOOD TEST SCORING

Part 1: Scoring System (Framework)

- **Normal Result = 5 points** → Healthy range.
- **Borderline Result = 3 points** → Slightly outside healthy range, needs monitoring.
- **Abnormal Result = 1 point** → Outside safe range, medical attention needed.
- **Severe Result = 0 points** → Serious concern, urgent follow-up required.

 **Red Flag Rule:** Even if the total score is high, a **single severe result** (e.g., Hb <7, Creatinine >2.5, Positive Troponin, NT-proBNP very high) means **immediate medical attention required**.

Part 2: Test Scoring Tables

1. Complete Blood Count (CBC)

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
Hemoglobin	Men: 13–17 g/dL, Women: 12–15 g/dL	Within range	Men 11–12.9, Women 10–11.9	Men <10 or >18, Women <9 or >17	Hb <7
WBC Count	4,000–11,000 / μ L	4–11k	11–15k or 3–3.9k	<3k or >15k	<2k or >20k
Platelets	150k–450k / μ L	Within range	100–149k or 451–600k	<100k or >600k	<50k or >1M
Differential Count	N: 40–70%, L: 20–40%, M: 2–8%, E: 1–6%, B: <1%	All within range	Mild imbalance ($\pm$ 5–10%)	Marked imbalance (>10%)	Blasts / very abnormal
ESR	Men <15, Women <20 mm/hr	Within range	Men 16–30, Women 21–30	>30	>60
CRP	<5 mg/L	Within range	5–10	>10–30	>30

2. Kidney Function Tests (KFT)/ Renal Function Tests (RFT).

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
Creatinine	M: 0.7–1.2, F: 0.6–1.1 mg/dL	Within range	M: 1.3–1.5, F: 1.2–1.4	M >1.5, F >1.4	>2.5
Blood Urea	7–20 mg/dL	Within range	21–40	>40	>80
Uric Acid	M: 3.5–7.2, F: 2.6–6.0 mg/dL	Within range	M: 7.3–8.5, F: 6.1–7.0	M >8.5, F >7.0	>10
Urine Routine	Normal (no sugar, protein, blood)	Normal	Trace protein/sugar	Proteinuria, glycosuria, hematuria	Massive protein/blood

3. Liver Function Tests (LFT)

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
Bilirubin (Total)	0.3–1.2 mg/dL	Within range	1.3–2	2.1–3	>3
SGPT (ALT)	<40 U/L	Within range	41–60	61–100	>100
SGOT (AST)	<40 U/L	Within range	41–60	61–100	>100
Alkaline Phosphatase	44–147 U/L	Within range	148–200	201–300	>300
Albumin	3.5–5.5 g/dL	Within range	3–3.4	2.5–2.9	<2.5

4. Lipid Profile

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
Total Cholesterol	<200 mg/dL	<200	200–239	240–280	>280
LDL (“bad” cholesterol)	<100 mg/dL	<100	100–129	130–160	>160
HDL (“good” cholesterol)	M: >40, F: >50 mg/dL	Healthy	M: 35–40, F: 45–50	M <35, F <45	M <25, F <35

Triglycerides	<150 mg/dL	<150	150–199	200–400	>400
---------------	---------------	------	---------	---------	------

5. Sugar Tests

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
Fasting Blood Sugar	70–99 mg/dL	70–99	100–125	126–150	>150
Postprandial (2 hr after food)	<140 mg/dL	<140	141–199	200–250	>250
HbA1c	<5.7%	<5.7	5.7–6.4%	6.5–7.5%	>7.5%

6. Thyroid Profile

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
TSH	0.4–4.0 mIU/L	Within range	4.1–6.0 or 0.2–0.39	>6.0 or <0.2	>10 or <0.1
Free T4	0.8–1.8 ng/dL	Within range	0.6–0.79 or 1.81–2.0	0.4–0.59 or >2.0	<0.4

7. Vitamin & Mineral Tests

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
Vitamin D	30–100 ng/mL	30–100	20–29	10–19	<10
Vitamin B12	200–900 pg/mL	200–900	150–199	100–149	<100
Calcium	8.5–10.5 mg/dL	Within range	8–8.4 or 10.6–11	7–7.9 or 11.1–12	<7 or >12

8. Cardiac Tests

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
NT-proBNP	<125 pg/mL (<75 yrs), <450 (>75 yrs)	Within range	Slightly raised (126–300)	301–1000	>1000
Troponin	Negative	Negative	–	Positive (low)	Positive (high)
ECG / Chest X-ray	Normal	Normal	Mild changes	Abnormal	Severe changes

9. Vitals & BMI

Test	Normal Range	Normal (5)	Borderline (3)	Abnormal (1)	Severe (0)
Blood Pressure	<120/80 mmHg	<120/80	121–139 / 81–89	140–159 / 90–99	≥160/100
BMI	18.5–24.9	18.5–24.9	25–29.9 or 17–18.4	30–34.9 or <17	≥35