

| <b>Parameter</b>                         | <b>Normal (0 points)</b>      | <b>Borderline (1–2 points)</b> | <b>Abnormal (3–5 points)</b> |
|------------------------------------------|-------------------------------|--------------------------------|------------------------------|
| Haemoglobin (Hb)                         | 13.0-17.0                     | <13.0 (1)                      | <10.0 (4), <7.0 (5)          |
| Total Leucocyte Count (TLC)              | $8.4 \times 10^3/\mu\text{L}$ | <4.0, >8.4 (2)                 | >13, <2 (4), <1 , >16 (5)    |
| Neutrophil                               | 40-70                         | <40, >70% (2)                  | <20, >90 (5)                 |
| Lymphocyte                               | 20-40                         | <20, >40 (                     | <10, >60 (5)                 |
| Eosinophil                               | 1-6                           | <1, >6 (2)                     | >10 (5)                      |
| Monocyte                                 | 2-10                          | <2, >10 (2)                    | >15 (4)                      |
| Basophil                                 | <1-2                          | >2 (1)                         | >5 (4)                       |
| ESR                                      | 0-20                          | >20 (1)                        | >50 (5)                      |
| RBC (Red Blood Cell Count)               | 4.7-6.1                       | <4.2 , >6.5 (1)                | <3, >7.5 (5)                 |
| Hematocrit (Hct):                        | 40-52                         | >55, <35 (2)                   | >70, <20 (5)                 |
| MCV (Mean Corpuscular Volume)            | 80-100                        | <80, >100 (1)                  | <75, >110 (4)                |
| MCH (Mean Corpuscular Hb)                | 26.0-34.0                     | <26, >34 (2)                   | <22, >40 (4)                 |
| MCHC (Mean Corpuscular Hb Concentration) | 31.0-37.0                     | <31, .37 (2)                   | <30, >38 (4)                 |
| Platelet Count                           | 150-400                       | <150, >400 (2)                 | <120, >500 (4)               |
| Absolute Neutrophil Count                | 2.0-7.0                       | <1, >7 (2)                     | >8 (4)                       |

|                                   |             |                  |                    |
|-----------------------------------|-------------|------------------|--------------------|
| Absolute Lymphocytes Count        | 1.00-3.00   | <1, >3 (2)       | >5 (4)             |
| Absolute Eosinophil Count         | 0.02-0.50   | <0.02, >0.50 (2) | <0.01, >1.0 (4)    |
| Absolute Monocyte Count           | 0.20-1.00   | <0.20, >1.00 (2) | <0.10, >1.5 (4)    |
| Absolute Basophil Count           | 0.02-0.10   | <0.02, >0.10 (2) | <0.01, >0.20 (4)   |
| Serum Creatinine                  | 0.60-1.10   | <0.60, >1.10 (2) | >1.50 (5)          |
| Albumin                           | 3.2-5.0     | <3.2, >5.0 (2)   | >3, >5.3 (5)       |
| SGOT/AST                          | 15-37       | <15, >37 (2)     | >55 (3), >100 (5)  |
| SGPT/ALT                          | 0.0-49      | >50 (2)          | >75 (3), >100 (5)  |
| GGTP                              | 5-73        | >73 (2)          | >100 (4), >150 (5) |
| Alkaline Phosphatase              | 53-128      | >128 (2)         | >150 (3), >200 (5) |
| Serum Cholesterol                 | Normal <200 | >200 (2)         | <240 (5)           |
| Serum Triglycerides               | Normal <150 | >150 (2)         | >300 (5)           |
| HDL Cholesterol                   | 35.3-79.5   | < 35, >79.5 (2)  | <30, >200 (5)      |
| Glycosylated Haemoglobin (HBA1C): | 4.8-5.9     | >6 (2)           | >6.5 (4), >8 (5)   |
| Blood Sugar Fasting               | 60-109      | <60, >109 (2)    | <45, >130 (5)      |
| Urinary Cotinine                  | < 200 ng/ml | >200-500 (2)     | >500 (5)           |

|              |                           |  |  |
|--------------|---------------------------|--|--|
| HbsAg        | Reactive/non-re<br>active |  |  |
| HIV Antibody | Reactive/non-re<br>active |  |  |

The scoring in this system is based on the clinical significance of deviation from normal laboratory values, using the following principles:

1. **Normal Range (0 points):** Values within the accepted reference range are considered healthy or non-indicative of disease. These ranges represent the typical physiological levels seen in a healthy population.
2. **Borderline Range (1–2 points):** Values slightly outside the normal range are considered borderline or mildly abnormal. This range suggests a mild deviation that may not require urgent intervention but should be monitored or followed up. It often correlates with early, mild, or reversible conditions or risk factors.
3. **Abnormal Range (3–5 points):** Values significantly outside the normal range indicate moderate to severe abnormalities or pathology. This scoring reflects an increased likelihood of clinically meaningful disease or dysfunction. Such results usually warrant further diagnostic evaluation, treatment, or close clinical monitoring.

**Note:** reference or normal ranges for laboratory parameters can vary between different laboratories due to difference in equipment, assay techniques, reagent formulations. Therefore, the normal range used for scoring should be adapted to the reference values provided by the specific laboratory performing test.