

Detected Resonant Frequencies (0-200 Hz):

16
80
120
124
150

Estimated Damping Ratios:

Mode near 16.00 Hz $\rightarrow \zeta = 0.1250$
Mode near 80.00 Hz $\rightarrow \zeta = 0.0250$
Mode near 120.00 Hz $\rightarrow \zeta = 0.0500$
Mode near 124.00 Hz $\rightarrow \zeta = 0.0484$
Mode near 150.00 Hz $\rightarrow \zeta = 0.0533$

Normalized Mode Shapes (0-200 Hz):

Mode at 16.00 Hz:

X: $0.129 \angle -15.3^\circ$
Y: $0.455 \angle -5.3^\circ$
Z: $1.000 \angle 167.0^\circ$

Mode at 80.00 Hz:

X: $1.000 \angle -157.0^\circ$
Y: $0.175 \angle -128.6^\circ$
Z: $0.970 \angle 70.0^\circ$

Mode at 120.00 Hz:

X: $0.080 \angle -93.1^\circ$
Y: $1.000 \angle -91.3^\circ$
Z: $0.769 \angle 83.5^\circ$

Mode at 124.00 Hz:

X: $0.087 \angle -124.9^\circ$
Y: $1.000 \angle -128.1^\circ$
Z: $0.891 \angle 47.3^\circ$

Mode at 150.00 Hz:

X: $0.149 \angle -159.6^\circ$
Y: $0.950 \angle -153.1^\circ$

Z: 1.000∠12.6°

=== Modal Parameter Summary (0-200 Hz) ===

Freq_Hz Damping Phi_X Phi_Y Phi_Z

16	0.125	0.12486-0.034234i	0.45278-0.041985i	-0.97423+0.22555i
80	0.025	-0.92064-0.39041i	-0.10915-0.13678i	0.3323+0.91083i
120	0.05	-0.0043097-0.080017i	-0.021839-0.99976i	0.086793+0.76456i
124	0.048387	-0.049634-0.071255i	-0.617-0.78697i	0.60361+0.65509i
150	0.053333	-0.14002-0.052182i	-0.84716-0.4307i	0.97578+0.21876i

Detected Resonant Frequencies (0-200 Hz):

16
80
120
124
150

Estimated Damping Ratios:

0.1250
0.0250
0.0500
0.0484
0.0533

=== Modal Summary (0-200 Hz) ===

Mode 1: f=16.00 Hz, Damping=0.1250, k_dyn_X=2128092.94 N/m, k_dyn_Y=605904.94 N/m, k_dyn_Z=275518.29 N/m

Mode Shape (X,Y,Z): 0.129∠-15.3°, 0.455∠-5.3°, 1.000∠167.0°

Mode 2: f=80.00 Hz, Damping=0.0250, k_dyn_X=12971967.05 N/m, k_dyn_Y=74129870.31 N/m, k_dyn_Z=13379248.90 N/m

Mode Shape (X,Y,Z): 1.000∠-157.0°, 0.175∠-128.6°, 0.970∠70.0°

Mode 3: f=120.00 Hz, Damping=0.0500, k_dyn_X=181630918.87 N/m, k_dyn_Y=14554593.29 N/m, k_dyn_Z=18915155.87 N/m

Mode Shape (X,Y,Z): 0.080∠-93.1°, 1.000∠-91.3°, 0.769∠83.5°

Mode 4: f=124.00 Hz, Damping=0.0484, k_dyn_X=195563610.00 N/m, k_dyn_Y=16982302.96 N/m, k_dyn_Z=19064430.40 N/m

Mode Shape (X,Y,Z): $0.087\angle -124.9^\circ$, $1.000\angle -128.1^\circ$, $0.891\angle 47.3^\circ$

Mode 5: $f=150.00$ Hz, Damping= 0.0533 , $k_{\text{dyn_X}}=473612729.85$ N/m,
 $k_{\text{dyn_Y}}=74465394.95$ N/m, $k_{\text{dyn_Z}}=70768929.27$ N/m

Mode Shape (X,Y,Z): $0.149\angle -159.6^\circ$, $0.950\angle -153.1^\circ$, $1.000\angle 12.6^\circ$