

Cucumber Report

Apr 18, 2024, 2:50:45 PM

Start : Apr 18, 2:50:01.245 PM

End : Apr 18, 2:50:44.895 PM

Duration : 43.650 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 4
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Login Logout scenarios with different users	1	1	0	0	43.650 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Logout scenarios with different users	Login Test	4	4	0	0	43.648 s

(F)- Login Logout scenarios with different users

PASSED	DURATION - 43.650 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:50:01.245 PM // 2:50:44.895 PM /					

(S)- Login Test

<div>PASSED</div> <div>DURATION - 43.648 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
<div>/ 2:50:01.247 PM // 2:50:44.895 PM /</div>			
<div>Login Logout scenarios with different users</div>			
<div>@Smoke @Android @IOS</div>			


#	Step / Hook Details	Status	Duration
1	Given - Given App is launched	PASSED	23.691 s
	AFTER_STEP - stepdefinitions.AppHooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.398 s
	Login_Test		
			
2	And - And I sign in the Application	PASSED	9.991 s
	AFTER_STEP - stepdefinitions.AppHooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.399 s
	Login_Test		

#	Step / Hook Details	Status	Duration
	<div></div>		
3	Then - Then I click on first available cart	PASSED	3.905 s
	AFTER_STEP - stepdefinitions.AppHooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.864 s
	Login_Test		
	<div></div>		
4	Then - Then I click on the view to cart and remove	PASSED	2.668 s
	AFTER_STEP - stepdefinitions.AppHooks.afterStep(io.cucumber.java.Scenario)	PASSED	0.428 s
	Login_Test		
	<div></div>		

(Step) AFTER_STEP - stepdefinitions.
AppHooks.afterStep(io.cucumber.java.
Scenario)

(S) Login Test


(F) Login Logout scenarios with different
users



(Step) AFTER_STEP - stepdefinitions.
AppHooks.afterStep(io.cucumber.java.
Scenario)

(S) Login Test


(F) Login Logout scenarios with different
users



(Step) AFTER_STEP - stepdefinitions.
AppHooks.afterStep(io.cucumber.java.
Scenario)

(S) Login Test

(F) Login Logout scenarios with different
users



(Step) AFTER_STEP - stepdefinitions.
AppHooks.afterStep(io.cucumber.java.
Scenario)

(S) Login Test

(F) Login Logout scenarios with different
users

