

ARAVIND ANUGULA (DAY 1)

Problem 1

Assessment Goal: Check if learners understand basic HTML structure and content creation.

Hands-on Tasks:

1. Create a basic HTML page with proper structure (DOCTYPE, head, body)
2. Add a heading and a paragraph introducing yourself
3. Create an unordered list showing your hobbies
4. Create an ordered list showing daily routine steps
5. Create a simple table showing:
 - o Student Name
 - o Subject
 - o Marks

Expected Outcome:

A static HTML page that displays structured content correctly in the browser.

Solution

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Intro</title>
```

```
</head>
```

```
<body>
```

```
<h1>Introduction</h1>
```

```
<p>Hi Iam Aravind , I am an It graduate from matrusri engineering college in  
2024</p>
```

```
<h2>Hobbies</h2>
```


Playing cricket

Reading bookings

Coding

<h2>Daily routine</h2>

Wake up at 7 Am

Going for walk

Exercise

Preparing for job

<h2>Details</h2>

<table border="2">

<tr>

<th>Name</th>

<th>Subject</th>

<th>Marks(%)</th>

</tr>

<tr>

<td>Aravind</td>

<td>English</td>

<td>75%</td>

</tr>

<tr>

```

        <td>Arun</td>

        <td>Maths</td>

        <td>67%</td>

    </tr>

</table>

</body>

</html>
```

Output

Introduction

Hi I am Aravind , I am an It graduate from matrusri engineering college in 2024

Hobbies

- Playing cricket
- Reading bookings
- Coding

Daily routine

1. Wake up at 7 Am
2. Going for walk
3. Exercise
4. Preparing for job

Details

Name	Subject	Marks(%)
Aravind	English	75%
Arun	Maths	67%

Explanation

This assessment checks whether a learner understands the basic structure of HTML and how to create simple content on a webpage. In this task, we create a basic HTML page using the correct structure like DOCTYPE, head, and body. We add a heading and a paragraph to introduce ourselves, which helps in displaying text clearly on the webpage. Then, we create an unordered list to show hobbies where order is not important, and an ordered list to show daily routine steps where sequence is important. Finally, we create a table to display student details like name, subject, and marks in rows and columns. The final output is a simple static webpage that shows all the content properly in the browser.

Problem 2: Restaurant Menu Webpage (Level-1)

Scenario

A small restaurant wants a **basic menu webpage** to display their offerings online before moving to a full website.

Requirements

Create an HTML page that displays:

1. **Restaurant Name** (Heading)
2. **About the Restaurant** (Paragraph)
3. **Menu Categories** (Unordered List)
4. **Price List** (Table)

Table Structure

Item Name	Category	Price (₹)
Paneer Butter Masala	Main Course	220
Veg Biryani	Main Course	180
Masala Dosa	Breakfast	90
Cold Coffee	Beverages	120

Technical Constraints

- Use proper **HTML boilerplate**
- Use at least **5 HTML elements**
- Use **HTML attributes** such as border, title, align
- Use:
 - <table>, <tr>, <th>, <td>
 - and

Learning Outcome

You should be able to:

- Build a complete HTML page structure
- Use tables for structured data
- Use lists for grouped information

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>Restaurant Menu</title>
```

```
</head>
```

```
<body>
```

```
  <h1>Aravind Restaurant</h1>
```

```
  <p>
```

```
    Welcome to Aravind Restaurant . We serve delicious and freshly prepared
    dishes including main course, breakfast, and beverages.
```

```
  </p>
```

```
  <h2>Menu Categories</h2>
```

- Main Course
- Breakfast
- Beverages

<h2>Price List</h2>

<th>Item Name</th>	<th>Category</th>	<th>Price (₹)</th>
<td>Paneer Butter Masala</td>	<td>Main Course</td>	<td>220</td>
<td>Veg Biryani</td>	<td>Main Course</td>	<td>180</td>

```

        <td>Masala Dosa</td>

        <td>Breakfast</td>

        <td>90</td>

    </tr>


    <tr>

        <td>Cold Coffee</td>

        <td>Beverages</td>

        <td>120</td>

    </tr>

</table>

</body>

</html>

```

Output

Aravind Restaurant

Welcome to Aravind Restaurant . We serve delicious and freshly prepared dishes including main course, breakfast, and beverages.

Menu Categories

- Main Course
- Breakfast
- Beverages

Price List

Item Name	Category	Price (₹)
Paneer Butter Masala	Main Course	220

Veg Biryani	Main Course	180
Masala Dosa	Breakfast	90
Cold Coffee	Beverages	120

Explanation

This problem checks whether the learner can create a simple restaurant menu webpage using basic HTML elements. In this task, we create a proper HTML structure with DOCTYPE, head, and body sections. We add a main heading to display the restaurant name and a paragraph to describe the restaurant and its services. Then, we use an unordered list to show menu categories like Main Course, Breakfast, and Beverages. After that, we create a table to display the price list with item name, category, and price in rows and columns. We also use HTML attributes like border to make the table visible. The final result is a simple static restaurant menu webpage that clearly displays all the information in an organized way in the browser.

Problem 3: Personal Grocery Checklist (Level-1)

Scenario

You are building a **simple webpage for personal use** to plan your weekly grocery shopping. The page should clearly show **priority items** and **optional items**, so it's easy to decide what to buy first.

Requirements

Create an HTML webpage that includes:

1. A **page title**:
Weekly Grocery Checklist
2. A **main heading** displaying the same title.
3. An **Ordered List** showing **high-priority grocery items**, such as:
 - Rice
 - Milk
 - Vegetables

- Cooking Oil

4. An **Unordered List** showing **optional or non-essential items**, such as:

- Snacks
- Ice cream
- Soft drinks

Technical Constraints

- Use proper **HTML boilerplate**:
 - `<!DOCTYPE html>`
 - `<html>`, `<head>`, `<body>`
- Use:
 - `<ol>` and `<ul>` correctly
 - `<li>` for each item
- Add at least **one HTML attribute** (example: title)
- Ensure **proper indentation and readability**

Learning Outcome

You will be able to:

- Create structured content using HTML lists
- Choose the correct list type based on real-world requirements
- Understand how HTML represents **logical order and grouping**
- Build confidence in writing basic but meaningful HTML pages

Code

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Weekly Grocery Checklist</title>

</head>

<body>

  <h1 title="Main Grocery Heading">Weekly Grocery Checklist</h1>

  <h2>High-Priority Items</h2>

  <ol>

    <li>Rice</li>

    <li>Milk</li>

    <li>Vegetables</li>

    <li>Cooking Oil</li>

  </ol>

  <h2>Optional Items</h2>

  <ul>

    <li>Snacks</li>

    <li>Ice Cream</li>

    <li>Soft Drinks</li>

  </ul>

</body>

</html>
```

output

Weekly Grocery Checklist

High-Priority Items

1. Rice
2. Milk
3. Vegetables
4. Cooking Oil

Optional Items

- Snacks
- Ice Cream
- Soft Drinks

Explanation

This problem checks whether the learner can create a simple and structured grocery checklist webpage using HTML lists. In this task, we create a proper HTML structure using DOCTYPE, html, head, and body tags. We add a page title and a main heading called “Weekly Grocery Checklist” to clearly show the purpose of the page. Then, we use an ordered list to display high-priority items like rice, milk, vegetables, and cooking oil because these items are important and should be bought first in a specific order. After that, we use an unordered list to show optional items like snacks, ice cream, and soft drinks since their order is not important. We also use an HTML attribute like title to add extra information. The final result is a simple, well-organized webpage that clearly separates essential and non-essential grocery items.

Problem 4: Employee Onboarding Page (Level-2)

Scenario

A company wants a **basic onboarding page** for new employees that HR can later style using CSS.

Requirements

Use Semantic HTML:

- <header> → Company name & welcome message
- <section> → Employee details
- <article> → Company policies

- <footer> → Contact information

Content Structure

1. Employee Information (Table)

- Employee ID
- Name
- Department
- Joining Date

2. Company Policies (Ordered List)

- Working hours
- Leave policy
- Code of conduct

3. Facilities Provided (Unordered List)

- Laptop
- Internet access
- Training materials



Technical Constraints

- Use **semantic tags only** (no <div> for layout)
- Add **meaningful attributes** (title, lang, etc.)
- Proper indentation & readability



Learning Outcome

Learners should be able to:

- Explain **why semantic HTML matters**
- Differentiate between structural and non-structural tags
- Build readable, SEO-friendly HTML

code

```
<!DOCTYPE html>
```

```
<html lang="en">

<head>

  <meta charset="UTF-8">

  <title>Employee Onboarding Page</title>

</head>

<body>


  <header>

    <h1>ARAVIND Technologies</h1>

    <p>Welcome to our company! We are excited to have you onboard.</p>

  </header>


  <main>


    <section>

      <h2>Employee Information</h2>


      <table border="1" title="Employee Details Table">

        <tr>

          <th>Employee ID</th>

          <th>Name</th>

          <th>Department</th>

          <th>Joining Date</th>

        </tr>

        <tr>

          <td>EMP_1</td>

          <td>Aravind</td>

          <td>IT</td>
```

```
<td>16-Feb-2026</td>

</tr>

</table>

</section>

<hr>

<article>

  <h2>Company Policies</h2>

  <ol>

    <li>Working hours</li>

    <li>Leave policy</li>

    <li>Code of conduct</li>

  </ol>

</article>

<hr>

<section>

  <h2>Facilities Provided</h2>

  <ul>

    <li>Laptop</li>

    <li>Internet access</li>

    <li>Training materials</li>

  </ul>

</section>

</main>

<footer>

  <p>Contact HR: hr@aravindtech.com</p>

  <p>Phone: +91-9876543210</p>
```

</footer>

</body>

</html>

output

ARAVIND Technologies

Welcome to our company! We are excited to have you onboard.

Employee Information

Employee ID	Name	Department	Joining Date
EMP_1	Aravind	IT	16-Feb-2026

Company Policies

1. Working hours
2. Leave policy
3. Code of conduct

Facilities Provided

- Laptop
- Internet access
- Training materials

Contact HR: hr@aravindtech.com

Phone: +91-9876543210

explanation

This problem checks whether the learner understands how to use semantic HTML to build a structured and meaningful webpage. In this task, we create a proper HTML structure and use semantic tags like <header>, <section>, <article>, and <footer>

instead of using <div>. The <header> is used to display the company name and welcome message. The <section> is used to show employee details in a table format with employee ID, name, department, and joining date. The <article> is used to display company policies in an ordered list because the rules follow a logical order. Another <section> is used to list facilities provided to employees using an unordered list since the order is not important. The <footer> contains contact information for HR. Using semantic HTML makes the webpage more structured, readable, and SEO-friendly, and it clearly defines the purpose of each part of the page.

Problem 5: College Department Information Page (Level-2)

Scenario

A college wants to create a **basic informational webpage** for one of its departments (e.g., Computer Science, Information Technology).

The page will be used by **students and parents** to understand faculty details, subjects offered, and the weekly timetable before the site is enhanced with CSS and backend features.

Requirements

Create an HTML webpage that includes the following sections:

1. Header

- Department Name
- College Name

2. Section 1: Faculty Details

- Display faculty information in a **table** with columns:
 - Faculty Name
 - Designation
 - Subject Handled

3. Section 2: Subjects Offered

- Display the list of subjects using an **unordered list**

4. Section 3: Weekly Timetable

- Display timetable details in a **table** with columns:
 - Day

- Subject
- Time Slot

5. Footer

- College address
- Contact information

Technical Constraints

- Use proper **HTML document structure**:
 - `<!DOCTYPE html>`
 - `<html>`, `<head>`, `<body>`
- Use **semantic HTML elements**:
 - `<header>`, `<section>`, `<footer>`
- Use:
 - `<table>`, `<tr>`, `<th>`, `<td>`
 - `<ul>` and `<li>`
- Add meaningful **HTML attributes** such as `lang` or `title`
- Avoid CSS and JavaScript (HTML only)

Learning Outcome

You will be able to:

- Build real-world HTML pages with structured content
- Understand how semantic HTML improves readability and maintenance
- Organize information logically using tables and lists
- Prepare HTML content that is ready for CSS styling and backend integration

Code

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>Computer Science Department - Aravind College</title>
```

```
</head>
```

```
<body>
```

```
<header>
```

```
<h1>Department of Computer Science</h1>
```

```
<h2>Aravind College of Engineering</h2>
```

```
</header>
```

```
<section>
```

```
<h2>Faculty Details</h2>
```

```
<table border="1" title="Faculty Information Table">
```

```
<tr>
```

```
<th>Faculty Name</th>
```

```
<th>Designation</th>
```

```
<th>Subject Handled</th>
```

```
</tr>
```

```
<tr>
```

```
<td>Dr. Arun Kumar</td>
```

```
<td>Professor</td>
```

```
<td>Data Structures</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Ms. Aravind</td>
```

```
<td>Assistant Professor</td>
```

```
<td>Database Management Systems</td>
```

```

</tr>

<tr>

    <td>Mr. Rama Rao</td>

    <td>Associate Professor</td>

    <td>Operating Systems</td>

</tr>

</table>

</section>

<section>

    <h2>Subjects Offered</h2>

    <ul>

        <li>Data Structures</li>

        <li>Database Management Systems</li>

        <li>Operating Systems</li>

        <li>Computer Networks</li>

        <li>Software Engineering</li>

    </ul>

</section>

<section>

    <h2>Weekly Timetable</h2>

    <table border="1" title="Weekly Timetable">

        <tr>

            <th>Day</th>

```

<th>Subject</th>
<th>Time Slot</th>
</tr>
<tr>
<td>Monday</td>
<td>Data Structures</td>
<td>9:00 AM - 10:30 AM</td>
</tr>
<tr>
<td>Tuesday</td>
<td>DBMS</td>
<td>10:45 AM - 12:15 PM</td>
</tr>
<tr>
<td>Wednesday</td>
<td>Operating Systems</td>
<td>1:00 PM - 2:30 PM</td>
</tr>
<tr>
<td>Thursday</td>
<td>Computer Networks</td>
<td>9:00 AM - 10:30 AM</td>
</tr>
<tr>
<td>Friday</td>
<td>Software Engineering</td>
<td>11:00 AM - 12:30 PM</td>
</tr>

```
</table>

</section>


<footer>

    <h3>Contact Information</h3>

    <p>Aravind College of Engineering</p>

    <p>Hyderabad, Telangana, India</p>

    <p>Email: info@aravindcollege.edu</p>

    <p>Phone: +91 98765 43210</p>

</footer>j

</body>

</html>
```

output

Department of Computer Science

Aravind College of Engineering

Faculty Details

Faculty Name	Designation	Subject Handled
Dr. Arun Kumar	Professor	Data Structures
Ms. Aravind	Assistant Professor	Database Management Systems
Mr. Rama Rao	Associate Professor	Operating Systems

Subjects Offered

- Data Structures
- Database Management Systems
- Operating Systems

- Computer Networks
- Software Engineering

Weekly Timetable

Day	Subject	Time Slot
Monday	Data Structures	9:00 AM - 10:30 AM
Tuesday	DBMS	10:45 AM - 12:15 PM
Wednesday	Operating Systems	1:00 PM - 2:30 PM
Thursday	Computer Networks	9:00 AM - 10:30 AM
Friday	Software Engineering	11:00 AM - 12:30 PM

Contact Information

Aravind College of Engineering

Hyderabad, Telangana, India

Email: info@aravindcollege.edu

Phone: +91 98765 43210;

Explanation

This problem checks whether the learner can build a real-world college department webpage using proper HTML structure and semantic elements. In this task, we create a complete HTML document with DOCTYPE, html, head, and body tags. The <header> section displays the department name and college name clearly at the top of the page. Then, we use separate <section> elements to organize different types of information. Faculty details are shown in a table using <table>, <tr>, <th>, and <td> so that the data is arranged in rows and columns. The subjects offered are displayed using an unordered list because the order of subjects is not important. The weekly timetable is also shown in a table to clearly present the day, subject, and time slot in a structured format. Finally, the <footer> section contains the college address and contact information. Using semantic HTML makes the page well-organized, easy to read, and ready for future CSS styling and backend development.