Android ABD - Commands

Monday, 20 November 2023 7:55 AM

Basic Commands

adb devices Lists connected devices

adb devices -l Lists connected devices and kind

adb root Restarts abd with root permissions

adb start-server Starts the adb server

adb kill-server Kills the adb server

adb remount Remounts file system with read/write access

adb reboot Reboots the device

adb reboot bootloader Reboots the device into fastboot

adb disable-verity Reboots the device into fastboot

Log

adb logcat Starts printing log messages to stdout

adb logcat -g Displays current log buffer sizes

adb logcat -G <size> Sets the buffer size (K or M)

adb logcat -c Clears the log buffers

adb logcat *:V Enables ALL log messages (verbose)

adb logcat -f <filename> Dumps to specified file

Shell Cmd

adb shell <command> Runs the specified command on device (most unix

adb shell wm size Displays the current screen resolution

adb shell wm size WxH Sets the resolution to WxH

adb shell pm list packages Lists all installed packages

adb shell pm list packages -3 Lists all installed 3rd-party packages



adb shell monkey -p app.package.name Starts the specified packag

Install APP

adb install path_to_apk
adb push example.apk /mnt/sdcard/Download/ Push a file to Download folder of the Andro
adb shell pm list packages -f Lists all the installed packages and get the full paths

adb pull /mnt/sdcard/Download/example.apk Pulls a file from android device adb shell install example.apk. Install apk from host to andorid device

adb shell install /mnt/sdcard/Download/example.apk install apk from Android device storage



æ