

Spring Initializr

start.spring.io

Ask Gemini

spring initializr

Project

☐ Gradle - Groovy

☐ Gradle - Kotlin

☒ Java

☐ Kotlin

☐ Groovy

☒ Maven

Spring Boot

☐ 4.1.1 (SNAPSHOT)

☒ 4.1.0

☐ 4.0.8 (SNAPSHOT)

☐ 4.0.7

Project Metadata

Group

com.cognizant

Artifact

account

Package name

com.cognizant.account

Packaging

☒ Jar

☐ War

Configuration

☒ Properties

☐ YAML

Java

☐ 26

☐ 25

☐ 21

☒ 17

Dependencies

ADD DEPENDENCIES... CTRL + B

Spring Web

WEB

Build web, including RESTful, applications using Spring MVC. Uses Apache Tomcat as the default embedded container.

Spring Boot DevTools

DEVELOPER TOOLS

Provides fast application restarts, LiveReload, and configurations for enhanced development experience.


GENERATE


CTRL + ↵

EXPLORE

CTRL + SPACE

...





Maven Projects

Select Maven projects

Root Directory: C:\Users\aravi\OneDrive\Desktop\DN\Week 4\New folder\account

Browse...

Projects:

☒ /pom.xml com.cognizant:account:0.0.1-SNAPSHOT:jar

Select All

Deselect All

Select Tree

Deselect Tree

Refresh

☐ Add project(s) to working set

account

► Advanced




< Back

Next >

Finish

Cancel

- ▼  account
 - ▼  src/main/java
 - ▼  com.cognizant.account
 - >  AccountApplication.java
 - ▼  src/main/resources
 -  static
 -  templates
 -  application.properties
 - ▼  src/test/java
 - ▼  com.cognizant.account
 - >  AccountApplicationTests.java
 - >  JRE System Library [JavaSE-17]
 - >  Maven Dependencies
 - ▼  src
 -  main
 -  test
 -  target
 -  HELP.md
 -  mvnw
 -  mvnw.cmd
 -  pom.xml



Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

account/src/main/java

Browse...

Name:

com.cognizant.account.model


☒ Create package-info.java

☐ Generate comments (configure templates and default value [here](#))



Finish

Cancel



Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

account/src/main/java

Browse...

Name:

com.cognizant.account.controller

☒ Create package-info.java

☐ Generate comments (configure templates and default value [here](#))



Finish

Cancel

New Java Class

Java Class

 The file extension '.java' will not be part of the type name.



Source folder:

Package:

☐ Enclosing type:

Name:

Modifiers: ☒ public ☐ package ☐ private ☐ protected

☐ abstract ☐ final ☐ static

☒ none ☐ sealed ☐ non-sealed ☐ final

Superclass:

Interfaces:

Which method stubs would you like to create?

☐ public static void main(String[] args)

☐ Constructors from superclass

☒ Inherited abstract methods

Do you want to add comments? (Configure templates and default value [here](#))

☐ Generate comments



Eclipse IDE workspace showing a Java project named 'account' with the following structure:

- account
 - src/main/java
 - com.cognizant.account
 - AccountApplication.java
 - com.cognizant.account.controller
 - AccountController.java
 - package-info.java
 - com.cognizant.account.model
 - Account.java
 - package-info.java
 - src/main/resources
 - static
 - templates
 - application.properties
 - src/test/java
 - com.cognizant.account
 - AccountApplicationTests.java
 - JRE System Library [JavaSE-17]
 - Maven Dependencies
 - src
 - main
 - test
 - target
 - HELP.md
 - mvnw
 - mvnw.cmd
 - pom.xml

The 'AccountController.java' file is open, showing the following code:

```
1 package com.cognizant.account.controller;
2
3 import org.springframework.web.bind.annotation.GetMapping;
4 import org.springframework.web.bind.annotation.PathVariable;
5 import org.springframework.web.bind.annotation.RestController;
6
7 import com.cognizant.account.model.Account;
8
9 @RestController
10 public class AccountController {
11
12     @GetMapping("/accounts/{number}")
13     public Account getAccount(@PathVariable String number) {
14
15         return new Account(number, "savings", 234343);
16     }
17 }
```

The 'Problems' view at the bottom shows 0 errors, 5 warnings, and 0 others. The warnings are listed in the table below:

Description	Resource	Path	Location	Type
> ⚠ Warnings (5 items)				

Writable | Smart Insert | 17:2:500

eclipse-workspace - account/src/main/java/com/cognizant/account/controller/AccountController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- account
 - src/main/java
 - com.cognizant.account
 - AccountApplication.java
 - com.cognizant.account.controller
 - AccountController.java
 - package-info.java
 - com.cognizant.account.model
 - Account.java
 - package-info.java
 - src/main/resources
 - static
 - templates
 - application.properties
 - src/test/java
 - com.cognizant.account
 - AccountApplicationTests.java
 - JRE System Library [JavaSE-17]
 - Maven Dependencies
 - src
 - main
 - test
 - target
 - HELP.md
 - mvnw
 - mvnw.cmd
 - pom.xml
 - chitti.com
 - Difference-Between-JPA-Hibernate-SpringDataJPA
 - E04_EN [E04, 100, CB9980009987, EN]
 - ECommerceSearchFunction
 - Exercise1_JUnit
 - Exercise1_LoggingFramework
 - Exercise1_MockingAndStubbing
 - Exercise3_Assertions
 - Exercise4_AAA_Pattern
 - Exercise-4-MavenConfiguration
 - FactoryMethodPatternExample
 - FinancialForecasting
 - JavaKing
 - LibraryManagement
 - QuizLeaderboardTask
 - SingletonPatternExample
 - Spring-Data-JPA-Quick-Example
 - spring-learn
 - spring-learn-2
 - spring-learn-3
 - spring-learn-4
 - spring-learn-5
 - spring-learn-6

spring-learn... package-inf... HelloControl... application.... application.... spring-learn... package-inf... Account.java package-inf... AccountCont...

```
1 package com.cognizant.account.controller;
2
3 import org.springframework.web.bind.annotation.GetMapping;
4 import org.springframework.web.bind.annotation.PathVariable;
5 import org.springframework.web.bind.annotation.RestController;
6
7 import com.cognizant.account.model.Account;
8
9 @RestController
10 public class AccountController {
11
12     @GetMapping("/accounts/{number}")
13     public Account getAccount(@PathVariable String number) {
14
15         return new Account(number, "savings", 234343);
16     }
17 }
```

Problems Javadoc Declaration Console

AccountApplication [Java Application] C:\Program Files\Java\jdk-17\bin\javaw.exe (16 Jul 2026, 8:54:53 pm elapsed 0:00:10) [pid: 22916]

Spring Boot (v4.1.0)

```
:: Spring Boot :: (v4.1.0)

2026-07-16T20:54:55.643+05:30 INFO 22916 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : Starting AccountApplication using Java 17.0.12 with PID 22916 (C:\Users\aravi\OneDr
2026-07-16T20:54:55.654+05:30 INFO 22916 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : No active profile set, falling back to 1 default profile: "default"
2026-07-16T20:54:55.778+05:30 INFO 22916 --- [account] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : Devtools property defaults active! Set 'spring.devtools.add-properties' to 'false'
2026-07-16T20:54:55.779+05:30 INFO 22916 --- [account] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For additional web related logging consider setting the 'logging.level.web' propert
2026-07-16T20:54:57.167+05:30 INFO 22916 --- [account] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8080 (http)
2026-07-16T20:54:57.190+05:30 INFO 22916 --- [account] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-07-16T20:54:57.191+05:30 INFO 22916 --- [account] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0.22]
2026-07-16T20:54:57.263+05:30 INFO 22916 --- [account] [ restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization completed in 1481 ms
2026-07-16T20:54:58.019+05:30 INFO 22916 --- [account] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'
2026-07-16T20:54:58.036+05:30 INFO 22916 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : Started AccountApplication in 3.039 seconds (process running for 3.764)
```

com.cognizant.account.AccountApplication.java - account/src/main/java

eclipse-workspace - account/src/main/java/com/cognizant/account/controller/AccountController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- account
 - src/main/java
 - com.cognizant.account
 - AccountApplication.java
 - com.cognizant.account.controller
 - AccountController.java
 - package-info.java
 - com.cognizant.account.model
 - Account.java
 - package-info.java
 - src/main/resources
 - static
 - templates
 - application.properties
 - src/test/java
 - com.cognizant.account
 - AccountApplicationTests.java
 - JRE System Library [JavaSE-17]
 - Maven Dependencies
 - src
 - main
 - test
 - target
 - HELP.md
 - mvnw
 - mvnw.cmd
 - pom.xml
 - chitti.com
 - Difference-Between-JPA-Hibernate-SpringDataJPA
 - E04_EN [E04, 100, CB9980009987, EN]
 - ECommerceSearchFunction
 - Exercise1_JUnit
 - Exercise1_LoggingFramework
 - Exercise1_MockingAndStubbing
 - Exercise3_Assertions
 - Exercise4_AAA_Pattern
 - Exercise-4-MavenConfiguration
 - FactoryMethodPatternExample
 - FinancialForecasting
 - JavaKing
 - LibraryManagement
 - QuizLeaderboardTask
 - SingletonPatternExample
 - Spring-Data-JPA-Quick-Example
 - spring-learn
 - spring-learn-2
 - spring-learn-3
 - spring-learn-4
 - spring-learn-5
 - spring-learn-6

spring-learn-2

```
1 package com.cognizant.account.controller;
2
3 import org.springframework.web.bind.annotation.GetMapping;
4 import org.springframework.web.bind.annotation.PathVariable;
5 import org.springframework.web.bind.annotation.RestController;
6
7 import com.cognizant.account.model.Account;
8
9 @RestController
10 public class AccountController {
11
12     @GetMapping("/accounts/{number}")
13     public Account getAccount(@PathVariable String number) {
14
15         return new Account(number, "savings", 234343);
16     }
17 }
```

localhost:8080/accounts/00987

localhost:8080/accounts/00987987973432

Pretty-print

```
{
  "number": "00987987973432",
  "type": "savings",
  "balance": 234343
}
```

Problems Javadoc Declaration Console

AccountApplication [Java Application] C:\Program Files\Java\jdk-17\bin\javaw.exe (16 Jul 2026)

```

  ____  _
 / ___|| | | |
| |___| |_| |
 \___ \|  _/
      |_|_|

:: Spring Boot ::      (v4.1.0)

2026-07-16T20:54:55.643+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:55.654+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:55.778+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:55.779+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:57.167+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:57.190+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:57.191+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:57.263+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:58.019+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:54:58.036+05:30 INFO 22916 --- [account] [ restartedMain
2026-07-16T20:55:20.862+05:30 INFO 22916 --- [account] [ nio-8080-exec-1
2026-07-16T20:55:20.863+05:30 INFO 22916 --- [account] [ nio-8080-exec-1
2026-07-16T20:55:20.866+05:30 INFO 22916 --- [account] [ nio-8080-exec-1

o.s.web.servlet.DispatcherServlet : Completed initialization in 2 ms
```

com.cognizant.account.AccountApplication.java - account/src/main/java

Spring Initializr

start.spring.io

Ask Gemini

spring initializr

Project

☐ Gradle - Groovy

☐ Gradle - Kotlin

☒ Java

☐ Kotlin

☐ Groovy

☒ Maven

Spring Boot

☐ 4.1.1 (SNAPSHOT)

☒ 4.1.0

☐ 4.0.8 (SNAPSHOT)

☐ 4.0.7

Project Metadata

Group

com.cognizant

Artifact

loan

Package name

com.cognizant.loan

Packaging

☒ Jar

☐ War

Configuration

☒ Properties

☐ YAML

Java

☐ 26

☐ 25

☐ 21

☒ 17

Dependencies

ADD DEPENDENCIES... CTRL + B

Spring Web

WEB

Build web, including RESTful, applications using Spring MVC. Uses Apache Tomcat as the default embedded container.

Spring Boot DevTools

DEVELOPER TOOLS

Provides fast application restarts, LiveReload, and configurations for enhanced development experience.

GENERATE

CTRL + ↵

EXPLORE

CTRL + SPACE

...

eclipse-workspace - account/src/main/java/com/cognizant/account/controller/AccountController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

New Alt+Shift+N >
Open File...
Open Projects from File System...
Recent Files >
Close Editor Ctrl+W
Close All Editors Ctrl+Shift+W
Save Ctrl+S
Save As...
Save All Ctrl+Shift+S
Revert
Move...
Rename...
Refresh F5
Convert Line Delimiters To >
Print... Ctrl+P
Import...
Export... Import
Properties Alt+Enter
Switch Workspace >
Restart
Exit

spring-learn... package-inf... HelloControl... application.... application.... spring-learn... package-inf... Account.java package-inf... AccountCont...

```
1 package com.cognizant.account.controller;  
2  
3 import org.springframework.web.bind.annotation.GetMapping;  
4 import org.springframework.web.bind.annotation.PathVariable;  
5 import org.springframework.web.bind.annotation.RestController;  
6  
7 import com.cognizant.account.model.Account;  
8  
9 @RestController  
10 public class AccountController {  
11  
12     @GetMapping("/accounts/{number}")  
13     public Account getAccount(@PathVariable String number) {  
14  
15         return new Account(number, "savings", 234343);  
16     }  
17 }
```

Problems Javadoc Declaration Console

AccountApplication [Java Application] C:\Program Files\Java\jdk-17\bin\javaw.exe (16 Jul 2026, 8:54:53 pm elapsed 0:05:00) [pid: 22916]

Spring Boot (v4.1.0)

```
2026-07-16T20:54:55.643+05:30 INFO 22916 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : Starting AccountApplication using Java 17.0.12 with PID 22916 (C:\Users\aravi\OneDr  
2026-07-16T20:54:55.654+05:30 INFO 22916 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : No active profile set, falling back to 1 default profile: "default"  
2026-07-16T20:54:55.778+05:30 INFO 22916 --- [account] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : Devtools property defaults active! Set 'spring.devtools.add-properties' to 'false'  
2026-07-16T20:54:55.779+05:30 INFO 22916 --- [account] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For additional web related logging consider setting the 'logging.level.web' propert  
2026-07-16T20:54:57.167+05:30 INFO 22916 --- [account] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8080 (http)  
2026-07-16T20:54:57.190+05:30 INFO 22916 --- [account] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]  
2026-07-16T20:54:57.191+05:30 INFO 22916 --- [account] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0.22]  
2026-07-16T20:54:57.263+05:30 INFO 22916 --- [account] [ restartedMain] b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization completed in 1481 ms  
2026-07-16T20:54:58.019+05:30 INFO 22916 --- [account] [ restartedMain] o.s.boot.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'  
2026-07-16T20:54:58.036+05:30 INFO 22916 --- [account] [ restartedMain] c.cognizant.account.AccountApplication : Started AccountApplication in 3.039 seconds (process running for 3.764)  
2026-07-16T20:55:20.862+05:30 INFO 22916 --- [account] [nio-8080-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring DispatcherServlet 'dispatcherServlet'  
2026-07-16T20:55:20.863+05:30 INFO 22916 --- [account] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'  
2026-07-16T20:55:20.866+05:30 INFO 22916 --- [account] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 2 ms
```

com.cognizant.account.AccountApplication.java - account/src/main/java

Select

Import existing Maven projects



Select an import wizard:

type filter text

- > Gradle
- > Install
- ▼ Maven
 - Check out Maven Projects from SCM
 - Existing Maven Projects
 - Install or deploy an artifact to a Maven repository
 - Materialize Maven Binary Project
 - Materialize Maven Projects from SCM
- > Oomph
- > Run/Debug
- > Tasks
- > Team
- > TextMate
- > XML




< Back

Next >

Finish

Cancel



- ▼  loan
 - ▼  src/main/java
 - ▼  com.cognizant.loan
 - >  LoanApplication.java
 - ▼  src/main/resources
 -  static
 -  templates
 -  application.properties
 - ▼  src/test/java
 - ▼  com.cognizant.loan
 - >  LoanApplicationTests.java
 - >  JRE System Library [JavaSE-17]
 - >  Maven Dependencies
 - ▼  src
 -  main
 -  test
 -  target
 -  HELP.md
 -  mvnw
 -  mvnw.cmd
 - pom.xml

Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

loan/src/main/java

Browse...

Name:

com.cognizant.loan.model

☒ Create package-info.java

☐ Generate comments (configure templates and default value [here](#))



Finish

Cancel

New Java Class

Java Class

Create a new Java class.



Source folder:

Package:

☐ Enclosing type:

Name:

Modifiers: ☒ public ☐ package ☐ private ☐ protected

☐ abstract ☐ final ☐ static

☒ none ☐ sealed ☐ non-sealed ☐ final

Superclass:

Interfaces:

Which method stubs would you like to create?

☐ public static void main(String[] args)

☐ Constructors from superclass

☒ Inherited abstract methods

Do you want to add comments? (Configure templates and default value [here](#))

☐ Generate comments



Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

loan/src/main/java

Browse...

Name:

com.cognizant.loan.controller

☒ Create package-info.java

☐ Generate comments (configure templates and default value [here](#))



Finish

Cancel

Create New File


File

Create a new file resource.



Enter or select the parent folder:

loan/src/main/java/com/cognizant/loan/controller




File name:


Advanced >>




Finish

Cancel







eclipse-workspace - loan/src/main/resources/application.properties - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- main
- test
- target

spring-learn... package-inf... Account.java package-inf... AccountCont... package-inf... Loan.java package-inf... LoanControll... application....

```
1 spring.application.name=loan
2 server.port=8081
```

localhost:8080/accounts/00987987973432

Ask Gemini

Pretty-print

```
{
  "number": "00987987973432",
  "type": "savings",
  "balance": 234343
}
```

localhost:8081/loans/H00987987972342

Ask Gemini

Pretty-print

```
{
  "number": "H00987987972342",
  "type": "car",
  "loan": 400000,
  "emi": 3258,
  "tenure": 18
}
```

QuizLeaderboardTask
SingletonPatternExample
Coding Data JPA Quiz Example

com.cognizant.loan.LoanApplication.java - loan/src/main/java