

Spring Initializr

start.spring.io

Ask Gemini

spring initializr

Project

☐ Gradle - Groovy

☐ Gradle - Kotlin

☒ Java

☐ Kotlin

☐ Groovy

☒ Maven

Spring Boot

☐ 4.1.1 (SNAPSHOT)

☒ 4.1.0

☐ 4.0.8 (SNAPSHOT)

☐ 4.0.7

Project Metadata

Group

com.cognizant

Artifact

spring-learn-5

Package name

com.cognizant.spring-learn-5

Packaging

☒ Jar

☐ War

Configuration

☒ Properties

☐ YAML

Java

☐ 26

☐ 25

☐ 21

☒ 17

Dependencies

ADD DEPENDENCIES... CTRL + B

Spring Web

WEB

Build web, including RESTful, applications using Spring MVC. Uses Apache Tomcat as the default embedded container.

Spring Boot DevTools

DEVELOPER TOOLS

Provides fast application restarts, LiveReload, and configurations for enhanced development experience.


GENERATE

CTRL + ↵

EXPLORE

CTRL + SPACE

...



Select

Import existing Maven projects



Select an import wizard:

type filter text

- > Gradle
- > Install
- ▼ Maven
 - Check out Maven Projects from SCM
 - Existing Maven Projects
 - Install or deploy an artifact to a Maven repository
 - Materialize Maven Binary Project
 - Materialize Maven Projects from SCM
- > Oomph
- > Run/Debug
- > Tasks
- > Team
- > TextMate
- > XML




< Back

Next >

Finish

Cancel



Maven Projects

Select Maven projects

Root Directory: C:\Users\aravi\OneDrive\Desktop\DN\Week 3\New folder\spring-learn-5

Browse...

Projects:

☒ /pom.xml com.cognizant:spring-learn-5:0.0.1-SNAPSHOT:jar

Select All

Deselect All

Select Tree

Deselect Tree

Refresh

☐ Add project(s) to working set

spring-learn-5

▶ Advanced





< Back

Next >

Finish

Cancel

- ▼  spring-learn-5
 - >  src/main/java
 - >  src/main/resources
 - >  src/test/java
 - >  JRE System Library [JavaSE-17]
 - >  Maven Dependencies
 - >  src
 -  target
 -  HELP.md
 -  mvnw
 -  mvnw.cmd
 -  pom.xml



FileEditNavigateSearchProjectRunWindowHelp

Package Explorer

chitti.com

Difference-Between-JPA-Hibernate-SpringData/JPA

E04_EN [E04, 100, CB9980009987, EN]

ECommerceSearchFunction

Exercise1_JUnit

Exercise1_LoggingFramework

Exercise1_MockingAndStubbing

Exercise3_Assertions

Exercise4_AAA_Pattern

Exercise-4-MavenConfiguration

FactoryMethodPatternExample

FinancialForecasting

JavaKing

LibraryManagement

Quiz2LeaderboardTask

SingletonPatternExample

Spring-Data-JPA-Quick-Example

spring-learn

spring-learn-2

spring-learn-3

spring-learn-4

spring-learn-5

src/main/java

com.cognizant.spring_learn_5

SpringLearn5Application.java

SpringLearn5Application

main(String[]) : void

src/main/resources

static

templates

application.properties

src/test/java

com.cognizant.spring_learn_5

SpringLearn5ApplicationTests.java

JRE System Library [JavaSE-17]

Maven Dependencies

src

main

test

target

HELP.md

mvnw

mvnw.cmd

pom.xml

spring-learn-5

package-inf...

HelloControl...

application....

application....

package-inf...

package-inf...

package-inf...

CountryCont...

application....

1 spring.application.name=spring-learn-5

2 server.port=8083

Problems

Javadoc

Declaration

Console


0 errors, 5 warnings, 0 others

Description	Resource	Path	Location	Type
> ⚠ Warnings (5 items)				

Writable

Insert

2 : 17 : 55



Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

spring-learn-5/src/main/java

Browse...

Name:

com.cognizant.spring_learn_5.model

☒ Create package-info.java

☐ Generate comments (configure templates and default value [here](#))



Finish

Cancel

Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

spring-learn-5/src/main/java

Browse...

Name:

com.cognizant.spring_learn_5.service

☒ Create package-info.java

☐ Generate comments (configure templates and default value [here](#))



Finish

Cancel

Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

spring-learn-5/src/main/java

Browse...

Name:

com.cognizant.spring_learn_5.controller


☒ Create package-info.java


☐ Generate comments (configure templates and default value [here](#))





Finish

Cancel









eclipse-workspace - spring-learn-5/src/main/java/com/cognizant/spring_learn_5/service/CountryService.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- chitti.com
 - Difference-Between-JPA-Hibernate-SpringData/JPA
 - E04_EN [E04, 100, CB9980009987, EN]
 - ECommerceSearchFunction
 - Exercise1_JUnit
 - Exercise1_LoggingFramework
 - Exercise1_MockingAndStubbing
 - Exercise3_Assertions
 - Exercise4_AAA_Pattern
 - Exercise-4-MavenConfiguration
 - FactoryMethodPatternExample
 - FinancialForecasting
 - JavaKing
 - LibraryManagement
 - QuizLeaderboardTask
 - SingletonPatternExample
 - Spring-Data-JPA-Quick-Example
 - spring-learn
 - spring-learn-2
 - spring-learn-3
 - spring-learn-4
 - spring-learn-5
 - src/main/java
 - com.cognizant.spring_learn_5
 - SpringLearn5Application.java
 - SpringLearn5Application
 - main(String[]) : void
 - com.cognizant.spring_learn_5.controller
 - package-info.java
 - com.cognizant.spring_learn_5.model
 - Country.java
 - package-info.java
 - com.cognizant.spring_learn_5.service
 - CountryService.java
 - package-info.java
 - src/main/resources
 - static
 - templates
 - application.properties
 - country.xml
 - src/test/java
 - com.cognizant.spring_learn_5
 - SpringLearn5ApplicationTests.java
 - JRE System Library [JavaSE-17]
 - Maven Dependencies

spring-learn-5/src/main/java/com/cognizant/spring_learn_5/service/CountryService.java


```
1 package com.cognizant.spring_learn_5.service;
2
3 import java.util.List;
4
5 import org.springframework.context.ApplicationContext;
6 import org.springframework.context.support.ClassPathXmlApplicationContext;
7 import org.springframework.stereotype.Service;
8
9 import com.cognizant.spring_learn_5.model.Country;
10
11 @Service
12 public class CountryService {
13
14     @SuppressWarnings("unchecked")
15     public Country getCountry(String code) {
16
17         ApplicationContext context =
18             new ClassPathXmlApplicationContext("country.xml");
19
20         List<Country> countryList =
21             (List<Country>) context.getBean("countryList");
22
23         for (Country country : countryList) {
24
25             if (country.getCode().equalsIgnoreCase(code)) {
26                 return country;
27             }
28
29         }
30
31         return null;
32     }
33 }
```

Problems Javadoc Declaration Console

0 errors, 6 warnings, 0 others

Description	Resource	Path	Location	Type
Warnings (6 items)				

Writable Smart Insert 32 : 2 : 851



Create New File

File

Create a new file resource.



Enter or select the parent folder:

spring-learn-5/src/main/java/com/cognizant/spring_learn_5/controller



- ▼ src
 - ▼ main
 - ▼ java
 - ▼ com
 - ▼ cognizant
 - ▼ spring_learn_5
 - controller
 - model
 - service
 - > resources
 - > test
 - > target

File name: CountryController.java

Advanced >>



Finish

Cancel

FileEditSourceRefactorNavigateSearchProjectRunWindowHelp

Package Explorer

chitti.com

Difference-Between-JPA-Hibernate-SpringData/JPA

E04_EN [E04_100_CB9980009987_EN]

ECommerceSearchFunction

Exercise1_JUnit

Exercise1_LoggingFramework

Exercise1_MockingAndStubbing

Exercise3_Assertions

Exercise4_AAA_Pattern

Exercise-4-MavenConfiguration

FactoryMethodPatternExample

FinancialForecasting

JavaKing

LibraryManagement

QuizLeaderboardTask

SingletonPatternExample

Spring-Data-JPA-Quick-Example

spring-learn

spring-learn-2

spring-learn-3

spring-learn-4

spring-learn-5

src/main/java

com.cognizant.spring_learn_5

SpringLearn5Application.java

SpringLearn5Application

main(String[]): void

com.cognizant.spring_learn_5

CountryController.java

package-info.java

com.cognizant.spring_learn_5

Country.java

package-info.java

com.cognizant.spring_learn_5

CountryService.java

package-info.java

src/main/resources

static

templates

application.properties

country.xml

src/test/java

com.cognizant.spring_learn_5

SpringLearn5ApplicationTest

JRE System Library [JavaSE-17]

Maven Dependencies

src

main

test

target

com.cognizant.spring_learn_5.SpringLearn5

spring-learn-5

CountryCont...

application...

package-inf...

package-inf...

package-inf...

Country.java

country.xml

CountryServi...

CountryCont...

1 package com.cognizant.spring_learn_5.controller;

2

3 import org.springframework.beans.factory.annotation.Autowired;

4 import org.springframework.web.bind.annotation.GetMapping;

5 import org.springframework.web.bind.annotation.PathVariable;

6 import org.springframework.web.bind.annotation.RestController;

com.cognizant.spring_learn_5.model.Country;

com.cognizant.spring_learn_5.service.CountryService;

controller

class CountryController {

@Autowired

private CountryService countryService;

@GetMapping("/countries/{code}")

public Country getCountry(@PathVariable String code) {

return countryService.getCountry(code);

}

1 Java Application Alt+Shift+X, J

2 Maven build...

3 Maven clean

4 Maven generate-sources

5 Maven install

6 Maven test

7 Maven verify

Run Configurations...

Path	Location	Type
------	----------	------

