

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

App.css react8/src

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

node_modules

public

src

App.css

App.js

App.test.js

index.css

index.js

logo.svg

reportWebVitals.js

setupTests.js

.gitignore

package-lock.json

package.json

README.md

App.css

react8 > src > # App.css > .textGreen

39 .textRed {

40 | color: red;

41 }

42

43 .textGreen {

44 | color: green;

45 }

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react8

npm test

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react8

npm start

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react8 master

0 0 0

Ln 45, Col 2 Spaces: 2 UTF-8 LF CSS Go Live Prettier

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

react8/src

react8/src

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

node_modules

public

src

App.css

App.js

App.test.js

index.css

index.js

logo.svg

reportWebVitals.js

setupTests.js

.gitignore

package-lock.json

package.json

README.md

App.css M

JS App.js M X

react8 > src > JS App.js > default

1import React from 'react';

2import './App.css';

3

4function App() {

5// Heading element

6const element = "Office Space";

7

8// Office image URL

9const sr = "https://images.unsplash.com/photo-1497366216548-37526070297c?w=500";

10

11// JSX attribute for image display

12const jsxatt = ;

13

14// Single office object

15const ItemName = {

16Name: "DBS",

17Rent: 50000,

18Address: 'Chennai'

19};

20

21// Logic to select class based on rent threshold

22let colors = [];

23if (ItemName.Rent <= 60000) {

24colors.push('textRed');

25} else {

26colors.push('textGreen');

27}

28

29// Array of office objects to demonstrate mapping through items

30const officeList = [

31{ Name: "DBS", Rent: 50000, Address: "Chennai" },

32{ Name: "Regus", Rent: 75000, Address: "Bangalore" },

33{ Name: "WeWork", Rent: 55000, Address: "Hyderabad" }

34];

35

36return (

37<div style={{ padding: '20px' }}>

38/* Title & Image */

39<h1>{element} , at Affordable Range </h1>

40{jsxatt}

41

42/* Main Single Item Display (Matches output screenshot) */

43<h1>Name: {ItemName.Name}</h1>

44<h3 className={colors.join(' ')}>Rent: Rs. {ItemName.Rent}</h3>

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react8 master*

Ln 65, Col 20

Spaces: 2

UTF-8

LF

JavaScript

Go Live

Prettier

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

App.css react8/srcM

X JS App.js react8/srcM

WEEK 5

> react1

> react2

> react3

> react4

> react5

> react6

> react7

> react8

> node_modules

> public

> src

App.cssM

JS App.jsM

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

App.cssM

JS App.jsM X

react8 > src > JS App.js > default

4function App() {

30const officeList = [

33{ Name: "WeWork", Rent: 55000, Address: "Hyderabad" }

34];

35

36return (

37<div style={{ padding: '20px' }}>

38/* Title & Image */

39<h1>{element} , at Affordable Range </h1>

40{jsxatt}

41

42/* Main Single Item Display (Matches output screenshot) */

43<h1>Name: {ItemName.Name}</h1>

44<h3 className={colors.join(' ')}>Rent: Rs. {ItemName.Rent}</h3>

45<h3>Address: {ItemName.Address}</h3>

46

47<hr />

48

49/* Office List Loop */

50<h2>Available Office Spaces List</h2>

51{officeList.map((office, index) => {

52let rentClass = office.Rent <= 60000 ? 'textRed' : 'textGreen';

53return (

54<div key={index} style={{ marginBottom: '15px' }}>

55<h3>Name: {office.Name}</h3>

56<p className={rentClass}>Rent: Rs. {office.Rent}</p>

57<p>Address: {office.Address}</p>

58</div>

59});

60}})

61</div>

62);

63}

64

65export default App;

AZURE: ACTIVITY LOG

OUTLINE

TIMELINE

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

Ln 65, Col 20 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier

File Edit Selection View Go Run Terminal Help

Week 5

Update

EXPLORER

OPEN EDITORS

App.css react8/src M

X JS App.js react8/src M

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

node_modules

public

src

App.css M

JS App.js M

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

AZURE: ACTIVITY LOG

OUTLINE

TIMELINE

App.css M

JS App.js M X

react8 > src > JS App.js > default

4 function App() {

30 const officeList = [

33 { Name: "WeWork", Rent: 5500

34 };

35

36

37 <div style={{ padding: '20px

38 { /* Title & Image */}

39 <h1>{element} , at Afforda

40 {jsxatt}

41

42

43 { /* Main Single Item Displ

44 <h1>Name: {ItemName.Name}<

45 <h3 className={colors.join

46 <h3>Address: {ItemName.Add

47 <hr />

48

49 { /* Office List Loop */}

50 <h2>Available Office Space

51 {officeList.map((office, i

52 let rentClass = office.R

53 return (

54 <div key={index} style

55 <h3>Name: {office.Na

56 <n className={rentC

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\w

You can now view react8 in the browser.

Local: http://localhost:3000

On Your Network: http://192.168.1.6:

Note that the development build is not

To create a production build, use npm run build.

webpack compiled successfully

react8 master*

0 0 0

React App

localhost:3000



Name: DBS

Rent: Rs. 50000

Address: Chennai

Available Office Spaces List

Name: DBS

Rent: Rs. 50000

Address: Chennai

Ln 65, Col 20 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier