

Spring Initializr

start.spring.io

Ask Gemini

spring initializr

Project

☐ Gradle - Groovy

☐ Gradle - Kotlin

☒ Java

☐ Kotlin

☐ Groovy

☒ Maven

Spring Boot

☐ 4.1.1 (SNAPSHOT)

☒ 4.1.0

☐ 4.0.8 (SNAPSHOT)

☐ 4.0.7

☐ 3.5.16

Project Metadata

Group

com.cognizant

Artifact

spring-learn-4

Package name

com.cognizant.spring-learn-4

Packaging

☒ Jar

☐ War

Configuration

☒ Properties

☐ YAML

Java

☐ 26

☐ 25

☐ 21

☒ 17

Dependencies

ADD DEPENDENCIES... CTRL + B

Spring Web

WEB

Build web, including RESTful, applications using Spring MVC. Uses Apache Tomcat as the default embedded container.

Spring Boot DevTools


DEVELOPER TOOLS


Provides fast application restarts, LiveReload, and configurations for enhanced development experience.


GENERATE CTRL + G

EXPLORE CTRL + SPACE

...





- ▼  spring-learn-4
 - >  src/main/java
 - >  src/main/resources
 - >  src/test/java
 - >  JRE System Library [JavaSE-17]
 - >  Maven Dependencies
 - >  src
 -  target
 -  HELP.md
 -  mvnw
 -  mvnw.cmd
 -  pom.xml

File Edit Navigate Search Project Run Window Help

Package Explorer

chitti.com

Difference-Between-JPA-Hibernate-SpringDataJPA

E04_EN [E04, 100, CB9980009987, EN]

ECommerceSearchFunction

Exercise1_JUnit

Exercise1_LoggingFramework

Exercise1_MockingAndStubbing

Exercise3_Assertions

Exercise4_AAA_Pattern

Exercise-4-MavenConfiguration

FactoryMethodPatternExample

FinancialForecasting

JavaKing

LibraryManagement

QuizLeaderboardTask

SingletonPatternExample

Spring-Data-JPA-Quick-Example

spring-learn

spring-learn-2

spring-learn-3

spring-learn-4

src/main/java

com.cognizant.spring_learn_4

SpringLearn4Application.java

src/main/resources

static

templates

application.properties

src/test/java

JRE System Library [JavaSE-17]

Maven Dependencies

src

target

HELP.md

mvnw

mvnw.cmd

pom.xml

spring-learn/pom.xml

package-info.java

HelloController.java

application.properties

application.properties

1 spring.application.name=spring-learn-4

2 server.port=8083

Problems

Javadoc

Declaration

Console


0 errors, 5 warnings, 0 others

Description	Resource	Path	Location	Type
> ⚠ Warnings (5 items)				

Writable

Insert

2:17:55



Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

spring-learn-4/src/main/java

Browse...

Name:

com.cognizant.spring_learn_4


☒ Create package-info.java

☐ Generate comments (configure templates and default value [here](#))



Finish

Cancel



Java Package

Create a new Java package.



Creates folders corresponding to packages.

Source folder:

spring-learn-4/src/main/java

Browse...

Name:

com.cognizant.spring_learn_4.model

☒ Create package-info.java

☐ Generate comments (configure templates and default value [here](#))



Finish

Cancel

Create New File

File

Create a new file resource.



Enter or select the parent folder:

spring-learn-4/src/main/java/com/cognizant/spring_learn_4/model



- .settings
- ▼ src
 - ▼ main
 - ▼ java
 - ▼ com
 - ▼ cognizant
 - ▼ spring_learn_4
 - controller
 - model
 - > resources
 - > test
 - > target

File name: Country.java

Advanced >>



Finish

Cancel

eclipse-workspace - spring-learn-4/src/main/java/com/cognizant/spring_learn_4/model/Country.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- chitti.com
 - Difference-Between-JPA-Hibernate-SpringData/JPA
 - E04_EN [E04, 100, CB9980009987, EN]
 - ECommerceSearchFunction
 - Exercise1_JUnit
 - Exercise1_LoggingFramework
 - Exercise1_MockingAndStubbing
 - Exercise3_Assertions
 - Exercise4_AAA_Pattern
 - Exercise-4-MavenConfiguration
 - FactoryMethodPatternExample
 - FinancialForecasting
 - JavaKing
 - LibraryManagement
 - QuizLeaderboardTask
 - SingletonPatternExample
 - Spring-Data-JPA-Quick-Example
 - spring-learn
 - spring-learn-2
 - spring-learn-3
 - spring-learn-4
 - src/main/java
 - com.cognizant.spring_learn_4
 - package-info.java
 - SpringLearn4Application.java
 - com.cognizant.spring_learn_4.controller
 - package-info.java
 - com.cognizant.spring_learn_4.model
 - Country.java
 - package-info.java
 - src/main/resources
 - static
 - templates
 - application.properties
 - src/test/java
 - JRE System Library [JavaSE-17]
 - Maven Dependencies
 - src
 - target
 - HELP.md
 - mvnw
 - mvnw.cmd
 - pom.xml

spring-learn/p... package-info.ja... HelloControlle... application.pr... application.pr... package-info.ja... package-info.ja... package-info.ja... SpringLearn4A... Country.java


```
1 package com.cognizant.spring_learn_4.model;
2
3 public class Country {
4
5     private String code;
6     private String name;
7
8     public Country() {
9     }
10
11    public Country(String code, String name) {
12        this.code = code;
13        this.name = name;
14    }
15
16    public String getCode() {
17        return code;
18    }
19
20    public void setCode(String code) {
21        this.code = code;
22    }
23
24    public String getName() {
25        return name;
26    }
27
28    public void setName(String name) {
29        this.name = name;
30    }
31 }
```

Problems Javadoc Declaration Console

0 errors, 5 warnings, 0 others

Description	Resource	Path	Location	Type
> ⚠ Warnings (5 items)				

Writable Smart Insert 31 : 2 : 546



Create New File

File

Create a new file resource.



Enter or select the parent folder:

spring-learn-4/src/main/resources



- > QuizLeaderboardTask
- > SingletonPatternExample
- > spring-learn-2
- ✓ spring-learn-4
 - > .mvn
 - > .settings
 - ✓ src
 - ✓ main
 - > java
 - > resources
 - > test
 - > target


File name: country.xml


Advanced >>



Finish

Cancel





Create New File

File

Create a new file resource.



Enter or select the parent folder:

spring-learn-4/src/main/java/com/cognizant/spring_learn_4/controller



- .settings
- ▼ src
 - ▼ main
 - ▼ java
 - ▼ com
 - ▼ cognizant
 - ▼ spring_learn_4
 - controller
 - model
 - > resources
 - > test
 - > target


File name: CountryController.java


Advanced >>



Finish

Cancel





eclipse-workspace - spring-learn-4/src/main/java/com/cognizant/spring_learn_4/controller/CountryController.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- chitti.com
 - Difference-Between-JPA-Hibernate-SpringData/JPA
 - E04_EN [E04_100_CB9980009987_EN]
 - ECommerceSearchFunction
 - Exercise1_JUnit
 - Exercise1_LoggingFramework
 - Exercise1_MockingAndStubbing
 - Exercise3_Assertions
 - Exercise4_AAA_Pattern
 - Exercise-4-MavenConfiguration
 - FactoryMethodPatternExample
 - FinancialForecasting
 - JavaKing
 - LibraryManagement
 - QuizLeaderboardTask
 - SingletonPatternExample
 - Spring-Data-JPA-Quick-Example
 - spring-learn
 - spring-learn-2
 - spring-learn-3
 - spring-learn-4
 - src/main/java
 - com.cognizant.spring_learn_4
 - package-info.java
 - SpringLearn4Application.java
 - com.cognizant.spring_learn_4.controller
 - CountryController.java
 - package-info.java
 - com.cognizant.spring_learn_4.model
 - Country.java
 - package-info.java
 - src/main/resources
 - static
 - templates
 - application.properties
 - country.xml
 - src/test/java
 - JRE System Library [JavaSE-17]
 - Maven Dependencies
 - src
 - target
 - HELP.md
 - mvnw
 - mvnw.cmd
 - pom.xml

spring-learn-4/src/main/java/com/cognizant/spring_learn_4/controller/CountryController.java

```
1 package com.cognizant.spring_learn_4.controller;
2
3 import org.slf4j.Logger;
4 import org.slf4j.LoggerFactory;
5 import org.springframework.context.ApplicationContext;
6 import org.springframework.context.support.ClassPathXmlApplicationContext;
7 import org.springframework.web.bind.annotation.RequestMapping;
8 import org.springframework.web.bind.annotation.RestController;
9
10 import com.cognizant.spring_learn_4.model.Country;
11
12 @RestController
13 public class CountryController {
14
15     private static final Logger LOGGER =
16         LoggerFactory.getLogger(CountryController.class);
17
18     @RequestMapping("/country")
19     public Country getCountryIndia() {
20
21         LOGGER.info("START");
22
23         ApplicationContext context =
24             new ClassPathXmlApplicationContext("country.xml");
25
26         Country country = context.getBean("country", Country.class);
27
28         LOGGER.info("END");
29
30         return country;
31     }
32 }
```

localhost:8083/country

localhost:8083/country

Pretty-print

```
{
  "code": "IN",
  "name": "India"
}
```

Problems Javadoc Declaration Console

SpringLearn4Application [Java Application] C:\Program Files\Java\jdk-17\bin\java.exe

```

  ____  _
 / ___|| | | |
| |___| |_| |
 \___ \|  __/
      | |
      |_|

:: Spring Boot ::                (v4.1.0)

2026-07-12T22:14:37.676+05:30 INFO 20160 --- [spring-learn-4] [nio-8083-exec-1] o.a.c.c.C.[Tomcat].[localhost].[/] : Started SpringLearn4Application in 2.706 seconds (process running for 3.374)
2026-07-12T22:14:37.690+05:30 INFO 20160 --- [spring-learn-4] [nio-8083-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Spring DispatcherServlet 'dispatcherServlet'
2026-07-12T22:14:37.804+05:30 INFO 20160 --- [spring-learn-4] [nio-8083-exec-1] o.s.web.servlet.DispatcherServlet : Initializing Servlet 'dispatcherServlet'
2026-07-12T22:14:37.805+05:30 INFO 20160 --- [spring-learn-4] [nio-8083-exec-1] o.s.web.servlet.DispatcherServlet : Completed initialization in 1 ms
2026-07-12T22:14:39.150+05:30 INFO 20160 --- [spring-learn-4] [nio-8083-exec-1] c.c.s.controller.CountryController : START
2026-07-12T22:14:39.166+05:30 INFO 20160 --- [spring-learn-4] [nio-8083-exec-1] c.c.s.controller.CountryController : END
```