

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

WEEK 5

react1

react2

react3

react4

react5

Open Chat

Ctrl + Alt + I

Show All Commands

Ctrl + Shift + P

Open Settings

Ctrl + ,

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react5

Creating a new React app in C:\Users\aravi\OneDrive\Desktop\DN\Week 5\react5.

Installing packages. This might take a couple of minutes.

Installing react, react-dom, and react-scripts with cra-template...

:

react4

master*

0 0 0

Go Live

Prettier

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

JS Cohort.js react5\src

WEEK 5

react1

react2

react3

react4

react5

node_modules

public

src

App.css

App.js

App.test.js

Cohort.js

CohortDetails.js

index.css

index.js

logo.svg

reportWebVitals.js

setupTests.js

.gitignore

package-lock.json

package.json

README.md

README.old.md

react5 > src > JS Cohort.js > Cohort

```
1 class Cohort {
2   constructor(cohortCode,
3     startDate,
4     technology,
5     trainerName,
6     coachName,
7     currentStatus) {
8     this.cohortCode = cohortCode;
9     this.coachName = coachName;
10    this.trainerName = trainerName;
11    this.technology = technology;
12    this.startDate = startDate;
13    this.currentStatus = currentStatus;
14  }
15 }
16 const CohortsData = [
17   new Cohort('INTADMDF10','22-Feb-2022', '.NET FSD', 'Jojo Jose','Aathma', 'Scheduled'),
18   new Cohort('ADM21JF014','10-Sep-2021', 'Java FSD', 'Elisa Smith','Apoorv', 'Ongoing'),
19   new Cohort('CDBJF21025','24-Dec-2021', 'Java FSD', 'John Doe','Aathma', 'Ongoing'),
20   new Cohort('INTADMJF12','22-Feb-2022', 'Java FSD', 'To Be Assigned','Ibrahim', 'Scheduled'),
21   new Cohort('CDE22JF011','24-Dec-2021', 'Java FSD', 'Emma Swan','Apoorv', 'Ongoing'),
22   new Cohort('INTADMDF09','22-Feb-2022', 'Dataware Housing', 'Babjee Rao','Aathma', 'Scheduled'),
23   new Cohort('ADM22DF001','10-Sep-2021', '.NET FSD', 'Marie Curie','Ibrahim', 'Ongoing'),
24 ];
25 export {Cohort, CohortsData};
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react5

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react5

npm start

You had a `README.md` file, we renamed it to `README.old.md`

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react5 master* 0 0

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

JS Cohort.js react5\src

WEEK 5

react1

react2

react3

react4

react5

node_modules

public

src

CohortDetails.module.css

App.css

App.js

App.test.js

Cohort.js

CohortDetails.js

index.css

index.js

logo.svg

reportWebVitals.js

setupTests.js

.gitignore

package-lock.json

package.json

README.md

README.old.md

JS Cohort.js

react5 > src > JS Cohort.js > Cohort

1class Cohort {

2constructor(cohortCode,

3startDate,

4technology,

5trainerName,

6coachName,

7currentStatus) {

8this.cohortCode = cohortCode;

9this.coachName = coachName;

10this.trainerName = trainerName;

11this.technology = technology;

12this.startDate = startDate;

13this.currentStatus = currentStatus;

14}

15}

16const CohortsData =[

17new Cohort('INTADMDF10','22-Feb-2022', '.NET FSD', 'Jojo Jose','Aathma', 'Scheduled'),

18new Cohort('ADM21JF014','10-Sep-2021', 'Java FSD', 'Elisa Smith','Apoorv', 'Ongoing'),

19new Cohort('CDBJF21025','24-Dec-2021', 'Java FSD', 'John Doe','Aathma', 'Ongoing'),

20new Cohort('INTADMJF12','22-Feb-2022', 'Java FSD', 'To Be Assigned','Ibrahim', 'Scheduled'),

21new Cohort('CDE22JF011','24-Dec-2021', 'Java FSD', 'Emma Swan','Apoorv', 'Ongoing'),

22new Cohort('INTADMDF09','22-Feb-2022', 'Dataware Housing', 'Babjee Rao','Aathma', 'Scheduled'),

23new Cohort('ADM22DF001','10-Sep-2021', '.NET FSD', 'Marie Curie','Ibrahim', 'Ongoing'),

24];

25export {Cohort, CohortsData};

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react5

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files

and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react5

npm start

You had a `README.md` file, we renamed it to `README.old.md`

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react5 master*

0 0 0

Ln 1, Col 1

Spaces: 4

UTF-8

CRLF

JavaScript

Go Live

Prettier

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

JS Cohort.js react5/src

X # CohortDetails.module.css react5/src U

WEEK 5

> react1

> react2

> react3

> react4

> react5

> node_modules

> public

> src

App.css

JS App.js

JS App.test.js

JS Cohort.js

JS CohortDetails.js

CohortDetails.module.css U

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

{ } package-lock.json

{ } package.json M

① README.md

⬇ README.old.md

JS Cohort.js

CohortDetails.module.css U X

react5 > src > # CohortDetails.module.css > dt

1 .box {

2 width: 300px;

3 display: inline-block;

4 margin: 10px;

5 padding: 10px 20px;

6 border: 1px solid black;

7 border-radius: 10px;

8 }

9

10 dt {

11 font-weight: 500;

12 }

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

> TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react5

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files

and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react5

npm start

You had a `README.md` file, we renamed it to `README.old.md`

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react5 master*

0 0

Ln 12, Col 2

Spaces: 4

UTF-8

CRLF

CSS

Go Live

Prettier

File Edit Selection View Go Run Terminal Help

Week 5

Update

EXPLORER

OPEN EDITORS

CohortDetails.module.css react5/src U

X JS CohortDetails.js react5/src M

WEEK 5

> react1

> react2

> react3

> react4

> react5

> node_modules

> public

> src

App.css

JS App.js

JS App.test.js

JS Cohort.js

JS CohortDetails.js M

CohortDetails.module.css U

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

{ } package-lock.json

{ } package.json M

① README.md

⬇ README.old.md

CohortDetails.module.css U

JS CohortDetails.js M X

react5 > src > JS CohortDetails.js > CohortDetails

1 import styles from './CohortDetails.module.css';

2 function CohortDetails(props) {

3 return (

4 <div className={styles.box}>

5

6 <h3>

7 {props.cohort.cohortCode} -

8 {props.cohort.technology}

9 </h3>

10 <dl>

11 <dt>Started On</dt>

12 <dd>{props.cohort.startDate}</dd>

13 <dt>Current Status</dt>

14 <dd>{props.cohort.currentStatus}</dd>

15 <dt>Coach</dt>

16 <dd>{props.cohort.coachName}</dd>

17 <dt>Trainer</dt>

18 <dd>{props.cohort.trainerName}</dd>

19 </dl>

20 </div>

21

22);

23 }

24 export default CohortDetails;

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL SQL HISTORY TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react5

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react5

npm start

You had a `README.md` file, we renamed it to `README.old.md`

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react5 master* 0 0

Ln 4, Col 36 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

File Edit Selection View Go Run Terminal Help

Week 5

Update

EXPLORER

OPEN EDITORS

WEEK 5

react1

react2

react3

react4

react5

node_modules

public

src

App.css

App.js

App.test.js

Cohort.js

CohortDetails.js

CohortDetails.module.css

index.css

index.js

logo.svg

reportWebVitals.js

setupTests.js

.gitignore

package-lock.json

package.json

README.md

README.old.md

CohortDetails.module.css U

JS CohortDetails.js M

JS App.js react5... M X

JS App.js C:\Users\aravi\AppData\Local\Temp\0...

```
react5 > src > JS App.js > ...
1 import logo from './logo.svg';
2 import './App.css';
3 import { CohortsData } from './Cohort';
4 import CohortDetails from './CohortDetails';
5
6 function App() {
7
8   return (
9     <div>
10       <h1>Cohorts Details</h1>
11       {CohortsData.map(cohort => <C
12     </div>
13   );
14 }
15
16 export default App;
17
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\We

[eslint]
src\App.js
Line 1:8: 'logo' is defined but never
Search for the keywords to learn more about
To ignore, add // eslint-disable-next-line to the line before.
WARNING in [eslint]
src\App.js
Line 1:8: 'logo' is defined but never used no-unused-vars
webpack compiled with 1 warning

AZURE: ACTIVITY LOG

OUTLINE

TIMELINE

react5 master* 0 0

React App

localhost:3000

Ask Gemini

Cohorts Details

INTADMDF10 -.NET FSD

Started On22-Feb-2022

Current StatusScheduled

CoachAathma

TrainerJojo Jose

ADM21JF014 -Java FSD

Started On10-Sep-2021

Current StatusOngoing

CoachApoorv

TrainerElisa Smith

CDBJF21025 -Java FSD

Started On24-Dec-2021

Current StatusOngoing

CoachAathma

TrainerJohn Doe

INTADMJF12 -Java FSD

Started On22-Feb-2022

Current StatusScheduled

Coach

CDE22JF011 -Java FSD

Started On24-Dec-2021

Current StatusOngoing

Coach

INTADMDF09 -Dataware Housing

Started On22-Feb-2022

Current StatusScheduled

CoachAathma

File Edit Selection View Go Run Terminal Help

Week 5

Update

EXPLORER

OPEN EDITORS

CohortDetails.module.css react5/src U

X JS CohortDetails.js react5/src M

JS App.js react5/src M

JS Cohort.js react5/src

JS App.js C:\Users\aravi\AppData\Local\Temp\0...

WEEK 5

> react1

> react2

> react3

> react4

> react5

> node_modules

> public

> src

App.css

JS App.js M

JS App.test.js

JS Cohort.js

JS CohortDetails.js M

CohortDetails.module.css U

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

{ } package-lock.json

{ } package.json M

README.md

README.old.md

CohortDetails.module.css U

JS CohortDetails.js M X

JS App.js react5... M

JS Cohort.js

JS App.js C:\Users\aravi\OneDrive\Desktop\Week 5\react5\cohorttracker.zip\cohorttracker.zip\...

react5 > src > JS CohortDetails.js > default

1 import styles from './CohortDetails.module.css';

2

3 function CohortDetails(props) {

4 return (

5 <div className={styles.box}>

6 <h3

7 style={{

8 color: props.cohort.currentStatus === 'Ongoing'

9 ? 'green'

10 : 'blue'

11 }}>

12 </h3>

13 {props.cohort.cohortCode} -

14 {props.cohort.technology}

15 </h3>

16

17 <dl>

18 <dt>Started On</dt>

19 <dd>{props.cohort.startDate}</dd>

20

21 <dt>Current Status</dt>

22 <dd>{props.cohort.currentStatus}</dd>

23

24 <dt>Coach</dt>

25 <dd>{props.cohort.coachName}</dd>

26

27 <dt>Trainer</dt>

28 <dd>{props.cohort.trainerName}</dd>

29 </dl>

30 </div>

31);

32 }

33

34 export default CohortDetails;

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL SQL HISTORY TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\Week 5\react5> npm start

WARNING in [eslint]

src\App.js

Line 1:8: 'logo' is defined but never used no-unused-vars

webpack compiled with 1 warning

react5 master* 0 0

Aravind Srinivasan (5 minutes ago) Ln 34, Col 30 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

EXPLORER

OPEN EDITORS

WEEK 5

react1

react2

react3

react4

react5

node_modules

public

src

App.css

App.js

App.test.js

Cohort.js

CohortDetails.js

CohortDetails.module.css

index.css

index.js

logo.svg

reportWebVitals.js

setupTests.js

.gitignore

package-lock.json

package.json

README.md

README.old.md

CohortDetails.module.css U

JS CohortDetails.js M X

JS App.js react5\src M

JS Cohort.js

JS App.js C:\Users\aravi\AppData\Local\Temp\0...

react5 > src > JS CohortDetails.js > default

1 import styles from './CohortDetails.module.css';

2

3 function CohortDetails(props) {

4 return (

5 <div className={styles.box}>

6 <h3

7 style={{

8 color: props.

9 ? 'green'

10 : 'blue'

11 }}>

12

13 {props.cohort.cohortName}>

14 {props.cohort.startDate}</h3>

15 </div>

16

17 <div>

18 <dt>Started On</dt>

19 <dd>{props.cohort.startDate}</dd>

20

21 <dt>Current Status</dt>

22 <dd>{props.cohort.currentStatus}</dd>

23

24 <dt>Coach</dt>

25 <dd>{props.cohort.coach}</dd>

26

27 <dt>Trainer</dt>

28 <dd>{props.cohort.trainer}</dd>

29 </div>

30 </div>

31 };

32

33

34 export default CohortDetails;

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\Week 5\react5> npm start

WARNING in [eslint]

src/App.js

Line 1:8: 'logo' is defined but never used no-unused-vars

webpack compiled with 1 warning

React App

localhost:3000

Ask Gemini

Cohorts Details

INTADMDF10 -.NET FSD

Started On

22-Feb-2022

Current Status

Scheduled

Coach

Aathma

Trainer

Jojo Jose

ADM21JF014 -Java FSD

Started On

10-Sep-2021

Current Status

Ongoing

Coach

Apoorv

Trainer

Elisa Smith

CDBJF21025 -Java FSD

Started On

24-Dec-2021

Current Status

Ongoing

Coach

Aathma

Trainer

John Doe

INTADMJF12 -Java FSD

Started On

22-Feb-2022

Current Status

Scheduled

Coach

Abraham

CDE22JF011 -Java FSD

Started On

24-Dec-2021

Current Status

Ongoing

Coach

Apoorv

INTADMDF09 -Dataware Housing

Started On

22-Feb-2022

Current Status

Scheduled

Coach

Aathma

Aravind Srinivasan (5 minutes ago) Ln 34, Col 30 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier