

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

react10

react11

Open Chat

Ctrl + Alt + I

Show All Commands

Ctrl + Shift + P

Open Settings

Ctrl + ,

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

powerShell - react11

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react11

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files

and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react11

npm start

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> cd react 11

Set-Location : A positional parameter cannot be found that accepts argument '11'.

At line:1 char:1

+ cd react 11

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:) [Set-Location], ParameterBindingException

+ FullyQualifiedErrorId : PositionalParameterNotFound,Microsoft.PowerShell.Commands.SetLocationCommand

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> cd react11

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5\react11>

react10 master*

0 0 0

Go Live

Prettier

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

App.css react11\src

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

react10

react11

node_modules

public

src

App.css

JS App.js

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

AZURE: ACTIVITY LOG

OUTLINE

TIMELINE

react11 master 0 0 0

App.css

react11 > src > # App.css > ...

51

52 /* Book Details Column with Vertical Divider */

53 .st2 {

54 flex: 1;

55 padding: 0 20px;

56 border-left: 4px solid green;

57 border-right: 4px solid green;

58 }

59

60 /* Blog Details Column */

61 .v1 {

62 flex: 1;

63 padding: 0 20px;

64 text-align: left;

65 }

66

67 ul {

68 list-style-type: none;

69 padding: 0;

70 }

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react11

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files

and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react11

npm start

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> cd react 11

Set-Location : A positional parameter cannot be found that accepts argument '11'.

At line:1 char:1

+ cd react 11

+ ~~~~~

+ CategoryInfo : InvalidArgument: (:) [Set-Location], ParameterBindingException

+ FullyQualifiedErrorId : PositionalParameterNotFound,Microsoft.PowerShell.Commands.SetLocationCommand

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> cd react11

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5\react11>

Ln 70, Col 2 Spaces: 2 UTF-8 LF CSS Go Live Prettier

File Edit Selection View Go Run Terminal Help

← → Week 5

Update

EXPLORER

OPEN EDITORS

App.css react11\src M

X JS App.js react11\src M

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

react10

react11

node_modules

public

src

App.css M

JS App.js M

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

App.css M

JS App.js M X

react11 > src > JS App.js > App

1 import React from 'react';

2 import './App.css';

3

4 // 1. Data arrays matching lab hints and layout requirements

5 export const books = [

6 { id: 101, bname: 'Master React', price: 670 },

7 { id: 102, bname: 'Deep Dive into Angular 11 ', price: 800 },

8 { id: 103, bname: 'Mongo Essentials', price: 450 },

9];

10

11 export const courses = [

12 { id: 1, cname: 'Angular', date: '4/5/2021' },

13 { id: 2, cname: 'React', date: '6/3/20201' },

14];

15

16 export const blogs = [

17 { id: 1, title: 'React Learning', author: 'Stephen Biz', content: 'Welcome to learning React!' },

18 { id: 2, title: 'Installation', author: 'Schewzdenier', content: 'You can install React from npm.' },

19];

20

21 function App(props) {

22 // Conditional Rendering via Element Variable with map() & key extraction (Book Details)

23 const bookdet = (

24

25 {books.map((book) => (

26 <div key={book.id} style={{ marginBottom: '20px' }}>

27 <h3>{book.bname}</h3>

28 <h4>{book.price}</h4>

29 </div>

30))}

31

32);

33

34 // Conditional Rendering via Element Variable (Course Details)

35 const coursedet = (

36

37 {courses.map((course) => (

38 <div key={course.id} style={{ marginBottom: '25px' }}>

39 <h2>{course.cname}</h2>

40 <p>{course.date}</p>

41 </div>

42))}

43

44);

45

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> cd react 11

+ FullyQualifiedErrorId : PositionalParameterNotFound,Microsoft.PowerShell.Commands.SetLocationCommand

● PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> cd react11

○ PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5\react11>

react11 master*

0 0 0

Not Committed Yet Ln 34, Col 65 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier

File Edit Selection View Go Run Terminal Help

← → Week 5

Update

EXPLORER

OPEN EDITORS

App.css react11\src M

X JS App.js react11\src M

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

react10

react11

node_modules

public

src

App.css M

JS App.js M

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

App.css M

JS App.js M X

react11 > src > JS App.js > App

21 function App(props) {

35 const coursedet = (

43

44);

45

46 // Conditional Rendering via Element Variable (Blog Details)

47 const content = (

48 <div>

49 {blogs.map((blog) => (

50 <div key={blog.id} style={{ marginBottom: '25px' }}>

51 <h2>{blog.title}</h2>

52 <p>{blog.author}</p>

53 <p style={{ color: '#555' }}>{blog.content}</p>

54 </div>

55))}

56 </div>

57);

58

59 return (

60 <div>

61 <div className="container">

62 /* Course Details Section */

63 <div className="mystyle1">

64 <h1>Course Details</h1>

65 {coursedet}

66 </div>

67

68 /* Book Details Section */

69 <div className="st2">

70 <h1>Book Details</h1>

71 {bookdet}

72 </div>

73

74 /* Blog Details Section */

75 <div className="v1">

76 <h1>Blog Details</h1>

77 {content}

78 </div>

79 </div>

80 </div>

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> cd react 11

+ FullyQualifiedErrorId : PositionalParameterNotFound,Microsoft.PowerShell.Commands.SetLocationCommand

● PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> cd react11

○ PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5\react11>

react11 master*

0 0 0

Not Committed Yet Ln 34, Col 65 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier

File Edit Selection View Go Run Terminal Help

Week 5

Update

EXPLORER

OPEN EDITORS

App.css react11\src M

X JS App.js react11\src M

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

react10

react11

node_modules

public

src

App.css M

JS App.js M

JS App.test.js

index.css

JS index.js

logo.svg

reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

AZURE: ACTIVITY LOG

OUTLINE

TIMELINE

App.css M

JS App.js M X

react11 > src > JS App.js > App

21 function App(props) {

74

75

76

77

78

79

80

81

82

83

84 export default App;

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

> PS C:\Users\aravi\OneDrive\Desktop\Week 5\react11\src

You can now view react11 in the browser at http://localhost:3000/

Note that the development build is not optimized.

To create a production build, use npm run build.

webpack compiled successfully

React App

localhost:3000

Ask Gemini

Course Details

Angular

4/5/2021

React

6/3/20201

Book Details

Master React

670

Deep Dive into Angular 11

800

Mongo Essentials

450

Blog Details

React Learning

Stephen Biz

Welcome to learning React!

Installation

Schewzdenier

You can install React from npm.

react11 master* 0 0 0

Not Committed Yet Ln 34, Col 65 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier