

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

WEEK 5

- react1
- react2
- react3
- react4
- react5
- react6
- react7
- react8
- react9
 - node_modules
 - public
 - src
 - .gitignore
 - package-lock.json
 - package.json
 - README.md

Open Chat

Ctrl + Alt + I

Show All Commands

Ctrl + Shift + P

Open Settings

Ctrl + ,

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react9

npm start

Starts the development server.

npm run build

Bundles the app into static files for production.

npm test

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react9

npm start

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react9

master*

0 0 0

Go Live

Prettier

FileEditSelectionViewGoRunTerminalHelp

←→Week 5

Update

EXPLORER

OPEN EDITORS

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

node_modules

public

src

Components

App.css

App.js

App.test.js

index.css

index.js

logo.svg

reportWebVitals.js

setupTests.js

.gitignore

package-lock.json

package.json

README.md

Open Chat

Ctrl + Alt + I

Show All Commands

Ctrl + Shift + P

Open Settings

Ctrl + ,

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

SQL HISTORY

TASK MONITOR

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react9

npm start

Starts the development server.

npm run build

Bundles the app into static files for production.

npm test

Starts the test runner.

npm run eject

Removes this tool and copies build dependencies, configuration files and scripts into the app directory. If you do this, you can't go back!

We suggest that you begin by typing:

cd react9

npm start

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react9 master*

0 0 0

Go Live

Prettier

File Edit Selection View Go Run Terminal Help

← → Week 5

Update

EXPLORER

OPEN EDITORS

JS CurrencyConventor.js react9\src\Com... U

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

node_modules

public

src

Components

JS CurrencyConventor.js U

App.css

App.js

App.test.js

index.css

index.js

logo.svg

reportWebVitals.js

setupTests.js

.gitignore

package-lock.json

package.json

README.md

JS CurrencyConventor.js U

react9 > src > Components > JS CurrencyConventor.js > default

1 import React, { Component } from 'react';

2

3 export class CurrencyConventor extends Component {

4 constructor(props) {

5 super(props);

6 this.state = {

7 amount: '',

8 currency: ''

9 };

10 }

11

12 // Event handler for form submission

13 handleSubmit = (e) => {

14 e.preventDefault(); // Prevents default form submit action

15 const amt = parseFloat(this.state.amount);

16

17 if (!isNaN(amt)) {

18 // 80 Euro * 80 = 6400 (matching the screenshot output)

19 const converted = amt * 80;

20 alert(`Converting to Euro Amount is \${converted}`);

21 } else {

22 alert('Please enter a valid amount');

23 }

24 };

25

26 render() {

27 return (

28 <div>

29 <h1 style={{ color: 'green' }}>Currency Conventor!!!</h1>

30 <form onSubmit={this.handleSubmit}>

31 <div style={{ marginBottom: '10px' }}>

32 <label>Amount: </label>

33 <input

34 type="text"

35 value={this.state.amount}

36 onChange={(e) => this.setState({ amount: e.target.value })}

37 />

38 </div>

39 <div style={{ marginBottom: '10px' }}>

40 <label>Currency: </label>

41 <textarea

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL SQL HISTORY TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react9

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

Ln 54, Col 34 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

File Edit Selection View Go Run Terminal Help

← → Week 5

Update

EXPLORER

OPEN EDITORS

JS CurrencyConvertor.js react9\src\Com... U

JS App.js react9\src M

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

node_modules

public

src

Components

JS CurrencyConvertor.js U

App.css

JS App.js M

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

react9 > src > JS App.js > default

1 import React, { Component } from 'react';

2 import CurrencyConvertor from './CurrencyConvertor';

3

4 class App extends Component {

5 constructor(props) {

6 super(props);

7 this.state = {

8 count: 0

9 };

10 };

11

12 // 1. Invokes multiple methods: increments counter & shows alert

13 handleIncrement = () => {

14 this.incrementCount();

15 this.sayHello();

16 };

17

18 incrementCount = () => {

19 this.setState({ count: this.state.count + 1 });

20 };

21

22 sayHello = () => {

23 alert('Hello! Member1');

24 };

25

26 // Decrement Handler

27 handleDecrement = () => {

28 this.setState({ count: this.state.count - 1 });

29 };

30

31 // 2. Invokes function with parameter "welcome"

32 sayWelcome = (message) => {

33 alert(message);

34 };

35

36 // 3. Synthetic Event Handler

37 handleClick = (e) => {

38 // Uses synthetic event parameter 'e'

39 alert('I was clicked');

40 };

41

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL SQL HISTORY TASK MONITOR

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5> npx create-react-app react9

Happy hacking!

PS C:\Users\aravi\OneDrive\Desktop\DN\Week 5>

react9 master* 0 0

Aravind Srinivasan (1 minute ago) Ln 65, Col 20 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier

File Edit Selection View Go Run Terminal Help

EXPLORER

OPEN EDITORS

JS CurrencyConvertor.js react9\src\Com... U

JS App.js react9\src M

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

node_modules

public

src

Components

JS CurrencyConvertor.js U

App.css

JS App.js M

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

AZURE: ACTIVITY LOG

OUTLINE

TIMELINE

react9 > src > JS App.js > ...

1 import React, { Component } from 'react';

2 import CurrencyConvertor from './Components/CurrencyConvertor';

3 class App extends Component {

4 constructor(props) {

5 super(props);

6 this.state = {

7 count: 0

8 };

9 }

10

11 // 1. Invokes

12 handleIncre

13 this.incre

14 this.sayHe

15 };

16

17 incrementCou

18 this.setSta

19 };

20

21 sayHello = ()

22 alert('Hel

23 };

24

25 // Decrement

26 handleDecre

27 this.setSta

28 };

29

React App

localhost:3000

0

Increment

Decrement

Say welcome

Click on me

Currency Converter!!!

Amount:

Currency:

Submit

PROBLEMS

OUTPUT

DEVELOPER TOOLS

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop> npm run build

You can now view react9 in the browser.

Local:

On Your Network:


Note that the development build is not optimized.


To create a production build, use `npm run build`.


webpack compiled successfully


react9 master* 0 0


Ln 2, Col 64 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier











File Edit Selection View Go Run Terminal Help

EXPLORER

OPEN EDITORS

JS CurrencyConvertor.js react9\src\Com... U

JS App.js react9\src M

WEEK 5

react1

react2

react3

react4

react5

react6

react7

react8

react9

node_modules

public

src

Components

JS CurrencyConvertor.js U

App.css

JS App.js M

JS App.test.js

index.css

JS index.js

logo.svg

JS reportWebVitals.js

JS setupTests.js

.gitignore

package-lock.json

package.json

README.md

AZURE: ACTIVITY LOG

OUTLINE

TIMELINE

react9 > src > JS App.js > ...

```
1 import React, { Component } from 'react';
2 import CurrencyConvertor from './Components/CurrencyConvertor';
3 class App extends Component {
4   constructor(props) {
5     super(props);
6     this.state = {
7       count: 0
8     };
9   }
10
11   // 1. Invokes
12   handleIncrement() {
13     this.increment();
14     this.sayHello();
15   }
16
17   incrementCount() {
18     this.setState({
19       count: this.state.count + 1
20     });
21   }
22   sayHello = () {
23     alert('Hello');
24   };
25   // Decrement
26   handleDecrement() {
27     this.setState({
28       count: this.state.count - 1
29     });
30   }
31 }
```

React App

localhost:3000

localhost:3000 says
Converting to Euro Amount is 6400

Increment
Decrement
Say welcome
Click on me

Currency Converter!!!

Amount:

Currency:

Submit

PROBLEMS OUTPUT DEVICES

TERMINAL

PS C:\Users\aravi\OneDrive\Desktop> npm run build

You can now view react9 in the browser.

Local: http://localhost:3000

On Your Network: http://192.168.1.10:3000

Note that the development build is not optimized.
To create a production build, use `npm run build`.

webpack compiled successfully

Ln 2, Col 64 Spaces: 2 UTF-8 LF JavaScript Go Live Prettier