

Oracle SQL Developer

File Edit View Navigate Run Team Tools Window Help

Connections

- Oracle Connections
- LocalOracle
- Database Schema Service Connections

Worksheet Query Builder

```
CREATE TABLE Customers (  
  CustomerID NUMBER PRIMARY KEY,  
  Name VARCHAR2(50),  
  Age NUMBER,  
  Balance NUMBER,  
  IsVIP VARCHAR2(10)  
);  
  
CREATE TABLE Loans (  
  LoanID NUMBER PRIMARY KEY,  
  CustomerID NUMBER,  
  InterestRate NUMBER,  
  DueDate DATE  
);  
  
INSERT INTO Customers VALUES (1,'Arun',65,15000,'FALSE');  
INSERT INTO Customers VALUES (2,'Priya',45,8000,'FALSE');
```

Script Output

Task completed in 0.036 seconds

1 row inserted.

1 row inserted.

1 row inserted.

Dbms Output

Buffer Size: 20000

LocalOracle

```
CREATE TABLE Customers (  
  CustomerID NUMBER PRIMARY KEY,  
  Name VARCHAR2(50),  
  Age NUMBER,  
  Balance NUMBER,  
  IsVIP VARCHAR2(10)  
);  
  
CREATE TABLE Loans (  
  LoanID NUMBER PRIMARY KEY,  
  CustomerID NUMBER,  
  InterestRate NUMBER,  
  DueDate DATE  
);  
  
INSERT INTO Customers VALUES (1, 'Arun', 65, 15000, 'FALSE');  
INSERT INTO Customers VALUES (2, 'Priya', 45, 8000, 'FALSE');  
INSERT INTO Customers VALUES (3, 'Ravi', 70, 20000, 'FALSE');  
  
INSERT INTO Loans VALUES (101, 1, 8, SYSDATE+20);  
INSERT INTO Loans VALUES (102, 2, 9, SYSDATE+40);  
INSERT INTO Loans VALUES (103, 3, 7, SYSDATE+15);  
  
COMMIT;  
  
SELECT * FROM Customers;  
SELECT * FROM Loans;
```

	LOANID	CUSTOMERID	INTERESTRATE	DUEDATE
1	101	1	8	11-07-26
2	102	2	9	31-07-26
3	103	3	7	06-07-26

```
SELECT * FROM Loans;

BEGIN
  FOR cust IN (
    SELECT CustomerID
    FROM Customers
    WHERE Age > 60
  )
  LOOP
    UPDATE Loans
    SET InterestRate = InterestRate - 1
    WHERE CustomerID = cust.CustomerID;

    DBMS_OUTPUT.PUT_LINE(
      'Discount applied for Customer ID: '
      || cust.CustomerID
    );
  END LOOP;

  COMMIT;
END;
```

CUSTOMERID	NAME	AGE	BALANCE	ISVIP
1	Arun	65	15000	FALSE
2	Priya	45	8000	FALSE
3	Ravi	70	20000	FALSE

LOANID	CUSTOMERID	INTERESTRATE	DUEDATE
101	1	8	11-07-26
102	2	9	31-07-26
103	3	7	06-07-26

PL/SQL procedure successfully completed.

Discount applied for Customer ID: 1
Discount applied for Customer ID: 3

Connections

Oracle Connections
LocalOracle
Database Schema Service Connections

Reports

All Reports
About Your Database
All Objects
Analytic View Reports
Application Express
ASH and AWR
Database Administration
Data Dictionary
Data Dictionary Reports
Data Modeler Reports
OLAP Reports
PLSQL
Security
Streams
Table
TimesTen Reports
User Defined Reports
XML

Welcome Page LocalOracle

Worksheet Query Builder

```
BEGIN
  FOR cust IN (
    SELECT CustomerID
    FROM Customers
    WHERE Age > 60
  )
  LOOP
    UPDATE Loans
    SET InterestRate = InterestRate - 1
    WHERE CustomerID = cust.CustomerID;

    DBMS_OUTPUT.PUT_LINE(
      'Discount applied for Customer ID: '
      || cust.CustomerID
    );
  END LOOP;

  COMMIT;
END;
/

SELECT * FROM Loans;
```

Script Output Query Result

SQL | All Rows Fetched: 3 in 0.002 seconds

LOANID	CUSTOMERID	INTERESTRATE	DUE DATE
1	101	1	7/11/26
2	102	2	9/31/26
3	103	3	6/06/26

Dbms Output

Buffer Size: 20000

LocalOracle

Discount applied for Customer ID: 1
Discount applied for Customer ID: 3



Reports

- All Reports
- About Your Database
- All Objects
- Analytic View Reports
- Application Express
- ASH and AWR
- Database Administration
- Data Dictionary
- Data Dictionary Reports
- Data Modeler Reports
- OLAP Reports
- PLSQL
- Security
- Streams
- Table
- TimesTen Reports
- User Defined Reports
- XML

Welcome Page LocalOracle

0.2179999 seconds

Worksheet: Query Builder

```
);  
END LOOP;  
  
COMMIT?  
END;  
/  
  
BEGIN  
FOR cust IN (  
  SELECT CustomerID  
  FROM Customers  
  WHERE Balance > 10000  
)  
LOOP  
  UPDATE Customers  
  SET IsVIP = 'TRUE'  
  WHERE CustomerID = cust.CustomerID;  
  
  DBMS_OUTPUT.PUT_LINE(  
    'Customer promoted to VIP: '  
    || cust.CustomerID  
  );  
END LOOP;  
  
COMMIT?  
END;  
/  
  
SELECT * FROM Customers;
```

Script Output Query Result
Task completed in 0.218 seconds

CUSTOMERID	NAME	AGE	BALANCE	ISVIP
1	Arun	65	15000	TRUE
2	Priya	45	8000	FALSE
3	Ravi	70	20000	TRUE

Dbms Output

Buffer Size: 20000

LocalOracle

Discount applied for Customer ID: 1
Discount applied for Customer ID: 3

```
c.Name,  
1.LoanID,  
1.DueDate  
FROM Customers c  
JOIN Loans l  
ON c.CustomerID = l.CustomerID  
WHERE 1.DueDate BETWEEN SYSDATE  
AND SYSDATE + 30  
)  
LOOP  
  DBMS_OUTPUT.PUT_LINE(  
    'Reminder: Loan '  
    || loan_rec.LoanID  
    || ' for customer '  
    || loan_rec.Name  
    || ' is due on '  
    || TO_CHAR(loan_rec.DueDate,'DD-MON-YYYY')  
  );  
END LOOP;  
END;  
/  
  
SELECT * FROM Customers;
```

SQL | All Rows Fetched: 3 in 0.003 seconds

	CUSTOMERID	NAME	AGE	BALANCE	ISVIP
1	1	Arun	65	15000	TRUE
2	2	Priya	45	8000	FALSE
3	3	Ravi	70	20000	TRUE

LocalOracle | Buffer Size:20000

```
Discount applied for Customer ID: 1  
Discount applied for Customer ID: 3  
  
Discount applied for Customer ID: 1  
Discount applied for Customer ID: 3  
  
Customer promoted to VIP: 1  
Customer promoted to VIP: 3  
  
Reminder: Loan 101 for customer Arun is due on 11-JUL-2026  
Reminder: Loan 103 for customer Ravi is due on 06-JUL-2026
```