

**EARLY DETECTION OF LITHIUM
DENDRITE RISK IN EV BATTERIES
USING QUANTUM SUPPORT VECTOR
MACHINES**

by

VISHAK SENTHILKUMAR 2023103019

ARAVINDHAN S 2023103034

MANESH RAM 2023103037

A project report submitted to the

**FACULTY OF INFORMATION AND
COMMUNICATION ENGINEERING**

in partial fulfillment of the requirements for

the award of the degree of

BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING



**DEPARTMENT OF COMPUTER SCIENCE AND
ENGINEERING**

ANNA UNIVERSITY, CHENNAI – 25

MAY 2027

BONAFIDE CERTIFICATE

Certified that this project report titled **EARLY DETECTION OF LITHIUM DENDRITE RISK IN EV BATTERIES USING QUANTUM SUPPORT VECTOR MACHINES** is the *bonafide* work of **VISHAK SENTHILKUMAR (2023103019)**, **ARAVINDHAN S (2023103034)** and **MANESH RAM (2023103037)** who carried out the project work under my supervision, for the fulfillment of the requirements for the award of the degree of Bachelor of Engineering in Computer Science and Engineering. Certified further that to the best of my knowledge, the work reported herein does not form part of any other thesis or dissertation on the basis of which a degree or an award was conferred on an earlier occasion on these or any other candidates.

Place: Chennai

Chitrakala

Date:

Professor

Department of Computer Science and Engineering
Anna University, Chennai – 25

COUNTERSIGNED

Head of the Department,
Department of Computer Science and Engineering,
Anna University Chennai,
Chennai – 600025

ACKNOWLEDGEMENT

This page is where you would acknowledge all those who helped you with your academic research. I would like to thank Professor Smith ...

Use your own words to express thanks. Don't forget to thank the committee and the HoD. They've been very helpful.

Vishak Senthilkumar

Aravindhana S

Manesh Ram

ABSTRACT

The overall number of electric vehicles (EVs) on the roads is increasing and the need for the safety and reliability of their batteries is becoming more important. Dendrite formation is one of the most critical issues facing an electric vehicle's battery and can cause not only safety hazards but also destruction of the battery itself. This project offers a unique procedure for spotting battery dendrite risk early, using a hybrid machine learning model that merges both classical and quantum computing methods. Quantum Support Vector Machines classify the health of the battery time-series data, which consists of voltage, current and temperature. The sensors that are placed on the battery gather continuous data for a certain period of time and this data is then divided into smaller segments using a sliding window technique of pre-processing. For each segment, various statistics including average, variance and rate of change are computed to identify potential features in the battery's behavior. Features that have been selected are subsequently provided to the hybrid model where the QSVM further pushes the feature transformation process making it easier to detect very slight abnormalities which are signs of dendrite growth. It is the objective of this model to generate real-time, very precise predictions of dendrite risk that will facilitate quick actions taken and thus better management of the overall battery. The fusion of quantum computing and traditional machine learning techniques is what marks a key milestone for the EVs battery health monitoring sector.

TABLE OF CONTENTS

ABSTRACT – ENGLISH	iii
LIST OF FIGURES	v
LIST OF TABLES	vi
LIST OF ABBREVIATIONS	vii
1 INTRODUCTION	1
2 LITERATURE REVIEW	3
3 DESIGN	7
3.0.1 System Overview	7
3.0.2 Design: Data Acquisition Module	8
3.0.3 Design: Data Preprocessing Module	8
3.0.4 Design: Classical Feature Engineering Module	9
3.0.5 Design: Quantum-Inspired Feature Mapping Module	9
3.0.6 Design: Hybrid QSVM Classification Module	10
3.0.7 Design: Risk Assessment and Outputs	10
3.0.8 Design Summary	11
4 IMPLEMENTATION	12
4.1 Design Principles	12
5 TESTING	15
6 RESULTS	17
6.1 Results	17
6.1.1 Assessment	17

6.1.2	Evaluation	18
7	CONCLUSIONS	20
7.1	Contributions	20
7.2	Future Work	21

LIST OF FIGURES

LIST OF TABLES

2.1	Literature Review	3
4.1	Pointless Table	13
6.1	Another Pointless Table	19

LIST OF ABBREVIATIONS

QSVM Quantum Support Vector Machine

QML Quantum Machine Learning

SVM Support Vector Machine

EV Electric Vehicle

QAOA Quantum Approximate Optimization Algorithm

NISQ Noisy Intermediate-Scale Quantum

CHAPTER 1

INTRODUCTION

EVs can contribute to sustainable transportation and lithium-ion batteries are the key to their operation. The charging process subjects the EV batteries to different electrical and thermal conditions, which when allowed to get out of check may lead to abnormal behavior. Thermal runaway is one of the most important safety issues since the phenomenon, which is defined as an abrupt rise in temperature, may cause battery deterioration or system malfunction. Such abnormal conditions must therefore be identified early in order to be able to ensure that operations are safe and also to guarantee reliability of the system.

Due to the growing implementation of sensor-based battery management systems, nowadays it is possible to collect a considerable amount of time-stamped battery charging data in real time. This data is usually continuous measurements, including voltage, current, temperature and state of charge, measured during the charge, which are recorded during the charging cycle. This data is usually analyzed with machine learning methods and used to identify abnormal charging conduct. Nevertheless, most of the current methods are based on classical machine learning models only, and these might not be able to depict the complicated nonlinear relationships that can exist in multivariate time-series sensor data.

The new developments in quantum computing provided quantum-inspired machine learning (QML) methods that present alternative data representation and transformation techniques. Despite the fact that mod-

ern quantum devices have not offered any computational advantage of practical datasets, hybrid learning systems with classical and quantum-inspired components have been considered, because the feature representation can be improved. Here, it is assumed that QML will not replace the classical machine learning, but it represents another processing layer that can be added to the already existing learning pipeline.

This paper suggests a hybrid classical-quantum learning model to detect anomalies in EV battery charging systems with real time stamped sensor data. It is based on the suggested procedure that combines the classical time-series preprocessing and feature extraction with a quantum-inspired processing layer that is aimed at executing nonlinear feature transformation. The resulting hybrid feature representation is then studied with a classical classifier to determine abnormal charging patterns that relate to thermal runaway.

This project will have the main goal of designing and deploying an entire learning pipeline showing the extent to which advanced machine learning techniques can be integrated in a safety-critical and real world application. Instead of prioritizing the superior performance or computational acceleration, it focuses on the architectural design, feasibility, and the systematization of evaluation of hybrid feature representations of time-series anomaly detection. The efficiency of the suggested framework is assessed with the help of the data set of time-stamped sensor readings that were recorded in EV battery charge and thermal runaway events.

CHAPTER 2

LITERATURE REVIEW

Table 2.1 Literature Review

S.No	Paper	Methodology	Limitations	Ideas for Adoption
1	Comparative Investigation of Quantum and Classical Kernel Functions Applied in Support Vector Machine Algorithms	Performs a comparative study of classical kernels (RBF, polynomial) and quantum kernels within the SVM framework. Different quantum feature maps are evaluated using QSVM on benchmark datasets.	Uses quantum simulators; high kernel computation cost; limited scalability; lacks real-world application focus.	Adopt the quantum kernel comparison framework to evaluate classical SVM versus QSVM for battery time-series features, justifying improved separability for early dendrite-risk patterns.

S.No	Paper	Methodology	Limitations	Ideas for Adoption
2	Assessment of Quantum Feature Map for Binary Forest Classification using QSVM	Evaluates multiple Pauli-based quantum feature maps for binary classification. Features are normalized, reduced, encoded, and classified using QSVM with Pareto-front analysis.	Relies on simulators; inconsistent QSVM superiority; scalability limitations in NISQ-era hardware.	Apply quantum feature map selection strategies to battery sensor data and use Pareto analysis to balance accuracy and computational cost.
3	Hybrid Quantum–Classical Framework for Urban Traffic State Classification	Implements a hybrid pipeline combining classical feature extraction with quantum encoding and QSVM-based classification.	Limited dataset; simulator-based execution; real-time scalability not addressed.	Use the hybrid classical–quantum architecture for battery monitoring by applying QSVM after classical preprocessing of voltage and temperature data.

S.No	Paper	Methodology	Limitations	Ideas for Adoption
4	AutoQML: A Framework for Automated Quantum Machine Learning	Introduces automated quantum model selection, feature encoding, and hyperparameter tuning in hybrid workflows.	High computational overhead; simulator dependence; not tailored for time-series data.	Adopt automated quantum kernel and hyperparameter tuning to reduce manual QSVM optimization for battery datasets.
5	Real-Time Quantum Machine Learning-Based Anomaly Detection for Lithium-Ion Battery Packs	Proposes quantum-enhanced K-Means clustering for real-time anomaly detection using battery sensor data.	Focuses on clustering; requires multiple qubits; real-time hardware feasibility unclear.	Extend the anomaly detection framework by replacing clustering with QSVM-based supervised dendrite-risk classification.

6	Quantum Kernel-Based Support Vector Machine with QAOA Embedding for Lung Cancer Prediction	Uses QAOA-based quantum feature embedding with QSVM, achieving better results for small datasets.	Simulator execution; high cost; evaluated only on static medical data.	Adopt QAOA-based quantum embedding for capturing nonlinear patterns in reduced battery feature sets.
---	--	---	--	--

CHAPTER 3

DESIGN

3.1 DESIGN OVERVIEW

The proposed system design aims at coming up with a workable and dependable hybrid Quantum Support Vector Machine (QSVM)-based system in detecting anomalies and assessing risks in electric vehicle (EV) battery charging systems. The architecture is inspired by currently available quantum machine learning-based battery anomaly detection solutions, especially those based on an unsupervised clustering algorithm like K-means. Although the clustering-based methods have proven to be useful in finding rough deviations, they fail to perceive fine or earlier deviations and lack a decisional margin. The proposed system, to overcome such shortcomings, substitutes the clustering process with an explicit risk-oriented decision layer and the margin-based hybrid QSVM classifier.

The system is designed based on modular pipeline architecture where every module has a particular role to play and the structured outputs are sent out to the next process. The approach is appropriate in the real world because this modular design enhances interpretability, scalability and easy integration with the currently available battery management systems.

3.2 SYSTEM OVERVIEW

The time-stamped EV battery sensor data is processed in the following modules according to the proposed system: data acquisition, preprocessing, classical feature engineering, quantum-inspired feature mapping, hybrid QSVM classification, risk assessment, and output monitoring. Data preparation and baseline feature extraction is done using classical machine learning methods, whilst the representation of features is improved using quantum-inspired learning principles. A QSVM-based classifier is used to produce the final decision in a form of a risk-level in battery charging.

The proposed design uses a supervised or semi-supervised QSVM as opposed to the base reference work which has been using the unsupervised clustering method to detect anomaly. It allows clearly defined decision boundaries, better noise sensitivity, and more dependable detection of early warning features associated with unsafe charging behavior.

3.2.1 Design: Data Acquisition Module

The data acquisition module is the interface of the system and gathers time stamps of sensor data of EV battery packs through charging cycles. A set of synchronized readings of voltage, current, temperature, and state of charge (SOC) is stored in each record of the data.

This is a multivariate time series representation of battery behavior. Mitigation Multiple parameters interact with each other to form many of the battery anomalies and not single threshold violations. This module is as per the standard battery monitoring practices and comparable to the data collection methodology as employed by the base framework.

3.2.2 Design: Data Preprocessing Module

Raw sensor data can be noisy, have outliers, and dissimilar scales between parameters. In order to solve these problems, the preprocessing module is used to filter noise, normalize and segment the time.

Noise filtering cushions the effects of sudden upheavals and errors by the sensors. Normalization brings all sensor parameters in similar range such that, no single feature takes control of the learning process. Then a sliding window segmentation method is used to subdivide the continuous time-series data into fixed length windows. Each of the windows reflects short term charging dynamics and it is an independent learning sample.

This preprocessing methodology allows analysis of time behavior and adheres to common time-series processing procedures in battery monitoring systems.

3.2.3 Design: Classical Feature Engineering Module

After preprocessing, classical feature engineering is performed to obtain meaningful descriptors of every time window. Statistical characteristics like mean and variance are used to represent the general operating characteristics and temporal characteristics like change of rate and stability measure the dynamism of charging behavior.

A set of these features is represented as a classical structured feature vector of each window. The module is able to give an interpretable and computationally efficient baseline representation and is equivalent to the classical feature extraction step in the base paper. It also removes the dimensionality of unprocessed sensor measurements, which is convenient to process later with quantum-inspired algorithms.

3.2.4 Design: Quantum-Inspired Feature Mapping Module

The primary contribution of the given system is the quantum-inspired feature mapping module. This module converts the classical features instead of clustering or classifying them directly, into a higher-dimensional Hilbert space, via quantum-inspired encoding methods.

At the initial step, the superposition-based representation is used to encode classical feature vectors, where several components of features can be expressed at the same time. The second stage is an entanglement-inspired transformations that are used to model feature interactions. Such interactions are essential in EV battery systems, in which interacting temperature, voltage, and current are often the cause of unsafe charging behavior.

Even though many of these transformations are runnable on classical hardware, they are based on the mathematical form of quantum state representation, leading to the richer and more expressive feature space without needing physical quantum computation.

3.2.5 Design: Hybrid QSVM Classification Module

The proposed system uses a hybrid QSVM classifier to detect the existence of anomalous charging behavior. In contrast to the base paper that employed K-means clustering algorithm to learn the decision boundary, the QSVM learns the margin-based decision boundary, which divides normal and abnormal charging patterns in the quantum-enhanced feature space.

The QSVM is a quantum-inspired kernel with the classical SVM optimization. This hybrid architecture maintains the stability and scalability of traditional SVMs and enjoys the improved feature representation. The QSVM has a higher ability to resist noise, fewer rare anomalies, and more distinct separation between normal and abnormal behav-

ior than any of the clustering-based algorithms.

3.2.6 Design: Risk Assessment and Outputs

The system does not simply label anomalies, instead having a risk assessment module. The QSVM margin or anomaly score is assessed with the help of predetermined thresholds in order to determine each charging window as a High Risk or Low Risk one. Such a distinction between the detection and interpretation is more informative and conforms to the real-world battery management needs.

The risk level and a confidence score are the ultimate output and allow anticipating the potential danger and preventive measures in the case of unsafe charging conditions.

3.2.7 Design Summary

Overall, the proposed construction can be seen as an extension of current quantum machine learning-based battery anomaly detection models by introducing quantum-inspired feature mapping in a classical learning framework and substituting the decision logic based on clustering with a hybrid QSVM classifier. The modular architecture supports a high level of detection of anomalies at the same time being interpretable, computationally efficient, and feasible in practice to the applications of EV battery safety.

CHAPTER 4

IMPLEMENTATION

4.1 DESIGN PRINCIPLES

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris. Lorem

Day	Min Temp	Max Temp	Summary
Monday	11C	22C	A clear day with lots of sunshine. However, the strong breeze will bring down the temperatures.
Tuesday	9C	19C	Cloudy with rain, across many northern regions. Clear spells across most of Scotland and Northern Ireland, but rain reaching the far northwest.
Wednesday	10C	21C	Rain will still linger for the morning. Conditions will improve by early afternoon and continue throughout the evening.

Table 4.1 Pointless Table

ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi.

Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

CHAPTER 5

TESTING

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum. The design of the unix operating [?] is discussed here. Kernighan's [?] book on Unix is phenomenal. as is Ritchie's [?]. Wires have a future [?]. Talk about configuration [?]. Forensic analysis [?] is criminal. Microsoft gives Windows, Linux [?] the whole house. And more [?], and yet more [?]. Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna.

Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

CHAPTER 6

RESULTS

6.1 RESULTS

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

6.1.1 Assessment

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient

montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

6.1.2 Evaluation

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus

Day	Min Temp	Max Temp	Summary
Monday	11C	22C	A clear day with lots of sunshine. However, the strong breeze will bring down the temperatures.
Tuesday	9C	19C	Cloudy with rain, across many northern regions. Clear spells across most of Scotland and Northern Ireland, but rain reaching the far northwest.
Wednesday	10C	21C	Rain will still linger for the morning. Conditions will improve by early afternoon and continue throughout the evening.

Table 6.1 Another Pointless Table

dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras
 ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque eges-
 tas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.
 Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a
 faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl.
 Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere,
 turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas
 eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi.
 Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dig-
 nissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus
 dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras
 ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas
 wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

CHAPTER 7

CONCLUSIONS

7.1 CONTRIBUTIONS

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

7.2 FUTURE WORK

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi

vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.