

Task-1

Create a webpage that embeds another webpage using an `<iframe>`.

Set the width to 600px and height to 400px.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Iframe Example</title>
</head>
<body>


  <h1>Embedded Webpage</h1>

  <iframe
    src="https://www.example.com"
    width="600"
    height="400"
    title="Embedded Webpage">
  </iframe>

</body>

</html>
```

OUTPUT;



Key attributes

- `src` → Specifies the webpage to embed.
- `width="600"` → Sets the width to **600px**.
- `height="400"` → Sets the height to **400px**.
- `title` → Provides an accessible description of the iframe

Build a webpage with a list of favorite movies, a table showing movie details, and an iframe embedding a trailer.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>movies</title>
</head>

<body>

  <h1>My Favorite Movies</h1>

  <h2>Favorite Movies List</h2>
  <ul>
    <li>Avengers: Endgame</li>
    <li>Inception</li>
    <li>Interstellar</li>
    <li>The Dark Knight</li>
    <li>Jurassic Park</li>
  </ul>

  <h2>Movie Details</h2>

  <table border="1" cellpadding="10">
    <tr>
      <th>Movie</th>
      <th>Year</th>
      <th>Genre</th>
      <th>Rating</th>
    </tr>
    <tr>
      <td>Avengers: Endgame</td>
      <td>2019</td>
      <td>Action</td>
```


```
        <td>8.4/10</td>
    </tr>
    <tr>
        <td>Inception</td>
        <td>2010</td>
        <td>Science Fiction</td>
        <td>8.8/10</td>
    </tr>
    <tr>
        <td>Interstellar</td>
        <td>2014</td>
        <td>Science Fiction</td>
        <td>8.7/10</td>
    </tr>
    <tr>
        <td>The Dark Knight</td>
        <td>2008</td>
        <td>Action</td>
        <td>9.0/10</td>
    </tr>
</table>
```

```
<h2>Movie Trailer</h2>
```

```
    <iframe width="560" height="315"
src="https://www.youtube.com/embed/X1aFkAkFASk?si=pe7jzKh-YNoX8Ui0"
title="YouTube video player" frameborder="0" allow="accelerometer; autoplay;
clipboard-write; encrypted-media; gyroscope; picture-in-picture; web-share"
referrerpolicy="strict-origin-when-cross-origin" allowfullscreen></iframe>
```

```
</body>
```

Output;



What this webpage demonstrates:

- `<ul>` — creates the favorite movies list.
- `<table>` — displays movie information in rows and columns.
- `<iframe>` — embeds a YouTube movie trailer.
- `width="600"` and `height="400"` — set the iframe dimensions.

Create a webpage that

Add a <video> element with width="320" and height="240"

Add the controls attribute

Add a <source> with src="movie.mp4" and type="video/mp4"

Add fallback text: Your browser does not support the video tag.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>motivate vdo</title>
</head>
<body>


  <h1>My Video</h1>

  <video width="320" height="240" controls>
    <source src="Pouraadalaam Full Video Song _ M.S.Dhoni-Tamil _ Sushant
Singh Rajput, Kiara Advani.mp4" type="video/mp4">
    Your browser does not support the video tag.
  </video>

</body>

</html>
```

Output;



Key points

- `width="320"` → Sets the video width.
- `height="240"` → Sets the video height.
- `controls` → Displays play, pause, volume, and other controls.
- `<source>` → Specifies the video file and its format.
- Fallback text → Appears if the browser cannot display the video.

Create a webpage that

Add an <audio> element with the controls attribute

Add a <source> with src="horse.mp3" and type="audio/mpeg"

Add a second <source> with src="horse.ogg" and type="audio/ogg"

Add fallback text: Your browser does not support the audio element.


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>motivate audio</title>
</head>
<body>

  <h1>My Audio</h1>

  <audio controls>
    <source src="Veera Vinayaka - BestTamilan.mp3" type="audio/mpeg">
    <source src="Veera Vinayaka - BestTamilan.mp3" type="audio/ogg">
    Your browser does not support the audio element.
  </audio>

</body>
</html>
```

Output;



Key points

- `<audio controls>` → Adds audio playback controls.
- `horse.mp3` → First audio source in MP3 format.
- `horse.ogg` → Second audio source in OGG format.
- The browser tries the sources in order and uses a supported format.
- The fallback text appears if the browser doesn't support the `<audio>` element