




SSH BRUTE-FORCE ATTACK DETECTION USING SPLUNK








blackking@kali: ~
Session Actions Edit View Help
┌──(blackking㉿kali)-[~]
└─$ sudo tail -f /var/log/auth.log
2026-10-11T11:53:39.053113+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T11:53:55.265273+05:30 kali sudo: blackking : TTY=pts/5 ; PWD=/home/blackking ; USER=root ; COMMAND=/opt/splunkforwarder/bin/splunk status
2026-10-11T11:53:55.287128+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T11:53:55.619300+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T11:55:01.922186+05:30 kali CRON[26515]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2026-10-11T11:55:01.935564+05:30 kali CRON[26515]: pam_unix(cron:session): session closed for user root
2026-10-11T12:01:04.249596+05:30 kali sshd-session[33816]: Connection closed by 192.168.56.4 port 36582 [preauth]
2026-10-11T12:01:14.546837+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:01:18.932917+05:30 kali sudo: blackking : TTY=pts/2 ; PWD=/home/blackking ; USER=root ; COMMAND=/usr/bin/tail -f /var/log/auth.log
2026-10-11T12:01:18.942234+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:05:02.024156+05:30 kali CRON[37452]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2026-10-11T12:05:02.039647+05:30 kali CRON[37452]: pam_unix(cron:session): session closed for user root
2026-10-11T12:09:01.171454+05:30 kali CRON[48929]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2026-10-11T12:09:01.195279+05:30 kali CRON[48929]: pam_unix(cron:session): session closed for user root
^C
┌──(blackking㉿kali)-[~]
└─$ sudo grep -Ei 'Failed password|Invalid user|authentication failure' /var/log/auth.log
2026-10-11T12:12:29.912244+05:30 kali sudo: blackking : TTY=pts/2 ; PWD=/home/blackking ; USER=root ; COMMAND=/usr/bin/grep -Ei 'Failed password|Invalid user|authentication failure' /var/log/auth.log
┌──(blackking㉿kali)-[~]
└─$ sudo tail -f /var/log/auth.log
2026-10-11T12:14:33.125023+05:30 kali sshd-session[54316]: Failed password for invalid user invaliduser from 192.168.56.4 port 59860 ssh2
2026-10-11T12:14:36.922983+05:30 kali sshd-session[54316]: pam_unix(sshd:auth): check pass; user unknown
2026-10-11T12:14:38.944464+05:30 kali sshd-session[54316]: Failed password for invalid user invaliduser from 192.168.56.4 port 59860 ssh2
2026-10-11T12:14:41.825286+05:30 kali sshd-session[54316]: pam_unix(sshd:auth): check pass; user unknown
2026-10-11T12:14:43.726014+05:30 kali sshd-session[54316]: Failed password for invalid user invaliduser from 192.168.56.4 port 59860 ssh2
2026-10-11T12:14:44.663473+05:30 kali sshd-session[54316]: Connection closed by invalid user invaliduser 192.168.56.4 port 59860 [preauth]
2026-10-11T12:14:44.672727+05:30 kali sshd-session[54316]: PAM 2 more authentication failures; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.56.4
2026-10-11T12:15:01.192368+05:30 kali CRON[55040]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2026-10-11T12:15:01.213538+05:30 kali CRON[55040]: pam_unix(cron:session): session closed for user root
2026-10-11T12:15:03.819994+05:30 kali sudo: blackking : TTY=pts/2 ; PWD=/home/blackking ; USER=root ; COMMAND=/usr/bin/tail -f /var/log/auth.log
2026-10-11T12:15:03.846450+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)


blackking@kali: ~
Session Actions Edit View Help
2026-10-11T12:29:19.909272+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:31:07.122970+05:30 kali sshd-session[985439]: Invalid user invaliduser from 192.168.56.4 port 51298
2026-10-11T12:31:09.780833+05:30 kali sshd-session[985439]: pam_unix(sshd:auth): check pass; user unknown
2026-10-11T12:31:09.782453+05:30 kali sshd-session[985439]: pam_unix(sshd:auth): authentication failure; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.56.4
2026-10-11T12:31:11.994794+05:30 kali sshd-session[985439]: Failed password for invalid user invaliduser from 192.168.56.4 port 51298 ssh2
2026-10-11T12:31:14.126814+05:30 kali sshd-session[985439]: pam_unix(sshd:auth): check pass; user unknown
2026-10-11T12:31:16.148113+05:30 kali sshd-session[985439]: Failed password for invalid user invaliduser from 192.168.56.4 port 51298 ssh2
2026-10-11T12:31:18.937419+05:30 kali sshd-session[985439]: pam_unix(sshd:auth): check pass; user unknown
2026-10-11T12:31:21.439684+05:30 kali sshd-session[985439]: Failed password for invalid user invaliduser from 192.168.56.4 port 51298 ssh2
2026-10-11T12:31:21.772946+05:30 kali sshd-session[985439]: Connection closed by invalid user invaliduser 192.168.56.4 port 51298 [preauth]
2026-10-11T12:31:21.775256+05:30 kali sshd-session[985439]: PAM 2 more authentication failures; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.56.4
2026-10-11T12:32:51.015589+05:30 kali sudo: blackking : TTY=pts/3 ; PWD=/home/blackking ; USER=root ; COMMAND=/usr/bin/ss -lntp
2026-10-11T12:32:51.027767+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:32:51.076388+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:32:59.808098+05:30 kali sudo: blackking : TTY=pts/3 ; PWD=/home/blackking ; USER=root ; COMMAND=/opt/splunk/bin/splunk enable listen 9997
2026-10-11T12:32:59.810245+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:33:00.807105+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:33:29.242656+05:30 kali sudo: blackking : TTY=pts/3 ; PWD=/home/blackking ; USER=root ; COMMAND=/opt/splunkforwarder/bin/splunk list forward-server
2026-10-11T12:33:29.246770+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:33:30.375367+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:33:57.739322+05:30 kali sudo: blackking : TTY=pts/3 ; PWD=/opt/splunkforwarder/bin ; USER=root ; COMMAND=./splunk start
2026-10-11T12:33:57.741540+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:33:58.204187+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:34:33.616477+05:30 kali sudo: blackking : TTY=pts/3 ; PWD=/opt/splunkforwarder/bin ; USER=root ; COMMAND=./splunk start
2026-10-11T12:34:33.618752+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:34:35.076700+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:34:42.456478+05:30 kali sudo: blackking : TTY=pts/3 ; PWD=/opt/splunkforwarder/bin ; USER=root ; COMMAND=/opt/splunkforwarder/bin/splunk start
2026-10-11T12:34:42.456913+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:34:43.016347+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:35:01.453464+05:30 kali CRON[989130]: pam_unix(cron:session): session opened for user root(uid=0) by root(uid=0)
2026-10-11T12:35:01.463030+05:30 kali CRON[989130]: pam_unix(cron:session): session closed for user root
2026-10-11T12:35:12.610735+05:30 kali sudo: blackking : TTY=pts/3 ; PWD=/opt/splunkforwarder/bin ; USER=root ; COMMAND=/opt/splunkforwarder/bin/splunk status
2026-10-11T12:35:12.613683+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:35:12.782324+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
2026-10-11T12:35:59.533388+05:30 kali sudo: blackking : TTY=pts/3 ; PWD=/opt/splunkforwarder/bin ; USER=root ; COMMAND=/opt/splunkforwarder/bin/splunk list forward-server
2026-10-11T12:35:59.537035+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
2026-10-11T12:36:00.537954+05:30 kali sudo: pam_unix(sudo:session): session closed for user root


about:sessionrestore
Search | Splunk 9.4.11
http://127.0.0.1:8000/en-US/app/search/search?q=search index%3Dmain source%3D"%2Fvar%2Flog%2Fauth.log"&display.page.search.mode=verbose&dispatch.sample_ratio=1&workload_po
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB Splunk Enterprise Free...
splunk>enterprise Apps
Messages Settings Activity Help Find
Search Analytics Datasets Reports Alerts Dashboards
Search & Reporting
New Search
Save As Create Table View Close
index=main source="/var/log/auth.log"
Last 24 hours
154 events (10/10/26 11:30:00.000 AM to 10/11/26 11:58:45.000 AM) No Event Sampling
Job Verbose Mode
Events (154) Patterns Statistics Visualization
Timeline format Zoom Out Zoom to Selection Deselect
1 hour per column
Oct 10, 2026 11:00 AM
0 events at 8 PM on Saturday, October 10, 2026
Oct 11, 2026 12:00 PM
Format Show: 20 Per Page View: List
Prev 1 2 3 4 5 6 7 8 Next
Hide Fields All Fields
SELECTED FIELDS
a host 1
a source 1
a sourcetype 1
INTERESTING FIELDS
date_hour 2
date_mday 1
date_minute 27
a date_month 1
date_second 41
a date_wday 1
date_year 1
date_zone 1
a index 1
linecount 1
Time
Event
10/11/26 11:42:56.538 AM
2026-10-11T11:42:56.538346+05:30 kali mongod: looking for plugins in '/home/build/build-home/opt/mongo/lib/sasl2', failed to open directory, error: No such file or directory
host = kali source = /var/log/auth.log sourcetype = auth
10/11/26 11:42:56.474 AM
2026-10-11T11:42:56.474630+05:30 kali mongod: looking for plugins in '/home/build/build-home/opt/mongo/lib/sasl2', failed to open directory, error: No such file or directory
host = kali source = /var/log/auth.log sourcetype = auth
10/11/26 11:42:16.951 AM
2026-10-11T11:42:16.951294+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
host = kali source = /var/log/auth.log sourcetype = auth
10/11/26 11:42:16.941 AM
2026-10-11T11:42:16.941113+05:30 kali sudo: blackking : TTY=pts/1 ; PWD=/opt/splunk/bin ; USER=root ; COMMAND=./splunk start
host = kali source = /var/log/auth.log sourcetype = auth
10/11/26 11:41:22.047 AM
2026-10-11T11:41:22.047297+05:30 kali sudo: pam_unix(sudo:session): session closed for user root
host = kali source = /var/log/auth.log sourcetype = auth
10/11/26 11:41:13.041 AM
2026-10-11T11:41:13.041224+05:30 kali sudo: pam_unix(sudo:session): session opened for user root(uid=0) by blackking(uid=1000)
host = kali source = /var/log/auth.log sourcetype = auth


about:sessionrestore
Search | Splunk 9.4.11
Add-ons Manager
http://127.0.0.1:8000/en-US/app/search/search?q=search index%3D* source%3D"%2Fvar%2Flog%2Fauth.log" "Failed password"%0A| table _time host _raw%0A| sort - _time&display.page.se
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB Splunk Enterprise Free...
New Search
Save As
Create Table View
Close
index=* source="/var/log/auth.log" "Failed password"
| table _time host _raw
| sort - _time
All time
30 events (before 10/11/26 12:37:18.000 PM)
No Event Sampling
Job
Verbose Mode
Events (30)
Patterns
Statistics (30)
Visualization
Timeline format
Zoom Out
Zoom to Selection
Deselect
1 day per column
0 events during Wednesday, July 8, 2026
Format
Show: 20 Per Page
View: List
Prev
1
2
Next
Hide Fields
All Fields
SELECTED FIELDS
a host 1
a source 1
a sourcetype 3
INTERESTING FIELDS
date_hour 4
date_mday 3
date_minute 10
a date_month 3
date_second 26
a date_wday 2
date_year 1
date_zone 2
a index 1
linecount 1
a punct 4
a splunk_server 1
Time
Event
10/11/26 12:31:21.439 PM
2026-10-11T12:31:21.439684+05:30 kali sshd-session[985439]: Failed password for invalid user invaliduser from 192.168.56.4 port 51298 ssh2
host = kali source = /var/log/auth.log sourcetype = auth-3
10/11/26 12:31:16.148 PM
2026-10-11T12:31:16.148113+05:30 kali sshd-session[985439]: Failed password for invalid user invaliduser from 192.168.56.4 port 51298 ssh2
host = kali source = /var/log/auth.log sourcetype = auth-3
10/11/26 12:31:11.994 PM
2026-10-11T12:31:11.994794+05:30 kali sshd-session[985439]: Failed password for invalid user invaliduser from 192.168.56.4 port 51298 ssh2
host = kali source = /var/log/auth.log sourcetype = auth-3
10/11/26 12:14:43.726 PM
2026-10-11T12:14:43.726014+05:30 kali sshd-session[54316]: Failed password for invalid user invaliduser from 192.168.56.4 port 59860 ssh2
host = kali source = /var/log/auth.log sourcetype = auth-3
10/11/26 12:14:38.944 PM
2026-10-11T12:14:38.944464+05:30 kali sshd-session[54316]: Failed password for invalid user invaliduser from 192.168.56.4 port 59860 ssh2
host = kali source = /var/log/auth.log sourcetype = auth-3
10/11/26 12:14:33.125 PM
2026-10-11T12:14:33.125023+05:30 kali sshd-session[54316]: Failed password for invalid user invaliduser from 192.168.56.4 port 59860 ssh2
host = kali source = /var/log/auth.log sourcetype = auth-3
10/11/26
2026-10-11T12:12:29.912244+05:30 kali sudo: blackking : TTY=pts/2 ; PWD=/home/blackking ; USER=root ; COMMAND=/usr/bin/grep -Ei 'Failed password|Invalid user|authentication failure' /var/log/auth.log


about:sessionrestore
Search | Splunk 9.4.11
Add-ons Manager
http://127.0.0.1:8000/en-US/app/search/search?q=search index%3D* source%3D"%2Fvar%2Flog%2Fauth.log" "Failed password"%0A| table _time host _raw%0A| sort - _time&display.page.se
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB Splunk Enterprise Free...
New Search
Save As
Create Table View
Close
index=* source="/var/log/auth.log" "Failed password"
| table _time host _raw
| sort - _time
All time
30 events (before 10/11/26 12:37:18.000 PM)
No Event Sampling
Job
Verbose Mode
Events (30)
Patterns
Statistics (30)
Visualization
Timeline format
Zoom Out
Zoom to Selection
Deselect
1 day per column
Format
Show: 20 Per Page
View: List
Prev
1
2
Next
Hide Fields
All Fields
SELECTED FIELDS
a host 1
a source 1
a sourcetype 3
INTERESTING FIELDS
date_hour 4
date_mday 3
date_minute 10
a date_month 3
date_second 26
a date_wday 2
date_year 1
date_zone 2
a index 1
linecount 1
a punct 4
a splunk_server 1
Time
Event
10/11/26 12:31:21.439 PM
2026-10-11T12:31:21.439684+05:30 kali sshd-session[985439]: Failed password for invalid user invaliduser from 192.168.56.4 port 51298 ssh2
Event Actions
Type
Field
Value
Actions
Selected
host
kali
source
/var/log/auth.log
sourcetype
auth-3
Time
_time
2026-10-11T12:31:21.439+05:30
Default
index
main
linecount
1
punct
splunk_server
kali
10/11/26 12:31:16.148 PM
2026-10-11T12:31:16.148113+05:30 kali sshd-session[985439]: Failed password for invalid user invaliduser from 192.168.56.4 port 51298 ssh2
host = kali source = /var/log/auth.log sourcetype = auth-3