

Contest Duration: 2025-04-27(Sun) 08:00 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20250427T2100&p1=248>) - 2025-04-27(Sun) 09:40 (<http://www.timeanddate.com/worldclock/fixedtime.html?iso=20250427T2240&p1=248>) (local time) (100 minutes)

[Back to Home \(/home\)](/home)

[🏠 Top \(/contests/abc403\)](/contests/abc403)

[☰ Tasks \(/contests/abc403/tasks\)](/contests/abc403/tasks)

[❓ Clarifications \(/contests/abc403/clarifications\)](/contests/abc403/clarifications)

[🚀 Submit \(/contests/abc403/submit?taskScreenName=abc403_b\)](/contests/abc403/submit?taskScreenName=abc403_b)

[☰ Results ▼](#)

[🏆 Standings \(/contests/abc403/standings\)](/contests/abc403/standings)

[🏆 Virtual Standings \(/contests/abc403/standings/virtual\)](/contests/abc403/standings/virtual)

[🔧 Custom Test \(/contests/abc403/custom_test\)](/contests/abc403/custom_test)

[📖 Editorial \(/contests/abc403/editorial\)](/contests/abc403/editorial)

[💬 Discuss \(https://codeforces.com/blog/entry/142272\)](https://codeforces.com/blog/entry/142272)



B - Four Hidden

[Editorial \(/contests/abc403/tasks/abc403_b/editorial\)](/contests/abc403/tasks/abc403_b/editorial)

[🇯🇵 / 🇬🇧](#)

Time Limit: 2 sec / Memory Limit: 1024 MB

Score : 250 points

Problem Statement

You are given a string T consisting of lowercase English letters and $?$, and a string U consisting of lowercase English letters.

The string T is obtained by taking some lowercase-only string S and replacing exactly four of its characters with $?$.

Determine whether it is possible that the original string S contained U as a contiguous substring.

Constraints

- T is a string of length between 4 and 10, inclusive, consisting of lowercase letters and $?$.
- T contains exactly four occurrences of $?$.
- U is a string of length between 1 and $|T|$, inclusive, consisting of lowercase letters.

2025-04-27 (Sun)
11:34:57 -04:00

Input

The input is given from Standard Input in the following format:

$$\begin{matrix} T \\ U \end{matrix}$$

Output

Print Yes if it is possible that the original string S contained U as a contiguous substring; otherwise, print No.

Sample Input 1

[Copy](#)

```
tak?a?h?
nashi
```

[Copy](#)

Sample Output 1

[Copy](#)

```
Yes
```

[Copy](#)

For example, if S is takanashi, it contains nashi as a contiguous substring.

Sample Input 2

[Copy](#)

```
??e??e
snuke
```

[Copy](#)

Sample Output 2

[Copy](#)

```
No
```

[Copy](#)

No matter what characters replace the ?s in T , S cannot contain snuke as a contiguous substring.

Sample Input 3

[Copy](#)

2025-04-27 (Sun)
11:34:57 -04:00

????
aoki

Sample Output 3

[Copy](#)

Yes

[Copy](#)

Language

Python (CPython 3.11.4)

Source Code

[Open File](#)[Customize](#)[Toggle Editor](#)[Auto Height](#)

1

* at most 512 KiB

* Your source code will be saved as `Main.extension`.



Submit

#telegram)

2025-04-27 (Sun)
11:34:57 -04:00

url=https%3A%2F%2Fatcoder.jp%2Fcontests%2Fabc403%2Ftasks%2Fabc403_b%3Flang%3Den&title=B%20-

[Rule \(/contests/abc403/rules\)](/contests/abc403/rules) [Glossary \(/contests/abc403/glossary\)](/contests/abc403/glossary)

[Terms of service \(/tos\)](/tos) [Privacy Policy \(/privacy\)](/privacy) [Information Protection Policy \(/personal\)](/personal) [Company \(/company\)](/company)

[FAQ \(/faq\)](/faq) [Contact \(/contact\)](/contact)

Copyright Since 2012 ©AtCoder Inc. (<http://atcoder.co.jp>) All rights reserved.