Contest Duration: 2025-05-24(Sat) 08:00 (http://www.timeanddate.com/worldclock/fixedtime.html?
iso=20250524T2100&p1=248) - 2025-05-24(Sat) 09:40 (http://www.timeanddate.com/worldclock/fixedtime.html?
iso=20250524T2240&p1=248) (local time) (100 minutes)   Back to Home (/home)

🏠 Top (/contests/abc407)   ☰ Tasks (/contests/abc407/tasks)

❓ Clarifications (/contests/abc407/clarifications)

✈ Submit (/contests/abc407/submit?taskScreenName=abc407_c)   ☰ Results ▾

↓�F Standings (/contests/abc407/standings)

↓�F Virtual Standings (/contests/abc407/standings/virtual)

🔧 Custom Test (/contests/abc407/custom_test)   📕 Editorial (/contests/abc407/editorial)

💬 Discuss (https://codeforces.com/blog/entry/143155)   📌

C - Security 2   Editorial (/contests/abc407/tasks/abc407_c/editorial)   ● / 🇬🇧

Time Limit: 2 sec / Memory Limit: 1024 MB

Score : 300 points

Problem Statement

At the entrance of AtCoder Inc., there is a special pass-code input device. The device consists of a screen displaying one string, and two buttons.

Let t be the string shown on the screen. Initially, t is the empty string. Pressing a button changes t as follows:

- Pressing **button A** appends 0 to the end of t.
- Pressing **button B** replaces every digit in t with the next digit: for digits 0 through 8 the next digit is the one whose value is larger by 1; the next digit after 9 is 0.

For example, if t is 1984 and button A is pressed, t becomes 19840; if button B is then pressed, t becomes 20951.

You are given a string S. Starting from the empty string, press the buttons zero or more times until t coincides with S. Find the minimum number of button presses required.

Constraints

- S is a string consisting of 0, 1, 2, 3, 4, 5, 6, 7, 8, and 9.

2025-05-24 (Sat)
15:30:59 -04:00

- $1 \le |S| \le 5 \times 10^5$, where $|S|$ is the length of S.

Input

The input is given from Standard Input in the following format:

S

Output

Output the answer.

Sample Input 1   Copy

Copy
```
21
```

Sample Output 1   Copy

Copy
```
4
```

The following sequence of presses makes t equal to 21.

1. Press button A. t becomes 0.
2. Press button B. t becomes 1.
3. Press button A. t becomes 10.
4. Press button B. t becomes 21.

It is impossible to obtain 21 with fewer than four presses, so output 4.

Sample Input 2   Copy

Copy
```
407
```

Sample Output 2   Copy

Copy
```
17
```

Sample Input 3   Copy

20255242025524202555242025524   Copy

Sample Output 3   Copy

150   Copy

Language

Python (CPython 3.11.4)   ▾

Source Code

📂 Open File   ⚙ Customize   Toggle Editor   Auto Height

```
1    |
```

* at most 512 KiB

* Your source code will be saved as Main.*extension*.

✅ Success!   CLOUDFLARE
Privacy • Terms

Submit

2025-05-24 (Sat)
15:30:59 -04:00

#telegram)

url=https%3A%2F%2Fatcoder.jp%2Fcontests%2Fabc407%2Ftasks%2Fabc407_c%3Flang%3Den&title=C%20-

2025-05-24 (Sat)
15:30:59 -04:00