


Assignment -3

Assignment Date	19 November 2022
Student Name	Farlin Deva Binusha D M
Student Roll Number	962219104052
Maximum Marks	2 Marks

Question-1:

Create a Bucket in IBM object storage.

Solution:




The screenshot shows the IBM Cloud Object Storage console. The left sidebar contains a navigation menu with options: Cloud Object Storage, Storage instances, Cloud Object Storage-x3, Buckets (selected), Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area is titled 'Buckets' and includes a description: 'Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.' Below this is a table with columns: Name, Public access, Location, Storage class, and Created. A single bucket named 'farlin' is listed with 'No' for public access, 'jp-tok' for location, 'Standard' for storage class, and '2022-11-17 9:21 PM' for the creation time. A 'Create bucket' button is visible in the top right corner of the table area.

Name	Public access	Location	Storage class	Created
farlin	No	jp-tok	Standard	2022-11-17 9:21 PM

Question-2:

Upload 5 images to IBM object storage and make it public. Write html code to displaying all the 5 images.

Solution:




Img.html

```
<!DOCTYPE html>
<title>Mountains</title>
<head>
<style>
img{
width: 20%;
display: inline-block;
}
</style>
</head>
<body>
  <h2>Assignment 3</h2>
  
  <br>
  
  <br>
  
  <br>
  
  <br>
```

```

</body>
</html>
```



Assignment 3



Question-3:

Upload a CSS page to the object storage and use the same page in your HTML code.

Solution:

Img.html

```
<!DOCTYPE html>
<title>Mountains</title>
<link rel="stylesheet" href="styles.css">
<head>
</head>
<body>
  <h2>Assignment 3</h2>
  
  <br>
```

```

<br>

<br>


<br>

</body>
</html>
```

Styles.css

```
img{
  display: block;
  margin-left: auto;
  margin-right: auto;
  width: 35%;
}
```

```
Body{
  border:rgb(15, 15, 15);
  border-width:5px;
  border-style:double;
  text-align: center;
  font-family: Arial, Helvetica, sans-serif;
  background-color:rgb(239, 231, 231);
}
```




Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Solution:

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageUrl=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-e9644956-4c22-4bf7-b9d0-6d56cf9839ef%3A%3Afe37f0c7-34c5-463f-b20a-a8a2de4d204c&integrationID=276b15f4-d8cc-438a-b28d-802f15d20d27®ion=au-syd&serviceInstanceID=e9644956-4c22-4bf7-b9d0-6d56cf9839ef>



Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Solution:

```
<!DOCTYPE html>
<title>Hospital</title>
<style>
body {
background: url("Hospital\ img.jpg") no-repeat center center fixed;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover;
background-size: cover
}
</style>
<body>
  <script>
    window.watsonAssistantChatOptions = {
      integrationID: "d9a627e4-239e-4544-8cc4-27d164b8021b", // The ID of this integration.
      region: "au-syd", // The region your integration is hosted in.
      serviceInstanceID: "e9644956-4c22-4bf7-b9d0-6d56cf9839ef", // The ID of your service
instance.
      onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
    });
  </script>
</body>
</html>
```

