

Generated from docs/authoring-guides/design-dynamics.md by tools/guide-publisher .

Guide family map

Where this guide sits in the full Blueprint Authoring Atlas family.

ROOT & CROSS-CUTTING

Authoring Atlas

Blueprint Bundle

Metamodel Vocabulary

Migrations

DESIGN

Architecture

Concepts

Domain

Dynamics

Infrastructure

Interactions

Models

Quality

Rules

Story

GOVERNANCE

Capability

Decisions

Motivation

Organization

Roadmap

Test Cases

Value Stream

Capture → focus → transformation

What to gather first, what this layer focuses on, and what a modeler or AI agent can produce from it.

Capture inputs

- Ordering
- Parallel work
- Timing hazards



Dynamics

This guide helps non-technical people express this layer clearly.



Transformation outputs

- Runtime flow
- Concurrency risks
- Execution insight

Dynamics Authoring Guide

Use this guide when you need to describe **runtime timing, concurrency, ordering, and execution hazards**.

This guide is about **how work runs in time**, not what the business process means.

What belongs here

- ordering constraints
- parallel work opportunities
- race conditions or timing hazards
- execution model assumptions
- important resource pressure notes

What does not belong here

- the business narrative of a story
- infrastructure inventory
- static architecture boundaries

Core things to capture

- what must happen before what
- what can happen at the same time
- what must never overlap unsafely
- what execution style is assumed
- where timing or load matters

Core relationships to capture

- operation A -> must happen before operation B
- operations X and Y -> can run in parallel
- concurrent actions -> risk or collision
- runtime behavior -> resource pressure or delay

Modus operandi

Start from real runtime concerns:

1. identify operations that can overlap
2. identify operations that must stay ordered
3. describe known race conditions or timing hazards

4. record why concurrency matters or is dangerous
5. record important resource constraints

Prompt set

- what must happen first?
- what can run in parallel?
- what can go wrong if timing overlaps?
- what delays or bottlenecks matter?
- what execution style best describes the runtime behavior?

Free-text intake template

- **Runtime concern name:**
- **What is happening:**
- **Ordering requirement:**
- **Parallel opportunity:**
- **Risk or hazard:**
- **Expected benefit or impact:**
- **Resource notes:**

Worked example

- Approval check and calendar sync can run in parallel after a leave request is submitted
- Balance update must happen before final approval notification
- Two managers acting on the same request can cause a race condition if state is stale

How this becomes YAML

A technical modeler or AI agent can transform this into ordering, parallelism, race-condition, and execution-model entries tied to the relevant operations.

Common mistakes

- describing business steps instead of runtime timing
- saying "this is parallel" without naming the operations
- omitting the consequence of a race condition

- confusing infrastructure deployment with execution behavior

