

Generated from docs/authoring-guides/design-infrastructure.md by tools/guide-publisher .

Guide family map

Where this guide sits in the full Blueprint Authoring Atlas family.

ROOT & CROSS-CUTTING

Authoring Atlas

Blueprint Bundle

Metamodel Vocabulary

Migrations

DESIGN

Architecture

Concepts

Domain

Dynamics

Infrastructure

Interactions

Models

Quality

Rules

Story

GOVERNANCE

Capability

Decisions

Motivation

Organization

Roadmap

Test Cases

Value Stream

Capture → focus → transformation

What to gather first, what this layer focuses on, and what a modeler or AI agent can produce from it.

Capture inputs

- Resources
- Environments
- Operational ownership



Infrastructure

This guide helps non-technical people express this layer clearly.



Transformation outputs

- Topology view
- Runtime dependencies
- Support boundaries

Infrastructure Authoring Guide

Use this guide when you need to describe **environments, operational resources, platform services, and deployment topology**.

This guide is about the **resources the system depends on** and **where they live**.

What belongs here

- databases, queues, storage, caches, APIs, external services
- environments such as dev, staging, prod
- deployment tiers or placement
- resource ownership and responsibility

What does not belong here

- business concepts and rules
- business process stories
- screen-level interaction behavior

Core things to capture

- what resources exist
- what each resource is for
- which environments matter
- who owns or supports each resource
- how major services are placed or connected

Core relationships to capture

- service/component -> resource used
- resource -> environment
- resource -> owner/support team
- tier/region -> deployed services/resources

Modus operandi

Describe infrastructure in terms of purpose and operational dependency:

1. list the important resources
2. group them by environment or operational role
3. capture who owns them
4. capture which major services depend on them

- 5. capture meaningful topology only, not every internal knob

Prompt set

- what operational resources does this system need?
- which environments matter?
- who is responsible for each resource?
- what depends on what?
- what placement or topology matters to the reader?

Free-text intake template

- **Resource name:**
- **Kind/type:**
- **Purpose:**
- **Environment(s):**
- **Owner/support team:**
- **Used by:**
- **Important topology notes:**

Worked example

- HR SQL Database stores employee and leave data in dev, staging, and prod
- Notification Queue is used by approval and reminder flows
- Reporting Service runs separately and consumes replicated data

How this becomes YAML

A technical modeler or AI agent can transform this into infrastructure resources, environments, owners, and topology entries.

Common mistakes

- listing resources without purpose
- mixing architecture/service logic with raw resource inventory
- forgetting environments
- omitting ownership or operational responsibility