

Generated from docs/authoring-guides/governance-test-cases.md by tools/guide-publisher .

Guide family map

Where this guide sits in the full Blueprint Authoring Atlas family.

ROOT & CROSS-CUTTING

Authoring Atlas

Blueprint Bundle

Metamodel Vocabulary

Migrations

DESIGN

Architecture

Concepts

Domain

Dynamics

Infrastructure

Interactions

Models

Quality

Rules

Story

GOVERNANCE

Capability

Decisions

Motivation

Organization

Roadmap

Test Cases

Value Stream

Capture → focus → transformation

What to gather first, what this layer focuses on, and what a modeler or AI agent can produce from it.

Capture inputs

- Happy/edge/error cases
- Expected results
- Fitness checks



Test Cases

This guide helps non-technical people express this layer clearly.



Transformation outputs

- Proof of behavior
- Coverage thinking
- Validation evidence

Test Cases Authoring Guide

Use this guide when you need to describe **scenarios that prove expected behavior, edge behavior, error behavior, or architectural fitness constraints**.

This guide is about evidence that the model or system behaves as intended.

What belongs here

- happy-path scenarios
- edge-case scenarios
- error-case scenarios
- architectural fitness checks

What does not belong here

- a full business story without expected results
- vague quality wishes with no scenario or assertion
- implementation test code

Core things to capture

- the scenario name
- what is being tested
- setup/preconditions
- expected behavior or result
- what Blueprint element it validates

Core relationships to capture

- test case -> operation/rule/concept/story validated
- fitness function -> structural constraint checked
- scenario -> expected outcome or failure mode

Modus operandi

Capture evidence in scenario form:

1. describe the setup
2. describe the triggering action
3. describe the expected result
4. identify what Blueprint element is being validated
5. separate happy, edge, and error cases

Prompt set

- what scenario are we proving?
- what is the setup?
- what action occurs?
- what should happen?
- what rule, concept, or operation does this validate?

Free-text intake template

- **Test name:**
- **Category (happy/edge/error/fitness):**
- **Setup/preconditions:**
- **Trigger/action:**
- **Expected result:**
- **Validates:**

Worked example

- Happy path: employee submits valid leave request and receives confirmation
- Edge case: employee submits request with the maximum allowed future range
- Error case: employee submits overlapping dates and receives validation failure

How this becomes YAML

A technical modeler or AI agent can transform this into categorized test cases and fitness functions linked to the relevant Blueprint entities.

Common mistakes

- naming the test but not the expected result
- forgetting what is being validated
- mixing many scenarios into one case
- omitting edge and error behavior