

Generated from docs/authoring-guides/migration-schema.md by tools/guide-publisher .

Guide family map

Where this guide sits in the full Blueprint Authoring Atlas family.

ROOT & CROSS-CUTTING

Authoring Atlas

Blueprint Bundle

Metamodel Vocabulary

Migrations

DESIGN

Architecture

Concepts

Domain

Dynamics

Infrastructure

Interactions

Models

Quality

Rules

Story

GOVERNANCE

Capability

Decisions

Motivation

Organization

Roadmap

Test Cases

Value Stream

Capture → focus → transformation

What to gather first, what this layer focuses on, and what a modeler or AI agent can produce from it.

Capture inputs

- Change intent
- Ordering & dependencies
- Rollback concerns

Migrations

This guide helps non-technical people express this layer clearly.

Transformation outputs

- Model evolution plan
- Traceable changes
- Upgrade safety

Migrations Authoring Guide

Use this guide when you need to describe **how a Blueprint model changes over time**: what is being added, removed, renamed, redirected, split, merged, or updated, and why.

This guide is about **model evolution**, not only release notes.

What belongs here

- what change is being made to the Blueprint model
- why the change is needed
- what parts of the model are affected
- what order changes must happen in
- whether rollback or dependency concerns exist
- what decisions or rationale motivated the migration

What does not belong here

- generic release notes with no model impact
- low-level code migration scripts by themselves
- broad strategic goals without a specific model change

Core things to capture

- the migration name and purpose
- what model entities or relationships are changing
- why the change is needed
- whether the change is breaking
- what dependencies or sequencing matter
- whether rollback is easy, risky, or impossible

Core relationships to capture

- migration -> changed entities/properties/relationships
- migration -> prior migration it depends on
- migration -> related decisions or rationale
- migration -> rollback risk or external follow-up action

Modus operandi

Describe migrations as explicit change packages:

1. state what is changing
2. explain why it is changing
3. group the affected entities, properties, and relationships
4. state ordering and dependencies
5. state rollback feasibility and risks
6. mention related decisions when relevant

Prompt set

- what changed in the Blueprint model?
- why is the change needed now?
- what entities, properties, or relationships are affected?
- is the change breaking?
- what must happen before this migration?
- what would make rollback difficult?

Free-text intake template

- **Migration name:**
- **Purpose:**
- **Status:**
- **What changes:**
 - entities:
 - properties:
 - relationships:
 - meta/bundle changes:
- **Why:**
- **Depends on:**
- **Breaking or non-breaking:**
- **Rollback notes:**
- **Related decisions:**

Worked example

- **Migration name:** split-leave-and-time-tracking-slices
- **Purpose:** separate one HR slice into two clearer business slices
- **Status:** pending
- **What changes:** move concepts and stories into leave-management and time-tracking; redirect references; add shared root architecture notes

- **Why:** the old model mixed two domains with different ownership and change rates
- **Depends on:** establish new slice names first
- **Breaking or non-breaking:** potentially breaking for downstream generators and references
- **Rollback notes:** rollback is possible only if moved entities keep their old identity trace

How this becomes YAML

A technical modeler or AI agent can transform this into migration metadata plus ordered entity, property, relationship, and meta changes with dependency and rollback information.

Common mistakes

- writing release notes instead of model change intent
- failing to name the affected entities or relationships
- omitting why the migration exists
- forgetting dependency order or rollback concerns