
✓ CrewAI Practical MCQ Quiz

Q1.

You built a CrewAI pipeline with 3 agents: Researcher → Writer → Editor.
However, the Writer is generating content without using the Researcher's output.

What is the MOST likely issue?

- A. Writer agent role is not defined properly
- B. Tasks are not linked via context/output passing
- C. CrewAI does not support sequential execution
- D. Agents need to be initialized twice

Answer: B. Tasks are not linked via context/output passing

Q2.

In a CrewAI system, you want an agent to behave differently based on its responsibility (e.g., research vs writing).

Which is the BEST way to achieve this?

- A. Use one agent with multiple prompts
- B. Define separate agents with distinct roles and goals
- C. Use only tools to differentiate behavior
- D. Run the same agent multiple times

Answer: B. Define separate agents with distinct roles and goals

Q3.

You are designing a system where:

- Agent A analyzes a query
- Based on output, either Agent B or Agent C is triggered

What concept is being implemented?

- A. Static task execution
- B. Sequential pipeline

- C. Conditional task orchestration
- D. Parallel processing

Answer: C. Conditional task orchestration

Q4.

In a CrewAI workflow, tasks are executed but outputs are inconsistent because agents are not aligned.

What is the BEST fix?

- A. Increase number of agents
- B. Clearly define goals, backstory, and expected outputs per agent
- C. Remove orchestration
- D. Run tasks in parallel

Answer: B. Clearly define goals, backstory, and expected outputs per agent

Q5.

You want multiple agents to collaborate on a single output where each improves the previous result.

Which approach should you use?

- A. Independent execution
- B. Parallel agents without communication
- C. Sequential task orchestration with context passing
- D. Single-agent execution

Answer: C. Sequential task orchestration with context passing

Q6.

A CrewAI system fails when one agent produces irrelevant output, affecting downstream agents.

What is the MOST practical solution?

- A. Remove that agent
- B. Add validation or review task between agents
- C. Increase temperature of model

D. Skip orchestration

Answer: B. Add validation or review task between agents

Q7.

You are building a customer support system where:

- Simple queries are handled automatically
- Complex queries are escalated to a different agent

Which design pattern is MOST suitable?

- A. Linear workflow
- B. Role-based conditional routing
- C. Single-agent system
- D. Random agent selection

Answer: B. Role-based conditional routing

Q8.

In CrewAI, what ensures that one agent's output becomes another agent's input?

- A. Agent memory
- B. Task dependency and context passing
- C. Tools
- D. API keys

Answer: B. Task dependency and context passing

Q9.

You created multiple agents but all are producing similar outputs.

What is the MOST likely reason?

- A. Agents are using different models
- B. Agents lack distinct roles/goals/prompts
- C. Too many tasks are defined
- D. CrewAI does not support multi-agent systems

Answer: B. Agents lack distinct roles/goals/prompts

Q10.

You want to optimize task execution time by running independent tasks simultaneously.

Which strategy should you use?

- A. Sequential execution
- B. Conditional routing
- C. Parallel task execution
- D. Single-agent workflow

Answer: C. Parallel task execution